

DIRZONE



WINGS • TANKS • ACCESSORIES

XSCUBA
EVERYTHING FOR THE PERFECT DIVE...

MIFLEX

EEZYCUT
emergency cutting tools

Cylinders & Valves - ECS Steel Tanks

ECS 10l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 10l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 171mm
 Length: 595mm
 Weight: approx. 12,2kg (deviations are possible)

Order#	Size	Color	SRP EUR
85077	10l 232bar 171mm	white	309.00

ECS 10l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 10l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 171mm
 Length: 610mm
 Weight: approx. 15,6kg (deviations are possible)

Order#	Size	Color	SRP EUR
85078	10l 300bar 171mm	white	369.00

ECS 12l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 171mm
 Length: 690mm
 Weight: approx. 14,0kg (deviations are possible)

Order#	Size	Color	SRP EUR
85123	12l 232bar 171mm	white	319.00

ECS 12l 232bar CONCAVE



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 171mm
 Length: 685mm
 Weight: approx. 16,0kg (deviations are possible)

Order#	Size	Color	SRP EUR
85085	12l 232bar 171mm	white	329.00

ECS 12l 232bar SHORT



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 550mm
 Weight: approx. 15,9kg (deviations are possible)

Order#	Size	Color	SRP EUR
85124	12l 232bar 204mm	white	359.00

ECS 12l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 171mm
 Length: 710mm
 Weight: approx. 18,9kg (deviations are possible)

Order#	Size	Color	SRP EUR
85122	12l 300bar 171mm	white	409.00

ECS 15l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 15l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 640mm
 Weight: approx. 17,4kg (deviations are possible)

Order#	Size	Color	SRP EUR
85177	15l 232bar 204mm	white	399.00

ECS 18l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 18l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 710mm
 Weight: approx. 21,0kg (deviations are possible)

Order#	Size	Color	SRP EUR
85181	18l 232bar 204mm	white	459.00

ECS 1l 200bar



ECS Tanks are made in Germany (Apolda).
 Volume: 1l
 Fill pressure: 200bar
 Thread: M18x1,5
 Diameter: 82,5mm
 Length: 265mm
 Weight: approx. 1,7kg (deviations are possible)

Order#	Size	Color	SRP EUR
00100	1l 200bar 82,5mm M18x1,5	white	169.00

ECS 1l 300 bar



ECS Tanks are made in Germany (Apolda).
 Volume: 1l
 Fill pressure: 300bar
 Thread: M18x1,5
 Diameter: 82,5mm
 Length: 265mm

Order#	Size	Color	SRP EUR
00110	1l M18x1,5 300 bar 82,5 mm	white	169.00

ECS 20l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 20l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 810mm
 Weight: approx. 22,7kg (deviations are possible)

Order#	Size	Color	SRP EUR
85200	20l 232bar 204mm	white	499.00

ECS 2l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 2l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 114mm
 Length: 305mm
 Weight: approx. 3,8kg (deviations are possible)

Order#	Size	Color	SRP EUR
00101	2l 232bar 114mm	white	174.00

ECS 3l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

Order#	Size	Color	SRP EUR
85099	3l 232bar 100mm	white	189.00

ECS 3l 232bar BLACK



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

Order#	Size	Color	SRP EUR
85099BK	3l 232bar 100mm	black	189.00

ECS 3l 232bar SHORT



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 114mm
 Length: 425mm
 Weight: approx. 4,7kg (deviations are possible)

Order#	Size	Color	SRP EUR
00102	3l 232bar 114mm	white	189.00

ECS 3l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

Order#	Size	Color	SRP EUR
85097	3l 300bar 100mm	white	189.00

ECS 3l 300bar BLACK



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

Order#	Size	Color	SRP EUR
85097BK	3l 300bar	black	189.00

ECS 5l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 5l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 466mm
 Weight: approx. 7,49kg (deviations are possible)

Order#	Size	Color	SRP EUR
85098	5l 232bar 140mm	white	269.00

ECS 7l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 7l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 605mm
 Weight: approx. 9,3kg (deviations are possible)

Order#	Size	Color	SRP EUR
85075	7l 232bar 140mm	white	279.00

ECS 7l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 7l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 140mm
 Length: 615mm
 Weight: approx. 9,9kg (deviations are possible)

Order#	Size	Color	SRP EUR
85073	7l 300bar 140mm	white	329.00

ECS 8,5l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 8,5l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 740mm
 Weight: approx. 10,4kg (deviations are possible)

Order#	Size	Color	SRP EUR
85076	8,5l 232bar 140mm	white	329.00

ECS 8,5l 232bar CONCAVE



ECS Tanks are made in Germany (Apolda).
 Volume: 8,5l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 705mm
 Weight: approx. 11,0kg (deviations are possible)

Order#	Size	Color	SRP EUR
85084	8,5l 232bar 140mm	white	319.00

ECS 8l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 8l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 140mm
 Length: 690mm
 Weight: approx. 9,83kg (deviations are possible)

Order#	Size	Color	SRP EUR
85080	8l 300bar 140mm	white	359.00

ECS steel cylinder 1,8l black



Volume: 1,8l
 Fill pressure: 230bar
 Thread: M18x1,5
 Diameter: 82,5mm
 Length: 455mm
 Weight: approx. 2,8kg (deviations are possible)

Order#	Size	Color	SRP EUR
00105	1.8 liter	black	179.00

Cylinders & Valves - LUXFER Tanks

LUXFER 0,85l 200bar



Alloy tanks made by LUXFER.

Volume: 0,85l

Fill pressure: 200bar

Thread: M18x1,5

Diameter: 81mm

Length: 279mm

Weight: approx. 1,18kg (deviations are possible)

TPED/Pi certified

Order#	Size	Color	SRP EUR
80005	0,85l 200bar 81mm M18x1,5	black	160.00

Cylinders & Valves - MES Tanks

MES 11,1l 207bar natural



Alloy tanks made by MES.
 Volume: 11,1l (80cuft)
 Fill pressure: 207bar
 Thread: M25x2
 Diameter: 184mm
 Length: 662mm
 Weight: approx. 14,4kg (deviations are possible)

Order#	Size	Color	SRP EUR
85211	11,1l 207bar 184mm S080	natural	359.00

MES 2l 200bar



Alloy tanks made by MES.
 Volume: 2l
 Fill pressure: 200bar
 Thread: M25x2
 Diameter: 102mm
 Length: 400mm
 Weight: approx. 2,6kg (deviations are possible)

Order#	Size	Color	SRP EUR
85219	2l 200bar 102mm	black	149.00

MES 3l 206bar natural



Alloy tanks made by MES.
 Volume: 3l
 Fill pressure: 206,3bar
 Thread: M25x2
 Diameter: 117mm
 Length: 440mm
 Weight: approx. 3,6kg (deviations are possible)

Order#	Size	Color	SRP EUR
85215	3l 206,3bar 117mm	natural	189.00

MES 5,7l 207bar natural



Alloy tanks made by MES.
 Volume: 5,7l (40cuft)
 Fill pressure: 207bar
 Thread: M25x2
 Diameter: 133mm
 Length: 645mm
 Weight: approx. 7,0kg (deviations are possible)

Order#	Size	Color	SRP EUR
85223	5,7l 207bar 133mm S040	natural	289.00

MES 7l 200bar natural



Alloy tanks made by MES.
Volume: 7l
Fill pressure: 200bar
Thread: M25x2
Diameter: 152mm
Length: 614mm
Weight: approx. 8,6kg (deviations are possible)

Order#	Size	Color	SRP EUR
85218	7l 200bar 152mm	natural	299.00

Cylinders & Valves - Complete Tanks

ECS Steel Tanks



ECS Tanks are made in Germany (Apolda).
Please complete these tanks with valves, tank bands and tank boots according to your demands.

Order#	Size	Color	SRP EUR
00100	1l 200bar 82,5mm M18x1,5	white	169.00
00101	2l 232bar 114mm	white	174.00
00102	3l 232bar 114mm	white	189.00
85097	3l 300bar 100mm	white	189.00
85097BK	3l 300bar 100mm	black	189.00
85099	3l 232bar 100mm	white	189.00
85099BK	3l 232bar 100mm	black	189.00
85098	5l 232bar 140mm	white	269.00
85073	7l 300bar 140mm	white	329.00
85075	7l 232bar 140mm	white	279.00
85076	8,5l 232bar 140mm	white	329.00
85084	8,5l 232bar 140mm CONCAVE	white	319.00
85077	10l 232bar 171mm	white	309.00
85078	10l 300bar 171mm	white	369.00
85085	12l 232bar 171mm CONCAVE	white	329.00
85122	12l 300bar 171mm	white	409.00
85123	12l 232bar 171mm	white	319.00
85124	12l 232bar 204mm	white	359.00
85177	15l 232bar 204mm	white	399.00
85181	18l 232bar 204mm	white	459.00
85200	20l 232bar 204mm	white	499.00

LUXFER Alu Tanks



Please complete these tanks with valves, tank bands and tank boots according to your demands.

Picture shows a brushed S040 (80043)

Order#	Size	Color	SRP EUR
			0.00
			0.00
			0.00
80005	0,85l 200bar 81mm M18x1,5	black	160.00

MES Alu Tanks



Please complete these tanks with valves, tank bands and tank boots according to your demands.

Picture shows 11,1l tanks white and natural

Order#	Size	Color	SRP EUR
85219	2l 200bar 102mm 2,6kg	black	149.00
85215	3l 206,3bar 117mm 3,6kg	natural	189.00
85223	5,7l 207bar 134m 7,0kg	natural	289.00
85218	7l 200bar 152mm 8,6kg	natural	299.00
85211	11,1l 207bar 184mm 14,4kg	natural	359.00

Alloy Tanks complete w/ TÜV



Alloy tanks complete with valves and german TÜV

Certified by: TÜV Rheinland, Prüfstelle Wuppertal

Cylinders smaller than 1L without TÜV certification

Standard sizes:

S040: 40 cuft, 5,7l

S080: 80 cuft, 11,1l

extendable valves come with blanking plug.

Picture shows a brushed S040 (80043)

Delivery unassembled because of transport reasons.

Order#	Size	Color	SRP EUR
			0.00
			0.00
			0.00
			0.00
			0.00
			0.00
			0.00
			0.00
80005-25	LUXFER 0.85l, mono valve, 81mm	black	195.00
80075-06	TECLINE 1.5l, mono valve, 111mn	black	184.00
85211-5T	MES S080 mono valve	natural	418.00
85211-5TL	MES S080 ext. valve left	natural	458.00
85211-5TR	MES S080 ext. valve right	natural	458.00
85218-5T	MES 7l mono valve	natural	358.00
85218-5TL	MES 7l ext. valve left	natural	398.00
85218-5TR	MES 7l ext. valve right	natural	398.00
85223-5T	MES S040 mono valve	natural	348.00

Double tanks, complete w/ TÜV



ECS Tanks are made in Germany (Apolda).
 v4tec tankbands and DIRZONE manifolds are included!
 Please complete these tanks with tank boots in case you need those.
 Those tanks come with german TÜV
 Certified by: TÜV Rheinland, Prüfstelle Wuppertal
 Delivery unassembled because of transport reasons.
 Sample picture D12 shows #86006:
 - 2x 85123 ECS Steel Tank 12l 232bar 171mm
 - 1x 88171 v4tec Tank Bands 171/185mm
 - 1x 71001 DIRZONE Manifold complete 171mm

Order#	Size	Color	SRP EUR
85080-5T	D8 300bar wide	white	1076.00
85084-5T	D8.5 232bar concave wide	white	986.00
85085-5T	D12 232bar concave	white	1006.00
85122-01	D12 300bar	white	1166.00
85201	D20 232bar	white	1362.00
86004	D10 232bar	white	966.00
86005	D8.5 232bar wide	white	1006.00
86006	D12 232bar	white	986.00
86007	D8.5 232bar	white	996.00
86009	D7 232bar	white	896.00
86011	D7 232bar wide	white	906.00
86020	D7 300bar	white	996.00
86021	D7 300bar wide	white	1006.00
86029	D15 232bar	white	1162.00
86030	D18 232bar	white	1282.00

Steel Mono Tanks w/ TÜV



ECS Tanks are made in Germany (Apolda).

Tanks larger than 3l come with tank boots.

Tanks with volume 1 liter with German TÜV, other combinations available on request.

Certified by: TÜV Rheinland, Prüfstelle Wuppertal

Delivery unassembled because of transport reasons.

Preorder only:

85125-03, 85125-06, 85125-14, 85125-40, 85125-46

Order#	Size	Color	SRP EUR
00100-25	1l (82,5mm) w/ 70025, without Tu	white	225.00
00100-25	1l (82,5 mm) 200 M18x1,5 70025	white	225.00
00110-29	1l (82,5mm) 300bar M18x1,5 7002	white	228.00
00101-06	2l (114mm) w/ 70006	white	233.00
85097-5L	3l (100mm) 300bar w/ 70017	white	257.00
85097-5R	3l (100mm) 300bar w/ 70004	white	257.00
85099-5L	3l (100mm) w/ 70003	white	248.00
85099-5R	3l (100mm) w/ 70006	white	248.00
85099-T27	3l (100mm) w/ 70027	white	268.00
85099-T28	3l (100mm) w/ 70028 (M26x2)	white	273.00
85099BK-5L	3l (100mm) w/ 70003	black	248.00
85099BK-5R	3l (100mm) w/ 70006	black	248.00
85099BK-T27	3l (100mm) 230 bar w/ 70027	black	178.00
85098-T06	5l (140mm) w/ 70006	white	341.00
80093	10l 232bar (171mm) w/ 71040	white	489.00
80095	10l 232bar (171mm) mit 70006	white	384.00
80099	10l (171mm) w/ 71040 (SOS)	white	444.00
80109	10l (171mm) w/ 70014 (T-Valve)	white	444.00
80070	12l (171mm) w/ 70006	white	394.00
80092	12l 232bar (171mm) w/ 71021,-46	white	499.00
80094	12l (171mm) w/ 71040 (SOS)	white	454.00
80107	12l (171mm) CONCAVE w/ 70014	white	448.00
80108	12l (204mm) w/ 70014 (T-Ventil)	white	495.00
80112	12l (171mm) w/ 70014 (T-Valve)	white	454.00
85124-06	12l (204mm) w/ 70006	white	435.00
80097	15l (204mm) w/ 70006	white	475.00
80098	15l 232bar (204mm) w/ 71021,-46	white	580.00
80106	15l (204mm) w/ 70014 (T-Valve)	white	535.00
85177-40	15l (204mm) w/ 71040 (SOS)	white	535.00

SOS Oxygen Rescue Kit complete, Steel 5 l



The ideal Rescue Kit.

Provides two options of O2 treatment: Demand mask and constant flow (up to 30l/min).

Two divers can be treated at the same time!

Kit consists of:

- 5l O2-Tank
- Demand Mask
- Constand-Flow Mask
- Transport/Storage Tube
- Fülladapter

<http://dir.zone/files/85079-Manual.pdf> target=_blankdownload manual/a
„l confirm inlet thread on OXYGEN KIT is 5/8G same as SCUBA DIN VALVE to be

Compatible with SCUBA thread directly and don't need any adapter to refill.

The manual is for standard OXYGEN valves that are realized for oxygen therapy
Following oxygen standard of single country, UNI,DIN,NF,BS"

Order#	Size	Color	SRP EUR
85079	5l	green/white	799.00

Cylinders & Valves - Mono Valves

Mono Valve M18x1,5 300 Bar



For use with 1l steel and 0,85l ALU tanks. Ideal for drysuit inflation, comes with big handwheel.
Image shows 200bar version.

Order#	Size	Color	SRP EUR
70029	M18x1,5 300 Bar	matt chrome	59.00

Mono Valve M25x2 300 Bar Handwheel Top



Order#	Size	Color	SRP EUR
70024	M25x2 300		68.00

Mono Valve M25x2, 230 Bar, Handwheel Top



Order#	Size	Color	SRP EUR
70026			59.00

DIRZONE Mono Valve 300 Bar



Highend single valve, 300bar, DING5/8
Ideal for use with 300bar single tanks.
Comes with viton O-ring

Order#	Size	Color	SRP EUR
70004	M25x2 G5/8 300bar	matt chrome	68.00

DIRZONE Mono Valve 300 Bar left



Highend single valve, 300bar, DING5/8
Ideal for use with 300bar single tanks.
Comes with viton O-ring

Order#	Size	Color	SRP EUR
70017	M25x2 G5/8 300bar	chrome	68.00

DIRZONE Mono Valve NPSM 3/4, 232 Bar



Highend single valve, 232bar, NPSM 3/4
Ideal for use with stage tanks.
EXPORT only!

Order#	Size	Color	SRP EUR
70005	NPSM3/4 G5/8 232bar	matt chrome	59.00

DIRZONE valve left



Highend single valve, 232 bar, DING5/8
Ideal for use independent doubles and rebreather setups.

Order#	Size	Color	SRP EUR
70003	M25x2 G5/8 232bar	matt chrome	59.00

DIRZONE Valve right



Highend single valve, 232bar, DING5/8
Ideal for use with stage tanks.

Order#	Size	Color	SRP EUR
70006	M25x2 G5/8 232bar	matt chrome	59.00

Mono Valve DIN144-3, 232 Bar M26x2



Highend single valve, 232bar, M26x2
Ideal for use with stage tanks.
Comes with viton O-ring

Order#	Size	Color	SRP EUR
70030	M25x2 M26x2 232bar	matt chrome	75.00

Mono Valve DIN144-3, 232 Bar M26x2 left



Highend single valve, 232bar, M26x2
Ideal for use with stage, sidemount and rebreather tanks.
Comes with viton O-ring

Order#	Size	Color	SRP EUR
70031	M25x2 M26x2 232bar	matt chrome	75.00

Mono Valve M18x1,5 230 Bar



For use with 1l steel and 0,85l ALU tanks. Ideal for drysuit inflation, comes with big handwheel.

Order#	Size	Color	SRP EUR
70025	M18x1,5 G5/8 230bar	matt chrome	56.00

Rebreather Valve M26x2, Handwheel Inline



Ideal for small, upside-down tanks typically used on ECRs. Handwheel in oposite direction of outlet.
Operating pressure 232bar, comes with O-Ring

Order#	Size	Color	SRP EUR
70028	M25x2 M26x2 232bar	matt chrome	84.00

SOS Rebreather Valve



Ideal for small, upside-down tanks typically used on ECRs. Handwheel in oposite direction of outlet.
Operating pressure 232bar, comes with O-Ring

Order#	Size	Color	SRP EUR
70027	M25x2 G5/8 232bar	matt chrome	79.00

DIRZONE Lavo Valve



Extendable Lavo Valve
ext. for Swivel 2nd Outlet (70013)
with Blanking Plug
230 Bar

Order#	Size	Color	SRP EUR
70012	M25x2 G5/8 230bar	matt chrome	79.00

DIRZONE Valve 232 bar right extendable



This valve is used in DIRZONE manifold systems but can also be used as a single vavle in conjunction with the blanking plug a href=/cms/de/products/76/33772023/a. It is extendable with the second outlet 71046.

Combined with its left counterpart this valve perform as a optimal solution for sidemount systems.
Comes with viton O-Ring and rubberknob.

Order#	Size	Color	SRP EUR
71021	M25x2 G5/8 232bar	matt chrome	89.00

DIRZONE Valve 232bar left extendable



This valve is used in DIRZONE manifold systems but can also be used as a single valve in conjunction with the blanking plug 72022. Combined with its right counterpart this valve performs as a optimal solution for sidemount systems. It comes with viton O-Ring and rubberknob.

Order#	Size	Color	SRP EUR
71020	M25x2 G5/8 232bar	matt chrome	89.00

Extendable Valve left DIN 144 300 Bar, no blanking plug



This valve is used in DIRZONE manifold systems but can also be used as a single valve in conjunction with the blanking plug 72022. Combined with its right counterpart this valve performs as a optimal solution for sidemount systems. Comes with viton O-Ring and rubberknob.

Order#	Size	Color	SRP EUR
71024	M25x2 G5/8 300bar	matt chrome	95.00

Extendable Valve right DIN 144 300 Bar



This valve is used in DIRZONE manifold systems but can also be used as a single valve in conjunction with the blanking plug 72023. It is extendable with the second outlet 71047. Combined with its left counterpart this valve perform as a optimal solution for sidemount systems. Comes with viton O-Ring and rubberknob.

Order#	Size	Color	SRP EUR
71025	M25x2 G5/8 300bar	matt chrome	95.00

Cylinders & Valves - TECLINE Tanks

TECLINE Aluminium Cylinder 2 l CE

**DIR
ZONE**

weight : approx. 2,83 kg
 height : 36,5 cm
 Diameter : 11,1 cm
 Fill pressure: 207bar
 Thread: M25x2



Order#	Size	Color	SRP EUR
80072	2l	black	129.00

TECLINE Aluminium Cylinder 3 l CE

**DIR
ZONE**

weight : approx. 3,76 kg
 height : 50,5 cm
 Diameter : 11,1 cm
 Fill pressure: 207bar
 Thread: M25x2



Order#	Size	Color	SRP EUR
80073	3l	black	159.00

TECLINE Aluminium Cylinder 7 l CE

**DIR
ZONE**

weight : approx. 8,92 kg
 height : 62,5 cm
 Diameter : 15,1 cm
 Fill pressure: 207bar
 Thread: M25x2



Order#	Size	Color	SRP EUR
80077	7l	no coat	199.00

TECLINE Aluminium Cylinder 1,5 l CE

**DIR
ZONE**

weight : approx. 2,33 kg
 height : 29,5 cm
 Diameter : 11,1 cm
 Fill pressure: 207bar
 Thread: M25x2



Order#	Size	Color	SRP EUR
80075	1,5l	black	125.00

TECLINE S080cft



TECLINE Aluminium Cylinder S080 cft CE,
 Brushed NO Coat

iframe width=300 height=225

src=<https://www.youtube.com/embed/yn4DqgWE2So>

frameborder=0 allowfullscreen/iframe

Volume: 11,1l (80cft)

Fill pressure: 207bar

Thread: M25x2

Diameter: 185mm

Length: 660mm

Weight: approx. 14,3kg

Order#	Size	Color	SRP EUR
80087	80cft	brushed	299.00

TECLINE Aluminium Cylinder 0,85 l CE



Diameter 81 mm

Weight ca. 1,14 kg

Order#	Size	Color	SRP EUR
80069	81mm	black	125.00

Cylinders & Valves - Double Valves

DIRZONE Twin Valve



Ideal valve for use with two first stages on a single tank.
 Enables the diver to handle his valves by himself.
 230bar G5/8 M25x2
 Comes with O-ring

Order#	Size	Color	SRP EUR
70014	M25x2 2xG5/8 230bar	matt chrome	119.00

DIRZONE Lavo Valve mit Swivel 2. Outlet



Enables you to use a second first stage on a single tank - a clear advantage in cold water.
 Comes with viton o-ring

Order#	Size	Color	SRP EUR
70008	M25x2 2xG5/8 230bar	matt chrome	139.00

Valve Set Double DIN 230 bar SOS



Enables you to use a second first stage on a single tank - a clear advantage in cold water.
 Comes with O-Ring

Order#	Size	Color	SRP EUR
71040	M25x2 G5/8 230bar	chrome	119.00

Cylinders & Valves - Manifolds

DIRZONE Manifold complete 140mm



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with narrow tankbands.
Incl. Rubber-Knobs.

Order#	Size	Color	SRP EUR
71000	M25x2 2xG5/8 232bar 154mm	matt chrome	209.00

DIRZONE Manifold complete 140mm 300bar



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with narrow tankbands.
Incl. Rubber-Knobs.

Order#	Size	Color	SRP EUR
71003	M25x2 2xG5/8 300bar 154mm	matt chrome	209.00

DIRZONE Manifold complete 171mm



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with wide tankbands and also D10 and D12 (long)
Incl. Rubber-Knobs.

Order#	Size	Color	SRP EUR
71001	M25x2 2xG5/8 232bar 185mm	matt chrome	209.00

DIRZONE Manifold complete 171mm 300bar



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with wide tankbands and also D10 and D12 (long)
Incl. Rubber-Knobs.

Order#	Size	Color	SRP EUR
71004	M25x2 2xG5/8 300bar 185mm	matt chrome	209.00

DIRZONE Manifold complete 204mm



Complete DIRZONE manifold for doubletanks.
Fits D12 (short), D15, D18, D20.
Incl. Rubber-Knobs.

Order#	Size	Color	SRP EUR
71002	M25x2 2xG5/8 232bar 215mm	matt chrome	209.00

DIRZONE Manifold complete 204mm 300bar



Complete DIRZONE manifold for double tanks.
Fits D12 (short), D15, D18, D20.
Incl. Rubber-Knobs.

Order#	Size	Color	SRP EUR
71005	M25x2 2xG5/8 300bar 215mm	matt chrome	209.00

Cylinders & Valves - Tank Bands

v4tec Tankbands 140 H 154 mm Kit



Highend tankbands made from solid steel by v4tec
Fits tanks with 140mm diameter (7l, 8.5l), wide distance (154mm)
Comes with Bolt Kit

Order#	Size	Color	SRP EUR
88140	140/154mm	Stainless Steel	129.00

v4tec Tankbands 140 mm SMALL (45 mm)



Highend tankbands made from solid steel by v4tec. Small Version, 45mm
Fits tanks with 140mm diameter (7l, 8.5l), wide distance (185mm)
1 PIECE ONLY

Order#	Size	Color	SRP EUR
88174	140/185mm 45mm	Stainless Steel	49.00

v4tec Tankbands 140/185mm Kit



Highend tankbands made from solid steel by v4tec
Fits tanks with 140mm diameter (7l, 8.5l), wide distance (185mm)
Comes with Bolt Kit

Order#	Size	Color	SRP EUR
88141	140/186mm	Stainless Steel	139.00

v4tec Tankbands 171 mm SMALL (45 mm)



Highend tankbands made from solid steel by v4tec. Small Version, 45mm
Fits tanks with 171mm diameter (10l, 12l long), 185mm distance
1 PIECE ONLY

Order#	Size	Color	SRP EUR
88173	171/185mm 45mm	Stainless Steel	49.00

v4tec Tankbands 171/185mm Kit



Highend tankbands made from solid steel by v4tec
Fits tanks with 171mm diameter (10l, 12l long), 185mm distance
Comes with Bolt Kit

Order#	Size	Color	SRP EUR
88171	171/185mm	Stainless Steel	139.00

v4tec Tankbands 184mm Kit



Highend tankbands made from solid steel by v4tec
Fits tanks with 184mm diameter (80cft)
Comes with Bolt Kit

Order#	Size	Color	SRP EUR
88206	184mm (80cft)	Stainless Steel	155.00

v4tec Tankbands 204/215 mm Kit



Highend tankbands made from solid steel by v4tec
 Fits tanks with 204mm diameter (12l short, 15l, 18l, 20l), 215mm distance
 Comes with Bolt Kit

Order#	Size	Color	SRP EUR
88204	204/215mm	Stainless Steel	155.00


v4tec Bolt Kit 140 mm



Complete Stainless Steel Bolt Kit
 for use with D7, D8, D8,5 together with our tankbands 88140, 88141, 88174

Order#	Size	Color	SRP EUR
88500	140mm	Stainless Steel	22.00

v4tec Bolt Kit 171 mm



Complete Stainless Steel Bolt Kit
 for use with D10, D12 together with our tankbands 88171, 88174

Order#	Size	Color	SRP EUR
88501	171mm	Stainless Steel	22.00

v4tec Bolt Kit 204 mm



Complete Stainless Steel Bolt Kit
 for use with D12 short, D15, D18, D20 together with our tankbands 88204

Order#	Size	Color	SRP EUR
88502	204mm	Stainless Steel	22.00

Cylinders & Valves - Valve extensions

2nd Outlet 300 bar



2nd Outlet 300 Bar for 71025 Valve right. Enables you to use a second first stage on a single tank - a clear advantage in cold water.

Order#	Size	Color	SRP EUR
71047	G5/8 300bar	matt chrome	78.00

DIRZONE 2nd Outlet for 71021 Valve right



Adds a second outlet to the valve 71021. Enables you to use a second first stage on a single tank - a clear advantage in cold water.

Order#	Size	Color	SRP EUR
71046	G5/8 230bar	matt chrome	75.00

DIRZONE swivel 2. Outlet



Swivel 2. outlet for lavo valve (70012)
Enables you to use a second first stage on a single tank - a clear advantage in cold water.

Order#	Size	Color	SRP EUR
70013	G5/8	matt chrome	74.00

DIRZONE Manifold Center-Part 140mm



Can be used to assemble a complete manifold with our extendable valves left/right, 230/300bar.
For use with tanks with 140mm diameter (7l, 8l, 8,5l).

Order#	Size	Color	SRP EUR
71010	140mm	matt chrome	89.00

DIRZONE Manifold Center-Part 171mm



Can be used to assemble a complete manifold with our extendable valves left/right, 230/300bar.
For use with tanks with 171mm diameter (10l, 12l long) or 140mm and wide distance tankbands (7l, 8l, 8,5l).

Order#	Size	Color	SRP EUR
71011	171mm	matt chrome	89.00

DIRZONE Manifold Center-Part 204mm



Can be used to assemble a complete manifold with our extendable valves left/right, 230/300bar.
For use with tanks with 204mm diameter (12l short, 15l, 18l, 20l).

Order#	Size	Color	SRP EUR
71012	204mm	matt chrome	89.00

Cylinders & Valves - FABER tanks

Cylinders & Valves - Stickers

MOD Decal 21



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

Order#	Size	Color	SRP EUR
99405-21	10,5cm x 8cm	white/black	1.00

MOD Decal 36



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

Order#	Size	Color	SRP EUR
99405-36	10,5cm x 8cm	white/black	1.00

MOD Decal 45



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

Order#	Size	Color	SRP EUR
99405-45	10,5cm x 8cm	white/black	1.00

MOD Decal 57



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

Order#	Size	Color	SRP EUR
99405-57	10,5cm x 8cm	white/black	1.00
99405-60	10,5cm x 8cm 60m	white/black	1.00

MOD Decal 70



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

Order#	Size	Color	SRP EUR
99405-70	10,5cm x 8cm	white/black	1.00

MOD Decal 80



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

Order#	Size	Color	SRP EUR
99405-120	10,5cm x 8cm 120m	white/black	1.00
99405-80	10,5cm x 8cm	white/black	1.00

Sticker ARGON (17x5 cm)

ARGON
!!! DO NOT BREATHE !!!

Ideal for marking dry suit inflation tanks which do not contain a breathable gas.

Order#	Size	Color	SRP EUR
99410	16,5cm x 4,5cm	white/black	1.50

Sticker DILUENT (small 17x5 cm)

DILUENT

Marks Rebreather tanks according to their content. Small size perfectly fits 2 and 3l tanks, whether alloy or steel.

Order#	Size	Color	SRP EUR
99409	17cm x 5cm	white/black	1.50


Sticker OXYGEN

OXYGEN

Marks Rebreather tanks according to their content. Small size perfectly fits 2 and 3l tanks, whether alloy or steel.

Order#	Size	Color	SRP EUR
99406	16,5cm x 4,5cm	white/black	1.50
99407	35cm x 8cm	white/black	3.00

Cylinders & Valves - Tank Accessories



Plastic ball with elastic band to mount at the tank.

Order#	Size	Color	SRP EUR
AC450			10.00



XS Scuba Tank Holder Dual slots DELUXE. You can connect more of these tank holders.

Order#	Size	Color	SRP EUR
TR120			59.00

Bungee for Cylinder



Perfect bungee to hold a regulator in correct position when mounted to a stage cylinder but not in use. Can be used to set up own riggings and also as a replacement part for worn bungees. Comes in three sizes, 2 bungees are required per stage.

Order#	Size	Color	SRP EUR
65205	for 80cft	black	4.00
65206	for 7l	black	4.00
65207	for 40cft	black	4.00

Cover Tube for Hoseclamps per meter (10 m Minimum)



Protective cover for hose clamps, avoids scratching of tanks and damage of other equipment by sharp edges of the clamps.

Order#	Size	Color	SRP EUR
88135	1m	black	2.50

Cylinder Protection Net BLACK



- avoids scratches, protects paint
- durable nylon
- different sizes available

Order#	Size	Color	SRP EUR
85300	for 7l 140mm	black	12.00
85303	for 10l 171mm	black	12.00
85306	for 12l 171mm	black	13.00
85309	for 15l 204mm	black	14.00
85312	for 12l 204mm	black	13.00

Cylinder Protection Net BLUE



- avoids scratches, protects paint
- durable nylon
- different sizes available

Order#	Size	Color	SRP EUR
85302	for 7l 140mm	blue	12.00
85305	for 10l 171mm	blue	12.00
85308	for 12l 171mm	blue	13.00
85311	for 15l 204mm	blue	14.00
85314	for 12l 204mm	blue	13.00

Cylinder Protection Net YELLOW



- avoids scratches, protects paint
- durable nylon
- different sizes available

Order#	Size	Color	SRP EUR
85301	for 7l 140mm	yellow	12.00
85304	for 10l 171mm	yellow	12.00
85307	for 12l 171mm	yellow	13.00
85310	for 15l 204mm	yellow	14.00
85313	for 12l 204mm	yellow	13.00

DIRZONE Rigging Kit 120 mm



Complete rigging set for cylinder 7l/S40/S80 w/ large 120 mm Boltsnaps

Order#	Size	Color	SRP EUR
65208	7l 120 mm	black	54.00
65204	40cft 120 mm	black	54.00
65203	80cft 120 mm	black	54.00

DIRZONE Stage Rigging Kit



Complete rigging set for cylinder 7l/S40/S80

Order#	Size	Color	SRP EUR
65202	7 l	black	49.00
65201	40cft	black	49.00
65200	80cft	black	49.00

ECS Dust Cap



Dust Cap to close empty tank during storage/transport or for transfer to inspection.
Thread: M25x2

Order#	Size	Color	SRP EUR
72060	M25x2	grey	2.38

HIGHLAND Pony Mount



316 grade stainless steel construction
 Adjustable length nylon webbing
 Stainless steel cam buckle
 Quick detach
 Designed for 4.4 diameter pony cylinder alum 13, 14, 19
 Designed for 7.25 diameter primary cylinder
 Rubber feet to protect paint

Order#	Size	Color	SRP EUR
HL409	11cm/18,5cm	Stainless Steel	129.00

HIGHLAND Stage Rigging Kit



Includes:
 (2) 4 inch Jumbo stainless steel bolt snaps
 (1) 1 inch Wide nylon webbing handle 2200 lbs. tensile strength
 (1) 11 inch piece of clear plastic tubing to create a comfortable carry handle
 (1) Marine grade stainless steel cylinder clamp
 (1) Nylon tube webbing to cover cylinder clamp
 (1) Rugged 2inch wide elastic EPDM hose retainer with easy grip tab
 (1) 2inch piece of black PVC tubing to cover the cylinder band adjustment
 P/N SS525 - Stage bottle strap kit for 5.125 to 6.0inch diameter cylinders
 P/N SS725 - Stage bottle strap kit for 6.5 to 8.0inch diameter cylinders

Order#	Size	Color	SRP EUR
SS525	for 40cft	black	59.00
SS725	for 80cft	black	59.00

Hose Clamp SS Uni 60 - 195 mm



Stainless Steel hose clamps, ideal for setting up own stage riggings or replacement o defective clamps

Order#	Size	Color	SRP EUR
88130	for 80cft	Stainless Steel	9.00
88131	for 40cft	Stainless Steel	9.00
88132	for 7l	Stainless Steel	9.00

INT Inlet



This inlet enables you to use INT regulators on tanks with DIN valves. It is simply screwed in the valve.

Order#	Size	Color	SRP EUR
72055	G5/8 232bar	chrome	7.00

Tank Handle



Universal Tank Handle
 stable Nylon construction
 Eases handling of scuba tanks and relieves valves from the thread of being abused as a handle
 Fits all common scuba tanks from 5 to 20 liter

Order#	Size	Color	SRP EUR
AB0440	5l - 20l	black	16.00

XSSCUBA Tank Handle Deluxe



â€¢ Carry steel tanks with ease and comfort
 â€¢ Tough, injection-molded handle
 â€¢ Fits XS Scuba Worthington & Faber steel cylinders
 â€¢ Folds down when not in use

Order#	Size	Color	SRP EUR
AC440	5l - 20l	black	19.00

XSSCUBA Tank Holder Rail



Order#	Size	Color	SRP EUR
TR200	36 inch	alloy	129.00

XSSCUBA Universal Valve Caps



Fits our complete range of valves
 Protect the valve outlet
 Nylon cord lanyard included - not attached.
 Minimum order quantity: 10pcs

Order#	Size	Color	SRP EUR
VC-BK	universal	black	2.50
VC-BU	universal	blue	2.50
VC-GN	universal	green	2.50
VC-PK	universal	pink	2.50
VC-YL	universal	yellow	2.50

Cylinders & Valves - Tank Boots

Tank Boot



Order#	Size	Color	SRP EUR
TBX7A	for 80cft	black	24.00

Tankboot Double 140 mm for Twinsets



Set up a D7 or D8,5 without Tankbands in combination with a 140mm Manifold (71000 or 71003). For use with Bibo Kits.

Order#	Size	Color	SRP EUR
87141	140mm	black	24.00

Tankboot Double 171 mm for Twinsets



Set up a D10 or D12 without Tankbands in combination with a 171mm Manifold (71001, 71004 or 71051). For use with Bibo Kits.

Order#	Size	Color	SRP EUR
87172	171mm	black	27.00

Tankboot 140 mm Black



- avoids scratches
- central drain hole
- fits 5l, 7l 8l and 8,5l steel tanks

Order#	Size	Color	SRP EUR
87140	140mm	black	13.00

Tankboot 171 mm Black



- avoids scratches
- central drain hole
- fits 10l and long 12l steel tanks

Order#	Size	Color	SRP EUR
87171	171mm	black	16.00

Tankboot 204 mm Black



- avoids scratches
- central drain hole
- fits short 12l, 15l, 18l and 20l steel tanks

Order#	Size	Color	SRP EUR
87204	204mm	black	17.00

XSSCUBA Cylinder Boot 80cf



High quality injection-molded construction
 Self-draining and durable
 Flat bottom design for aluminum cylinders
 Octagon rim design to prevent side rolling
 Color: Black

Order#	Size	Color	SRP EUR
TBX7A	for 80cft	black	24.00

XSSCUBA Cylinder Boot 80cf



High quality injection-molded construction
 Self-draining and durable
 Flat bottom design for aluminum cylinders
 round
 Color: Black

Order#	Size	Color	SRP EUR
TBR7A	for 80cft	black	26.00

Cylinders & Valves - Valve Accessories

Blanking plug left



Blanking plug for extendable valve left.
 Suitable for use with single tanks.
 Fits for 230 and 300 bar valves.

Order#	Size	Color	SRP EUR
72022		matt chrome	10.00

Blanking plug right



Blanking plug for extendable valve right.
 Suitable for use with single tanks.
 Fits for 230 and 300 bar valves.

Order#	Size	Color	SRP EUR
72023		matt chrome	10.00

DIRZONE Screw Nut for DZ Hand Wheels/ Knob



Replacement for lost or damaged nuts.
 Fits DIRZONE and many other valves.

Order#	Size	Color	SRP EUR
72009		chrome	4.00

DIRZONE Spare Axis



fits DIRZONE mono valves

Order#	Size	Color	SRP EUR
72012	for DIRZONE	chrome	8.00

DIRZONE Spring for DZ Hand Wheels/ Knobs



Replacement for broken springs.
 Fits DIRZONE and many other valves.

Order#	Size	Color	SRP EUR
72008		steel	2.00

DIRZONE Valve Spare Part Kit for Manifolds



Spare parts kit for DIRZONE manifolds
 Contains o-rings (Viton/FPM), spare axis and washer
 O2-clean

Order#	Size	Color	SRP EUR
72002		chrome	48.00

DIRZONE Valve Spare Part Kit Mono Valve



Spare parts kit for DIRZONE mono valves
Contains o-rings (Viton/FPM), spare axis and washer
O2-clean

Order#	Size	Color	SRP EUR
72003	M25x2	chrome	14.00
72003-18	M18x1.5	chrome	14.00

DIRZONE Valve Spare Part Kit w/ 2nd outlet



Spare parts kit for valve 7008 with 2nd outlet
Contains o-rings (Viton/FPM), spare axis and washer
O2-clean

Order#	Size	Color	SRP EUR
72007		chrome	39.00

O-Ring Viton for Valve M25x2



O-ring for tanks
green Viton/FPM, O2-compatible

Order#	Size	Color	SRP EUR
72000	for M25x2 Valve	green	2.50

Rubber Knob Black



Soft rubberknob, replaces the original knob on your valve.
Length: 4,2 cm

Order#	Size	Color	SRP EUR
70009		black	9.00

Rubber Knob Green



Extra soft rubberknob, replaces the original knob on your valve.
Green color can be used to identify nitrox tanks.
Length: 4,2 cm

Order#	Size	Color	SRP EUR
70010		green	11.00

Rubberknob soft



Extra soft rubberknob, replaces the original knob on your valve.
Length: 4,5 cm

Order#	Size	Color	SRP EUR
70000		black	12.00

Spare Axis



fits Lavo Manifolds and Manifolds

Order#	Size	Color	SRP EUR
72004	for Lavo	chrome	9.00

Spare Axis



fits DIRZONE mono valves

Order#	Size	Color	SRP EUR
72013	f. DIRZONE Valves	Brass	8.00

Spare under spindle



fits Lavo Valves and Manifolds

Order#	Size	Color	SRP EUR
72005	for Lavo	chrome	10.00

Thermo Rubber Knob Black - Easy Grip



Soft rubberknob, replaces the original knob on your valve.
Length: 5,0 cm

Order#	Size	Color	SRP EUR
VP12-BK		black	16.00

Thermo Rubber Knob Green - Easy Grip



Soft rubberknob, replaces the original knob on your valve.
Green color can be used to identify nitrox tanks.
Length: 5,0 cm

Order#	Size	Color	SRP EUR
VP12-GN		green	16.00

Valve remover stainless steel up to 300 bar



The valve remover is screwed into the valve, so you can assemble/disassemble the valve from the bottle without damaging the valve.

- Material: stainless steel
- length 99080: approx. 17 cm
- weight 99080: approx. 0,56 kg
- length 99081: approx. 16 cm
- weight 99081: approx. 0,71 kg
- length 99082: approx. 20 cm
- weight 99082: approx. 0,81 kg

Order#	Size	Color	SRP EUR
99080	G5/8		49.00
99081	M26x2		55.00
99082	G5/8 and M26x2		65.00

Valve Spare Part Kit Double Outlet 71040



Valve Spare Part Kit Double Outlet 71040

Order#	Size	Color	SRP EUR
72003-40			25.00

Valve Spare Part Kit V- and T-Valve 70007 and 70014



Spare parts kit for V-Valve 70007 and T-Valve 70014
Contains o-rings (Viton/FPM), spare axis and washer
O2-clean

Order#	Size	Color	SRP EUR
72006		chrome	24.00

HIGHLAND SS DIN Plug



Precision machined from 316L stainless steel
Protects 200 and 300 bar DIN threads
Seals water out with Viton o-ring for oxygen compatibility
No groove through threads
No CE! Export use only!

Order#	Size	Color	SRP EUR
HL402	G5/8	Stainless Steel	26.00

Backplates & Wings - Wing-Sets
Backplates & Wings - Classic Wings
Backplates & Wings - Donut Wings

DIR ZONE 23 | Stream RING TRAVEL



Lightweight model of classic wing for doubles up to 2x18 liter cylinders. The same double-shell construction but the cover is made of lighter material Cordura 1000. The inflator end-piece is made of high quality techno-polymer.
 material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.
 Lift capacity: 23liter/ 51lbs
 Weight: ca. 1260g
 Miflex inflator hose 61cm included

Order#	Size	Color	SRP EUR
90039RD	23l	black-red	339.00
90039RD-BK	23l	red-black	339.00

DIRZONE RING 14



New circular style wing for diving with a single tank. Comes out from time proven double layer model CUB. Use for single tank 12 l.
 inflator MP hose 510 mm and 2 stainless-steel screws are included.
 material:
 Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.
 Lift capacity: 14liter/ 31lbs
 Width: 49 cm
 Length: 67 cm
 Weight: ca. 1260g

Order#	Size	Color	SRP EUR
90018	14l 1260g	black	379.00



DIRZONE RING 14 travel wing



Lightweight model of RING wing for diving with single bottle. The same double-shell construction but the cover is made of lighter material Cordura 1000. Also the bottle strap buckles and the inflator end-piece are made from lighter material - high quality techno-polymer. Can be used with single bottle 12 l. Low volume is ideal for diving in neopren in tropic seas. Part of the wing are also 2 pieces of rubber pins in the middle area of wing which allow to attach the single bottle WITHOUT the need to use single tank adapter.
 Weight: ca. 930g

Order#	Size	Color	SRP EUR
			0.00
			0.00
90035PK	14l	pink	354.00



DIRZONE Ring 17



New circular style wing for diving with a single tank. Comes out from time proven double layer model CUB. Use for single tank 12-15 l. inflator MP hose 510 mm and 2 stainless-steel screws are included.
 material:

Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 17liter/ 37lbs

width: 56 cm

length: 67 cm

Weight: ca. 1320g

New features:

More flat, ergonomoc drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain

Order#	Size	Color	SRP EUR
90017	17l 1320g	black	385.00



DIRZONE Ring 20



New circular style wing for diving with a single tank. Comes out from time proven double layer model CUB. Use for single tank 15-20 l.

inflator MP hose 510 mm and 2 stainless-steel screws are included.

material:

Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 20liter/ 44lbs

Width: 60cm

Height: 67cm

Order#	Size	Color	SRP EUR
90016	20l	black	389.00

DIRZONE StreamRing 17



New circular style wing for diving with doubles. STREAM RING 17 was designed for diving with small double tanks up to bi-8.5 liter. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 17liter

blue Miflex BCD hose 61cm included

New features:

More flat, ergonomoc drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain

width: 61 cm

length: 65 cm

Weight: ca. 1320g

Currently out of stock. New delivery around end of April.

Order#	Size	Color	SRP EUR
90021	17l	black	389.00

DIRZONE StreamRing 20



New circular style wing for diving with doubles. STREAM RING 20 was designed for diving with double tanks from 2x7-2x12 and stage. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 20liter/ 44lbs

Weight: ca. 1370g

Dimensions: 65cm high, 69cm wide

blue Miflex BCD hose 61cm included

New features:

More flat, ergonomic drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain

Order#	Size	Color	SRP EUR
90019	20l 1370g	black	399.00

DIRZONE StreamRing 20 travel wing



Lightweight model of classic wing for doubles. The same double-shell construction but the cover is made of lighter material Cordura 1000. The inflator end-piece is made of high quality techno-polymer.

Circular style wing for diving with doubles. STREAM RING 20 was designed for diving with double tanks from 2x7-2x12 and stage. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 20liter/ 44lbs

Weight: ca. 960g

Order#	Size	Color	SRP EUR
90037	20l 960g	black	399.00

DIRZONE StreamRing 23



New circular style wing for diving with doubles. STREAM RING 23 was designed for diving with double tanks from 2x12-2x18 and several stages. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 23liter/ 51lbs

blue Miflex BCD hose included

New features:

More flat, ergonomic drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain

Order#	Size	Color	SRP EUR
90015	23l	black	429.00

Backplates & Wings - Backplates

DIRZONE Backplate complete adjustable



Backplate, thickness 3 or 6 mm, made of salt water resistant aluminium alloy or stainless steel with edges bevelled on a NC cutter.

It is possible to take the stainless-steel buckles apart, it is openable. You can adjust the harness by pulling the strap.

Complete set contains of

- backplate AL/SS, 3/6mm
- PA harness
- 2x adjustable stainless-steel buckles
- stainless-steel D-rings and stoppers
- stainless-steel buckle
- complete crotch strap
- pocket with knife

Order#	Size	Color	SRP EUR
90009	3mm appx 3.2kg	Stainless Steel	329.00
90011	3mm appx 1.8kg	Aluminium	299.00
90010	6mm appx 5.5kg	Steinless Steel	439.00

DIRZONE Backplate 3mm




Stainless-steel backplate made of salt water resistant stainless-steel. Edges bevelled on a NC cutter, manually polished for perfect flattening of sharp edges, which could dilacerate the strap.

Weight: appx 2.2kg

Order#	Size	Color	SRP EUR
90006	3mm	Stainless Steel	199.00

DIRZONE Backplate 3mm ALU



Dural backplate made of aluminium alloy resistant to salt water. Backplate is hard anodized. Edges bevelled on a NC cutter. Thanks to low weight of 0.8 kg it is ideal for travelling by plane.

Order#	Size	Color	SRP EUR
90030	3mm	Alu	189.00

DIRZONE Backplate 6mm



Stainless-steel backplate made of salt water resistant stainless-steel. Edges bevelled on a NC cutter, manually polished for perfect flattening of sharp edges, which could dilacerate the strap.

Weight: appx. 4.5kg

Order#	Size	Color	SRP EUR
90008	6mm	Stainless Steel	339.00

DIRZONE Backplate complete 3mm



Stainless-steel backplate, thickness 3 mm with PA harness, stainless-steel D-rings and stoppers, stainless-steel buckle, crotch strap and pocket with knife.
 Weight: appx 3.2kg

Order#	Size	Color	SRP EUR
90005	3mm	Stainless Steel	299.00

DIRZONE Backplate complete 6mm



Stainless-steel backplate, thickness 6 mm with PA harness, stainless-steel D-rings and stoppers, stainless-steel buckle, crotch strap, buoy pocket and pocket with knife.
 Weight: appx 5.5kg

Order#	Size	Color	SRP EUR
90007	6mm	Stainless Steel	419.00

DIRZONE Backplate complete ALU



Dural backplate, thickness 3 mm with PA harness, stainless-steel D-rings and stoppers, stainless-steel buckle, crotch strap, buoy pocket and pocket with knife. Backplate is made of aluminium alloy resistant to salt water. Backplate is hard anodized. Edges bevelled on a NC cutter.
 Weight: appx 1.8kg

Order#	Size	Color	SRP EUR
90014	3mm 1.8kg	Alu	279.00

DIRZONE Backplate complete SHORT



Small sized backplate to fit smaller backs, 5 cm shorter than our normal backplates. Fits together with our KIDDO wing and also with all other wing types. Stainless-steel backplate, thickness 3 mm, made of salt water resistant stainless-steel with edges bevelled on a NC cutter, manually polished for perfect flattening of sharp edges.

Fits perfect to 12l travel wing.

Complete set contains of

- stainless-steel 3 mm plate
- PA harness
- stainless-steel D-rings and stoppers
- stainless-steel buckle
- complete crotch strap
- pocket with knife
- bungees on the strap

DELIVERY WITHOUT STORAGE PACK

HEIGHT: 5cm LESS THAN STANDARD BACKPLATE

Weight: 2.7kg

Order#	Size	Color	SRP EUR
90024	short (-5cm)	stainless steel	299.00

DIRZONE Backplate QUICK FIX - complete



Backplate, thickness 3 or 6 mm, made of salt water resistant aluminium alloy or stainless steel with edges bevelled on a NC cutter.

It is not possible to take the new QUICK-FIX stainless-steel buckles apart, it is not openable. You can only adjust the harness by pulling the strap.

Complete set contains of

- backplate AL/SS, 3/6mm
- PA harness
- 2x QUICK-FIX stainless-steel buckles
- stainless-steel D-rings and stoppers
- stainless-steel buckle
- complete crotch strap
- pocket with knife

Order#	Size	Color	SRP EUR
90051	3mm appx 3.2kg	Stainless Steel	329.00
90053	3mm appx 1.8kg	Alu	299.00
90052	6mm appx 5.5kg	Stainless Steel	439.00

XSSCUBA Backpack Standard



Order#	Size	Color	SRP EUR
BP100		black	109.00

Backplates & Wings - Accessories

DIRZONE SingleTank Adapter



Adapter for mounting a single tank to a double tanks wing made of salt water resistant stainless-steel.
Comes with screws but without the pictured CamBands.
Weight: 718g

Order#	Size	Color	SRP EUR
55007	718g	Stainless Steel	84.00

DIR ZONE Acive Control Ballast inner pocket for 56320



1 piece inner pocket replacement for ACB system #56320
Length: 20cm
Width: 12cm

Order#	Size	Color	SRP EUR
56336	for 56320	black	24.00

DIR ZONE Acive Control Ballast inner pocket for 56330



1 piece inner pocket replacement for ACB system #56330
Length: 19cm
Width: 11cm

Order#	Size	Color	SRP EUR
56335	for 56330	black	21.00

DIR ZONE Acive Control Ballast inner pocket for 56331



1 piece inner pocket replacement for ACB system #56331
Length: 15cm
Width: 12cm

Order#	Size	Color	SRP EUR
56337	4kg	black	19.00

DIRZONE Additional Pocket



Additional pocket for backplate ballast system or belt.

Order#	Size	Color	SRP EUR
55008	18cm x 15cm x 4cm	black	36.00

DIRZONE Belt Pocket



Pocket for those who do not want to glue pocket on the suit.

Order#	Size	Color	SRP EUR
55006	29cm x 19cm x 6cm	black	39.00

DIRZONE Butterfly Strap



Butterfly Strap for SM, incl. 2x D- Ring, 2x Belt Stop, adjustable till 24 cm

Order#	Size	Color	SRP EUR
55036	24cm	black	14.00

DIRZONE Comfort Shoulder Pads, Pair



Comfortable shoulder pads that can be added to any 50mm harness. Reduces abrasion of suit.

Order#	Size	Color	SRP EUR
55035		black	17.00

DIRZONE Crotch Strap



Polypropylene strap with stitched on D-ring + 1 D-ring and 1 stopper.

Order#	Size	Color	SRP EUR
55020	50mm	black	19.00

DIRZONE Harness



- Special-made, hard, very resistant strap for backplate
- extra soft webbing for crotch straps
- PA Webbing 50mm

Order#	Size	Color	SRP EUR
56306	per meter	black	8.00
56307	f. Crotchstrap/m	black	3.00

DIRZONE Harness complete



- The package includes:
- 4m strap with hole
 - knife with sheath
 - stainless-steel buckle
 - rubber band (4x narrow, 1x wide)
 - crotch strap with one integrated D-ring
 - 2x D-ring bend
 - 2x D-ring normal
 - 5x belt stoppers

Order#	Size	Color	SRP EUR
56303		black	89.00

DIRZONE Harness complete adjustable



- The package includes:
- 4m strap
 - knife with sheet
 - stainless-steel buckle
 - rubber band (4x narrow, 1x wide)
 - crotch strap with one integrated D-ring
 - 2x D-ring bend
 - 2x D-ring normal
 - 5x belt stoppers
 - 2x S-S buckle adjustable
 - 2x belt stoppers large

Order#	Size	Color	SRP EUR
56304		black	115.00

DIRZONE Harness complete Quick Fix



- The package includes:
- 4m strap
 - knife with sheet
 - stainless-steel buckle
 - rubber band (4x narrow, 1x wide)
 - crotch strap with one integrated D-ring
 - 2x D-ring bend
 - 2x D-ring normal
 - 5x belt stoppers
 - 2x S-S buckle Quick Fix
 - 2x belt stoppers large

Order#	Size	Color	SRP EUR
56305		black	115.00

DIRZONE Harness w/ rivet



- Special-made, hard, very resistant strap for backplate
- PA Webbing 50mm
- 4m with central rivet

Order#	Size	Color	SRP EUR
56300	4m	black	27.00

DIRZONE MC StoragePack



Designed for placing a buoy or a lifting bag between the backplate and diver's back. Stainless-steel screws for attaching the pocket to the backplate are included.

Order#	Size	Color	SRP EUR
55002		black	44.00
55002BU		blue	44.00
55002PK		pink	44.00
55002RD		red	44.00

DIRZONE Sidemount Backpad



Using this Pad you are able to transform your DIRZONE wingsystem into a sidemount system.
The pad is to be screwed on the lower end of the backplate making it possible to clip the tanks there.
The leash is to be threated through the upper slot in the backplate. Here the tankvalves are placed in bungees.

Order#	Size	Color	SRP EUR
55003		black	54.00

DIRZONE Trim Weight Pocket w. Velcro



Small pocket for attachment to the strap exactly where you need it. It can carry one piece of weight block (dimensions 8x10x3 cm, 1,5-2 kg).

Order#	Size	Color	SRP EUR
90049	1pc, f. harness	black	17.00

DIRZONE Trim Weight Pocket w. Velcro for Backplate



Small pocket for attachment to the backplate exactly where you need it. It can carry one piece of weight block (dimensions 8x10x3 cm, 1,5-2 kg).

Order#	Size	Color	SRP EUR
90050	2pcs, f. backplate	black	35.00

Rapid Exhaust Valve knee



Rapid Exhaust Valve knee, NO corrugated hose for new design 2019/2020

Order#	Size	Color	SRP EUR
64012			29.00



Tightening Tool for DZ Ellbows



Tightening Tool for DZ Ellbows and safety Valves from 2019/2020 onwards - flat assembly
Required for assembly work on elbows, elbows, pressure relief valves of the flat version.
Fits the new flat elbows and relief valves for our wings from 2019/2020 onwords.

Order#	Size	Color	SRP EUR
65097			8.00

XSSCUBA Tail Weight Pouch



Pouch screwed to lower end of backplate optimizing the divers trim
Holds up to 2,7kg of weight

Order#	Size	Color	SRP EUR
WB500	2,7kg	black	22.00

DIRZONE Active Control Ballast System 6 kg single



Ballast system consists of 2 pockets, which are slipped on bottle straps, they include inner throw-away pockets for 2x 3 kg weights.

Order#	Size	Color	SRP EUR
56327	6kg	black/red	124.00

DIRZONE Argon Straps 110mm



For mounting a small argon bottle (110mm diameter) directly on a backplate.
Suitable especially for wreck diving.
Comes in pair (2 pieces).

Order#	Size	Color	SRP EUR
55014	100mm	black	46.00

DIRZONE Argon Straps 14cft



For tightening the bigger (1,5 - 3l) argon bottle to the double tanks (cylinders with a diameter of 185 - 226 mm / 7,27 - 8,9 inches).
Comes in pair (2 pieces).

Order#	Size	Color	SRP EUR
55000	110mm	black	58.00

DIRZONE Argon Straps 85mm



For mounting a small 1 litre argon bottle directly on a backplate.
Suitable especially for wreck diving.
Comes in pair (2 pieces).

Order#	Size	Color	SRP EUR
55001	85mm	black	44.00

DIRZONE Ballast System 4kg or 6kg



Ballast system consists of 2 pockets, which are slipped on a waist strap and fastened to a backplate. Vertical mount

Inside each pocket is an inner pocket with a handle for inserting the weights.

Including screws for installation at backplate, left pocket comes with D-Ring for gauge / stage tank.

Specifications 56330:

Weight: 442 grams

Length: 20 cm

Width: 12 cm

Length inner pocket: 19 cm

Width inner pocket: 11 cm

Specifications 56331:

Weight: 388 grams

Length: 15 cm

Width: 12 cm

Length inner pocket: 13 cm

Width inner pocket: 10 cm

Order#	Size	Color	SRP EUR
56331	4kg	black	109.00
56330	6kg	black	109.00

DIRZONE Ballast System for 9kg



Ballast system consists of 2 pockets, which are slipped on a waist strap and fastened to a backplate.

Left pocket has a D-ring for mounting a pressure gauge.

Inside each pocket is an inner pocket with a handle for inserting the weights.

Length: 21 cm

Width: 15 cm

Length inner pocket: 20 cm

Width inner pocket: 12 cm

Order#	Size	Color	SRP EUR
56320	9kg 576g	black	129.00

DIRZONE Tank Bands



Indestructible buckle, HDPE pad, protecting the bottle from scratching, strap made from non-elongation material. Stitched on a strip of antislip rubber.

Set of two.

Weight: ca. 500g

Order#	Size	Color	SRP EUR
55030	500g	black	79.00

DIRZONE Tank Bands with Plastic Cam Buckles (Pair)



Durable buckle, HDPE pad, protecting the bottle from scratching, strap made from non-elongation material. Stitched on a strip of antislip rubber.

Set of two.

Weight: ca. 350g

Order#	Size	Color	SRP EUR
55031	350g	black	49.00

HIGHLAND Tank Bands



Unique cam band has hoop/buckle feature to allow complete separation of buckle from strap
 316 stainless steel buckle has a higher lift on the rolling edge to increase force
 Higher lift causes buckle to snap into place eliminating unintentional release of the buckle
 Easy to adjust to different cylinder diameters

Order#	Size	Color	SRP EUR
HL201	1 pair	black	99.00

HIGHLAND Delrin Thumbwheel M8



- Precision machined from Delrin
- Prevent stainless to stainless galling
- Strong, durable alternative to traditional wingnuts
- Knurled gripping surface for easier disassembly

HL415 M8x1,25 Pair of 2 pcs
 Export use only!

Order#	Size	Color	SRP EUR
HL415	M8	black	18.00

XSSCUBA V Weight Pouch



Add trim weight in the center groove of your backplate
 Attach with twin cylinder band bolts
 11inch/28cm center to center
 Sealed opening with double Velcro (reg)
 Just pour in your lead shot of up to 5 lbs./2,2kg

Order#	Size	Color	SRP EUR
WB550	2,2kg	black	24.00

Book Screw Set



- Attach various accessories, such as mesh carry pouch to plate
- One complete set, male & female
- Stainless steel, non-rusting construction
- Will pass through 3/8inch hole
- Includes friction o-rings

Order#	Size	Color	SRP EUR
HL510		Stainless Steel	12.00

Book Screw Set round



- Attach various accessories, such as mesh carry pouch to plate
- One complete set, male & female
- Stainless steel, non-rusting construction
- Will pass through 3/8inch hole
- round heads

Order#	Size	Color	SRP EUR
AE0116		chrome	12.00

Corr. Hose 34 cm for Wings NO inflator, knee, Rapid Exhaust Valve



Add a rapid exhaust valve to your DIRZONE wing - release air by pulling the inflator.
Comes with 34cm corrugated hose.

Order#	Size	Color	SRP EUR
64008	34cm	black	46.00

Corrugated Hose 34cm 35cm 40cm 60cm



Spare part for replacement of damaged corrugated hoses. Made out of reinforced techno polymer, available in different lengths.

Diameter:
34cm: 25/20mm
35cm oval: 20mm
40cm: 22mm
60cm: 22mm

Order#	Size	Color	SRP EUR
64000	34cm 25/20mm	black	21.00
64010	35cm oval 20mm	black	34.00
64004	40cm 22mm	black	34.00
64007	60cm 22mm	black	45.00

DIRZONE Adjustable SS Belt Buckle (1 Set)



Stainless steel buckles as contained in our harness adjustable.
Suitable as replacement for lost buckles or for assembly of individual systems.

Order#	Size	Color	SRP EUR
65107		Stainless Steel	14.00

DIRZONE Inflator Service Kit



Contains all parts that have to be replaced when servicing an inflator. Fits inflator 65100 and also those used on our wings.

Order#	Size	Color	SRP EUR
65103	65100/Wings	black	36.00

DIRZONE Safety valve for Wings



Spare over pressure valve and quick dump for DIRZONE wings. String can be shortened according to your demands.

Order#	Size	Color	SRP EUR
64005	for design up to 2019/2020	black	15.00
64005LP	for new design 2019/2020	black	15.00

DIRZONE Screw Set for Wings



Screw set for mounting wing to backplate. Suitable for backplate 3 mm.

Order#	Size	Color	SRP EUR
56329	M8x20mm	Stainless Steel	5.00

DIRZONE Screw Set for Wings 6mm



Screw set for mounting wing to backplate. Suitable for backplate 6 mm.

Order#	Size	Color	SRP EUR
56329-6	M8x25mm	Stainless Steel	5.00

DIRZONE Screw Set Storage Pack



Screw set for buoy pocket with. Suitable for backplate 3mm or 6mm.

Order#	Size	Color	SRP EUR
56323	for 3mm plate	Stainless Steel	6.00
56323-6	for 6mm plate	Stainless Steel	6.00

DIRZONE Screw Set Weighting System



Screw set for weighting system. Available for 3mm and 6mm backplates.

Order#	Size	Color	SRP EUR
56324	for 3mm plate	Stainless Steel	7.00
56324-6	for 6mm plate	Stainless Steel	7.00

DIRZONE Spare Inflator



High end inflator, made in europe. Fits all DIRZONE Wings.

Order#	Size	Color	SRP EUR
65100		black	49.00

DIRZONE Spare Inflator Lite



High end lightweight inflator, made in europe.
Fits all DIRZONE Wings.

Order#	Size	Color	SRP EUR
65104		black	45.00

ABC - Fin Straps

HIGHLAND Universal Spring Straps



One kit attaches to almost any scuba fin
 DIR style .025 stainless springs
 Internal caveline to limit overstretching of springs
 Heavy-duty nylon tube webbing
 3 styles of 316 stainless steel buckles included
 "Old School" buckles fit Turtle(tm), Power(tm), Frog(tm), Jet(tm), Twin Jet(tm), Rocket(tm) and others
 "Large Post" buckles fit most of today's modern fins
 "Small Post" buckles fit Atomic split fins
 Available Sizes:
 8"FP-08
 10"FP-10
 12"FP-12

Order#	Size	Color	SRP EUR
FP08	20 cm/ 8 inch	black	99.00
FP10	25 cm/ 10 inch	black	99.00
FP12	30 cm/ 12 inch	black	99.00

XSSCUBA Buckles and Pins Kit



Fits â€&oulig;Old Schoolâ€&A• fins
 â€¢ Turtle, Power, Frog, Rocket, Jet, etc...
 â€¢ Fits up to 1.125â€&A• fin posts
 â€¢ Chromed brass material
 â€¢ Kit includes everything you need for one pair of fins
 â€¢ Four buckles and four pins

Order#	Size	Color	SRP EUR
FP01	2,9 cm/ 1.125 inch	chrome	12.00

XSSCUBA Rubber Fin Strap



Old School Rubber Fin Strap
 â€¢ Fits Old School fins
 â€¢ Turtle, Power, Frog, Rocket, Jet, etc...
 â€¢ Finger tab on strap for easier grip
 â€¢ One single strap, not a pair
 â€¢ Black rubber material
 â€¢ 1inch width
 â€¢ 17inch Overall Length

Order#	Size	Color	SRP EUR
FP03	43 cm/ 17 inch	black	8.00

XSSCUBA Spring Strap Replacement Hardware



For XS Scuba Spring Straps
 (4) 18-8 rust free stainless steel bolts
 (4) 18-8 rust free 316 stainless steel nylock nuts

Order#	Size	Color	SRP EUR
FP04	universal	Stainless Steel	9.00

ABC - Fins

Scubapro Jetfins



Classic Scubapro Jetfins. Divers favorite for many years!
Available Sizes:
L, XL, XXL

Order#	Size	Color	SRP EUR
30000	XL	black	199.00
30002	L	black	199.00
30007	XXL	black	199.00

Turtle Fins



A classic favorite
New XL size with the foot pocket of a Large Jet and the blade of a 3XL Turtle
Popular among dry suit divers because of the large foot pocket
Compression molded, rubber construction provides exceptional speed with minimal effort
Black rubber only

Order#	Size	Color	SRP EUR
30006	XL	black	199.00
30004	2XL	black	199.00
30005	3XL	black	199.00

XSSCUBA Fin Goby Full Foot



Excellent all around snorkeling fins
Lightweight and easy for travel
Comfortable TPR foot pockets
Co-molded thermoplastic material
Colors: blue with black accents or yellow with black accents
Includes mesh tote bag
Mesh Bag Included

Order#	Size	Color	SRP EUR
FN503BU	34-36	blue	32.00
FN513BU	45-46	blue	35.00
FN513YL	45-46	yellow	35.00

XSSCUBA PROPEL Snorkeling Fin



Use with bare feet or lightweight booties
Quick and easy adjustable heel straps
Much more range of fit than old-fashion shoe fins
Soft thermoplastic rubber heel strap & foot pocket
Lightweight and easy for travel
Excellent all around snorkeling fins
Colors: blue with black accents or yellow with black accents

Order#	Size	Color	SRP EUR
FN801BU	27-31	blue	32.00
FN803BU	38-41	blue	38.00
FN804YL	42-45	yellow	38.00

ABC - Mask Straps

DIRZONE Mask Strap



Neoprene Mask Strap with velcro.
 Durable and flexible!

Order#	Size	Color	SRP EUR
31199	universal	black	14.00

X-Strap Mask Strap



- â€¢ Upgrade almost any mask
- â€¢ Install easily on most masks - no tools needed
- â€¢ Contoured X-Strap fits comfortably on back of head
- â€¢ Squeeze top / bottom to release strap

Order#	Size	Color	SRP EUR
AC120UNIV	universal	black/clear	16.00

ABC - Masks

HIGHLAND Mask BRUTE



New for 2012
 Split lens, easy access nose pocket style
 Old School tough mask and buckle design
 Double feather edged sealing surface
 Two color choices:
 - All black with black silicone skirt
 - Black with clear silicone skirt

Order#	Size	Color	SRP EUR
HL702BK		black/clear	29.00

SeaDive Switch



New! Mask with replaceable filters
 Choose blank mask or kit w/ Box
 Each comes with 3 filters (red, amber and tinted)

Order#	Size	Color	SRP EUR
MA300BS		black/black	59.50
MA300PK		pink	59.50
MA300WT		white	59.50
MA300YL		yellow	59.50
MA310BS-KIT		black/black	99.50

SeaDive Switch Caddy



To carry different filters during dive

Order#	Size	Color	SRP EUR
BG750		black	35.00

SeaDive SWITCH Filters



Filters in various colors for our Switch mask

Order#	Size	Color	SRP EUR
LF10		tinted	23.80
LF15		black	23.80
LF20		red	23.80
LF30		magenta	23.80
LF40		bernstein	23.80

SeaDive Switch Mask Bag



Box for safe transport of mask and filters

Order#	Size	Color	SRP EUR
BG740		black	45.00

SEADIVE EagleEye Rayblocker HD



comes in box

Order#	Size	Color	SRP EUR
SMA975BS		black	96.00

XSSCUBA Crew Black Silicon



- Latest design in frameless masks
- Super wide vision and low volume
- Direct bonding of tempered glass to liquid silicone skirt
- Large, single window lens for unobstructed view
- Easy-adjust buckles
- Double, feathered edged sealing surface
- Includes mask storage box

Order#	Size	Color	SRP EUR
MA405BS		black	69.00

XSSCUBA Fusion2 GaugeReader



Have you ever looked at your computer while diving and wished the numbers looked bigger? With the new Gauge Reader mask, that wish has now become a reality. Our newest mask incorporates magnification lenses of +1.75 into the bottom of each lens. This allows you to see normally through the main lenses and yet, the ability to look down and see everything BIGGER. Ideal for photographers, videographers, mature divers and just about anyone who could use a little extra visual boost.

- Unique design with positive 1.75 diopter magnification in lower lenses

- Beveled and bonded tempered lenses

- Comfortable, crystal silicone skirt

- Double feather-edged sealing surface

- Durable split window polycarbonate frame

Available Colors:

MA280YL Yellow

Order#	Size	Color	SRP EUR
MA280YL		yellow	59.00

XSSCUBA Gauge Reader +1,75 diopter



Have you ever looked at your computer while diving and wished the numbers looked bigger? With the new Gauge Reader mask, that wish has now become a reality. Our newest mask incorporates magnification lenses of +1.75 into the bottom of each lens. This allows you to see normally through the main lenses and yet, the ability to look down and see everything BIGGER. Ideal for photographers, videographers, mature divers and just about anyone who could use a little extra visual boost.

- Unique design with positive 1.75 diopter magnification in lower lenses

- Beveled and bonded tempered lenses

- Comfortable, crystal silicone skirt

- Double feather-edged sealing surface

- Durable split window polycarbonate frame

Order#	Size	Color	SRP EUR
MA290BS		black	119.00

XSSCUBA Goby



Most narrow design - Perfect for kids and smaller faces.

- Comfortable, liquid-injected, crystal silicone skirt

- Split window design

- Double feather-edged sealing surface

- Durable polycarbonate frame

Order#	Size	Color	SRP EUR
MA700BU		blue	42.00

XSSCUBA Merge3



New Version of the great Merge Mask
 Latest design in frameless masks
 Semi-frame construction utilizes side buckle attachment point
 Merging the best in mask features for strength and quality
 Large single window lens for unobstructed view
 Liquid-injected, crystal silicone skirt

Order#	Size	Color	SRP EUR
MA415BS		black	72.00

ABC - Snorkels

XSSCUBA Cargo foldable



- â€¢ Roll up and stow in your BC pocket
- â€¢ Carry this snorkel out of your way
- â€¢ 100% silicone construction
- â€¢ Self-draining purge valve
- â€¢ Special snorkel keeper to keep rolled
- â€¢ Compact design

Order#	Size	Color	SRP EUR
SN650BS		black	35.00

XSSCUBA FLO



- â€¢ Old School style
- â€¢ All sleek and black
- â€¢ Traditional open top
- â€¢ Traditional non-purge mouthpiece
- â€¢ Smooth bore
- â€¢ Adjustable snorkel keeper
- â€¢ Silicone mouthpiece

Order#	Size	Color	SRP EUR
SN500BS		black	19.00

Accessories/Hardware - Drysuit diving

DIRZONE bellow Pocket



A pocket suitable for sticking on a diving suit, velcro closure. Made for carrying a spare mask, reel, buoy or a snack. Dimensions 29x19x6 cm.

Order#	Size	Color	SRP EUR
55004	29cm x 19cm x 6cm	black	39.00

DIRZONE bellow Pocket flat



A pocket suitable for sticking on a diving suit, velcro closure. Made for carrying a spare mask, reel, buoy or a snack. Dimensions 29x19x4 cm.

Order#	Size	Color	SRP EUR
55005	29cm x 19cm x 4cm	black	38.00

DIRZONE Gator Wraps



Tightening calf wraps reduce inflation of diving suit at calf and foot part while swimming in an appropriate position (with legs slightly above the body). Material Cordura 1100, elastic ribbon 100 mm, velcro.

SIZES and DIMENSIONS

- size M - circumference of the wrap, no stretching applied - 38 cm (15 inches)
- size L - circumference of the wrap, no stretching applied - 43 cm (17 inches)
- size XL - circumference of the wrap, no stretching applied - 48 cm (19 inches)
- size XXL - circumference of the wrap, no stretching applied - 53 cm (21 inches)

EXAMPLE:

for a naked calf with the widest circumference of 39 cm I would choose size L (if diving in dry suit with undersuit).

Order#	Size	Color	SRP EUR
55010	L	black	72.00
55011	XL	black	75.00
55012	M	black	69.00
55013	XXL	black	79.00

DIRZONE Pee Valve balanced



High quality balanced pee valve for drysuits. Comes with Conveen urinal condom

Order#	Size	Color	SRP EUR
46000		black	109.00

Drysuit Hanger, Foldable



replaces AC510

Order#	Size	Color	SRP EUR
AC515	Drysuit Hanger, Foldable	black	25.00



Hollister Condom (30 pcs.)



Latex urinal condom, available in different sizes.
 30pcs in a cardboard box

Order#	Size	Color	SRP EUR
46012	21mm - 25mm	latex	122.00
46011	26mm - 30mm	latex	122.00
46010	31mm - 35mm	latex	122.00

Norprene Hose



Norprene Hose for use with pee valves
 inner diameter: 6,4mm
 outer diameter: 12,8mm
 wall thickness: 3,2mm

Order#	Size	Color	SRP EUR
46004	1m	black	22.00

SiTech Dump Valve



Classic, high quality dump valve für drysuits. Automatic, adjustable

Order#	Size	Color	SRP EUR
11335		black	79.00

SiTech Swivel Inlet Valve



High quality inflation valve for drysuit, free swivel.
 w. EU Standard Nipple

Order#	Size	Color	SRP EUR
25210		black	79.00

Check Valve for Pee Valve



Spare Check Valve for Pee Valve #46000

Order#	Size	Color	SRP EUR
46003	f. 46000	black	12.00

Accessories/Hardware - Hangers

Accessory Hanger



Holds your mask, snorkel, fins, boots, and gloves
 Designed for quick drainage and drying
 One place storage for your gear
 Removable center bar for flat storage and travel
 Great sales item for new students
 Tough X-beam construction

Order#	Size	Color	SRP EUR
AC500BK		black	25.00
AC500BU		blue	25.00
AC500YL		yellow	25.00

XSSCUBA BC Hanger



Designed for quick drainage and drying
 Tough construction

Order#	Size	Color	SRP EUR
AC550BK		black	15.00
AC550BU		blue	15.00
AC550YL		yellow	15.00

XSSCUBA Folding BC Travel Hanger



Unique folding design is ideal for travel
 Designed for quick drainage and drying
 Folding arms for regulator, hood and accessories
 Swivel hook
 Tough X-beam construction
 Patent Pending

Order#	Size	Color	SRP EUR
AC520BK		black	25.00
AC520BU		blue	25.00
AC520YL		yellow	25.00

XSSCUBA Wetsuit Hanger



Designed for quick drainage and drying
 Tough construction

Order#	Size	Color	SRP EUR
AC540BK		black	15.00
AC540BU		blue	15.00
AC540YL		yellow	15.00

XSSCUBA Wetsuit Travel Hanger



Unique folding design is ideal for travel
Designed for quick drainage and drying
Folding arms for regulator, hood and accessories
Swivel hook
Tough X-beam construction
Patent Pending

Order#	Size	Color	SRP EUR
AC530BK		black	26.00
AC530BU		blue	26.00
AC530YL		yellow	26.00

Accessories/Hardware - Hardware


HIGHLAND 4.0inch Shackle Bolt Snap



Botsnap featuring a shackle on the lower end.
 Suitable as a spare part for measurement tape HL418
 Ideal for break away connections when used with HL309-BA

Order#	Size	Color	SRP EUR
HL911	10cm	Stainless Steel	25.00

Quick Link SS - 36x17 mm, opening max. 5 mm



Used for connections which are not intended to be opened under water.

Order#	Size	Color	SRP EUR
56328	36mm	Stainless Steel	4.00

DiveMaster Pointer with Attachment Clip



Order#	Size	Color	SRP EUR
AC143C			39.00

Stainless-steel bolt-snap



Order#	Size	Color	SRP EUR
65006	62mm	Stainless-steel	6.00

Boltsnap 120mm



Stainless-steel snap for decompression bottles, stages and scooters. The eye is wide and it is possible to poke through a finger even in a dry glove.

Order#	Size	Color	SRP EUR
65001	120mm	Stainless Steel	15.00

Boltsnap 76mm



Stainless-steel bolt-snap for backup torches and small things attaching to a loop in pocket, etc.
Length is 76 mm, the eye is 14 mm wide.

Order#	Size	Color	SRP EUR
65005	76mm	Stainless Steel	8.00

Boltsnap 90mm



Stainless-steel bolt-snap for pressure gauge, long hose, etc.
The eye is 20 mm wide

Order#	Size	Color	SRP EUR
65004	90mm	Stainless Steel	8.00

Boltsnap Stage 105mm



Stainless-steel snap for decompression bottles, stages and scooters. The eye is 35 mm wide and it is possible to poke through a finger even in a dry glove.
Weight: 54g only, reduces the head-down tendency of stages

Order#	Size	Color	SRP EUR
65002	105mm	Stainless Steel	15.00

XSSCUBA Coil Lanyard - 52" Stainless Steel Snap Clip/Split Ring



The coil lanyard is reinforced with stainless steel cable. The 132cm/52inch lanyard can be shortened by using the plastic clips.

Order#	Size	Color	SRP EUR
CL02			28.00

XSSCUBA Coil Lanyard - 52" with two Stainless Steel Snap Clips



The coil lanyard is reinforced with stainless steel cable. The 52" lanyard can be shortened by using the plastic clips.

Order#	Size	Color	SRP EUR
CL03			32.00

XSSCUBA XSSCUBA Coil Lanyard - Snap Clip/Split Ring



The coil lanyard is reinforced with stainless steel cable. The 132cm/52inch lanyard can be shortened by using the plastic clips.

Order#	Size	Color	SRP EUR
CL01			18.00

Double Ender SS



Stainless-steel double end snap, all-round use for fastening various equipment

Order#	Size	Color	SRP EUR
65011	100mm	Stainless Steel	10.00
65010	120mm	Stainless Steel	12.00

Double Ender SS 90 mm



Stainless-steel double end snap, all-round use for fastening various equipment

Order#	Size	Color	SRP EUR
65012	90mm	Stainless Steel	9.00

Belt Stop



Stainless-steel stopper for 50 mm strap.

Order#	Size	Color	SRP EUR
65110	50mm	Stainless Steel	2.50

Belt Stop Heavy Duty SS for Harness



Heavy duty stainless steel stopper for 50 mm strap.

Order#	Size	Color	SRP EUR
65116	50mm	Stainless Steel	4.00

Belt Stop Serrated for Harness



2.0 inch (50mm) Webbing Serrated Belt Stop - Stainless Steel

Order#	Size	Color	SRP EUR
65109	50mm	Stainless Steel	2.50

D- Ring SS 50 mm welded on Belt Stop SS



Fixed solid steel D-Ring for 50mm webbing, 90° degree

Order#	Size	Color	SRP EUR
65114	50mm 90° degree	Stainless Steel	9.00

D-Ring



Stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm.

Order#	Size	Color	SRP EUR
65112	50mm	Stainless Steel	4.00

D-Ring bend



Bend stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm.

Order#	Size	Color	SRP EUR
65111	50mm	Stainless Steel	4.00

D-Ring SS 25 mm (10 pcs minimum)



Stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm.

Order#	Size	Color	SRP EUR
65117	25mm	Stainless Steel	3.00

D-Ring SS 50 mm LOW PROFILE (10 pcs minimum)



Stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm, low profile

Order#	Size	Color	SRP EUR
65115	50mm	Stainless Steel	3.00

HIGHLAND Billy Ring 45



Fixed positioned solid steel (316) D-Ring for 50mm harness, 45 degree

Order#	Size	Color	SRP EUR
HL908	50mm 45 degree	Stainless Steel	14.00

HIGHLAND Billy Ring 90



Fixed solid steel (316) D-Ring for 50mm webbing, 90 degree

Order#	Size	Color	SRP EUR
HL909	50mm 90 degree	Stainless Steel	13.00

XSSCUBA Weight Keeper with D-Ring



2.0 inch Webbing Weight Keeper with low profile D-Ring

Order#	Size	Color	SRP EUR
AC305D	50mm	Stainless Steel	12.00

DIRZONE Adjustable SS Belt Buckle QUICK FIX (1 Set)



Single buckle from Quick Fix System.
Can be used to upgrade existing harnesses.



Order#	Size	Color	SRP EUR
65122		Stainless Steel	14.00



HIGHLAND D-Ring Holder (Taco)



Mount D-rings to tanks or light canisters using hose clamps.

Order#	Size	Color	SRP EUR
HL916		Stainless Steel	4.00

Break Away Strap for HL911 - 5 pcs. per bag



Set up a break away connection with boltsnap HL911

Order#	Size	Color	SRP EUR
HL309-BA		red	10.00

XSSCUBA Hose Hook



Secure attachment of a clip without causing potential damage to the hose
For use with all low pressure scuba hoses with an approximate 0.5 inch diameter

Order#	Size	Color	SRP EUR
AC956		black	29.00

Accessories/Hardware - Knives

DIRZONE Knife



Pocket from polyamide strap, stainless-steel knife with jagged blade.

Order#	Size	Color	SRP EUR
65050		black	16.00

XSSCUBA Fog Cutter droppoint



- Check out this unique knife
- Built-in scissors can cut most anything
- 420 stainless steel blade
- Chromate treatment on blade for rust prevention
- Easy release, positive locking sheath
- Rubber leg straps with quick-release buckles
- 4.75inch blade length
- 9.5inch overall length

Order#	Size	Color	SRP EUR
KN100	24cm	black	139.00

XSSCUBA Mini Fog Cutter - Modified Blunt



- New for 2012, a smaller version of the FogCutter
- Versatile options for mounting to BC and hose
- Built-in scissors can cut most anything
- Advanced serration and line cutter
- 420 stainless steel blade
- Chromate treatment on blade for rust prevention
- Easy release, positive locking sheath
- Includes multiple mounting accessories
- 3.25inch blade length, 6.5inch overall length

Order#	Size	Color	SRP EUR
KN125	16,5cm	black	119.00

BESTDIVERS Scissors with cover



- Grade stainless steel construction
- Cut your way out of most anything
- Black handles
- Comes with cover

Order#	Size	Color	SRP EUR
AI0670		black	22.00

HIGHLAND EMT Shears



420 Grade stainless steel construction
 Rust resistant titanium coating
 Cut your way out of most anything
 304 Grade stainless steel hinge bolt
 Red handles

Order#	Size	Color	SRP EUR
HL411		red	32.00

HIGHLAND Optional Sheat for EMT Shears



Optional sheat for shears HL411.
 Can be fitted to harness or attached to d-rings

Order#	Size	Color	SRP EUR
HL421		black/red	7.00

XSSCUBA Neoprene Knife Wrap



Convenient way to hold your knife sheath
 Neoprene construction with slip-resistant backing Adjustable Velcro straps for mounting to lower leg Versatile design for use with FogCutter, Recon, Beta Titanium, Saw and many other manufacturer's knives

Order#	Size	Color	SRP EUR
kp04		black	18.00

Accessories/Hardware - SMBs/Liftbags

DIRZONE Alert Marker 120cm PRO



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 37N / 8lb

Order#	Size	Color	SRP EUR
86106	120cm	orange	75.00

DIRZONE Alert Marker 120cm PRO SMALL OPV



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 37N / 8lb

Order#	Size	Color	SRP EUR
86108	120cm	orange	75.00

DIRZONE Alert Marker 120cm PRO SMALL OPV YELLOW



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 37N / 8lb

Order#	Size	Color	SRP EUR
86109	120cm	yellow	75.00

DIRZONE Alert Marker 180cm PRO



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 86N / 19lb

Order#	Size	Color	SRP EUR
86110	180cm	orange	98.00

DIRZONE Alert Marker 180cm PRO YELLOW



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 86N / 19lb

Order#	Size	Color	SRP EUR
86111	180cm	yellow	98.00

DIRZONE Alert Marker 120cm PRO pink



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 37N / 8lb

Order#	Size	Color	SRP EUR
86112	120cm	pink	75.00

DIRZONE Alert Marker 120cm PRO SMALL OPV PINK



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 37N / 8lb

Order#	Size	Color	SRP EUR
86113	120cm	pink	75.00

DIRZONE Alert Marker 120cm PRO YELLOW



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 37N / 8lb

Order#	Size	Color	SRP EUR
86107	120cm	yellow	75.00

DIRZONE alert marker 122cm with duckbill, small OPV



can be inflated via BCD-Adapter or Regulator, equipped with over pressure valve.
 Inline inlet valve!
 Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 71N / 16lb

Order#	Size	Color	SRP EUR
86115	122cm	orange	94.00

DIRZONE alert marker 122cm with duckbill, small OPV, YELLOW



can be inflated via BCD-Adapter or Regulator, equipped with over pressure valve.
 Inline inlet valve!
 Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 71N / 16lb

Order#	Size	Color	SRP EUR
86116	122cm	yellow	94.00

DIRZONE Alert Marker 180cm PRO PINK



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
Lift Capacity: 86N / 19lb

Order#	Size	Color	SRP EUR
86114	180cm	pink	98.00

HIGHLAND Large SMB 300cm



BIG €" 10' long with 22 circumference
Large enough to greatly enhance diver visibility yet compact enough to carry easily
75# surface lift
Baffled bottom for anti-spill inflation
Combination oral and BC QD inflator
OPV €" overpressure relief valve
Three bands of 3M SOLAS reflective tape for improved surface visibility
Stainless steel D-ring at top for strobe attachment
20 long lift harness with stainless steel D-ring
Elastic chemical light stick holder at top
Includes 6.5 X 14 mesh carry pouch with grommets for backplate attachment
Mounting hardware is not included
Available in yellow and orange

Order#	Size	Color	SRP EUR
HL202-YL	300cm	yellow	109.00

XSSCUBA Surface Marker Buoy (SMB) 210cm



HUGE, 7ft long (210cm) x 22ft (55cm) circumference (6ft (180cm) out of the water)
 Mil-Spec, urethane-backed, nylon material
 SOLAS reflective tape on both sides for maximum visibility
 Elastic loop at top for chem light attachment
 SS D-ring at top for slate attachment
 Overpressure relief valve with pull for manual release
 One way oral inflation valve w/ cap cover
 Anti-Spill bottom with baffle to allow easy fill from any device and remains inflated until you empty it
 Rolls up to compact size and stays closed with Velcro (reg) strap
 Lifting strap with stainless steel D-ring at bottom
 50 lbs. of lift capacity

Order#	Size	Color	SRP EUR
AC070-OR	210cm 23kg	orange	119.00

XSSCUBA DELUXE Lift Bag 50 LB.



• 50 pounds plus of positive lift
 • Anti-spill bottom with baffle to allow easy fill from any device and remains inflated until you empty it
 • Overpressure relief valve with pull for manual release
 • Rolls up to compact size and stays closed with Velcro (reg) strap
 • Elastic loop at top for chem light attachment
 • SS D-ring at top for slate attachment
 • Lifting strap with stainless steel D-ring at bottom

Order#	Size	Color	SRP EUR
AC060-OR	22kg	orange	109.00

XSSCUBA Mesh Carry Pouch



• Made to Fit XS Scuba SMB (AC070) and Lift Bags (AC060 and AC050)
 • Heavy-Duty, PVC Coated Nylon Mesh
 • Velcro Closure
 • Six Stainless Steel Grommets for Attachment

Order#	Size	Color	SRP EUR
AC080	16,5cm x 30,5cm	black	22.00

Accessories/Hardware - Tools

HIGHLAND Inflator Tool



- Perfect field service tool
- Service for Highland Inflator
- Internal spanner for power inflator button
- Stainless steel construction

Order#	Size	Color	SRP EUR
TL126		Stainless Steel	19.00

v4tec Wetnote-Tool



The one and only v4tec tool for wetnotes.
Combines the ability to change 2nd Stages and handle valves with broken handwheels under water.
Laser-Cut out of one piece of solid steel.

Order#	Size	Color	SRP EUR
88505		Stainless Steel	28.00

XSSCUBA Adjustable Spanner Wrench



Adjustable range is 0.75 to 2.0
Three pins included: 0.185, 0.152 and 0.122
Fits most manufacturer's first stages

Order#	Size	Color	SRP EUR
TL118	19mm - 51mm	black	62.00

XSSCUBA Handwheel Tool

Ideal for assembly of rubber knobs



Order#	Size	Color	SRP EUR
TL113		blue/black	19.00

XSSCUBA O-Ring Picks Set



Each set contains 3 different tips
Ideal for o-ring removal without damage
Perfect for any diver's save-a-dive kit

Order#	Size	Color	SRP EUR
TL111		yellow/red/blue	25.00

XSSCUBA Regulator Cover Removal Tool



• Easy removal of second stage front covers
 • Silicone material provides excellent grip
 • Fits most manufacturer's second stages

Order#	Size	Color	SRP EUR
TL117		yellow	11.00

XSSCUBA Regulator Support Handle



Heavy-duty chromed brass construction
 Stainless steel threaded ends
 One end with standard high pressure port threads 7/16-20 UNF male threads
 The other end with standard low pressure port threads 3/8-24 UNF male threads
 Ready for vise mounting with flat sides in the middle section

Order#	Size	Color	SRP EUR
TL122	7/16 3/8	black	99.00

XSSCUBA Schrader valve tool



Special tool to replace the valve of a standard inflator hose

Order#	Size	Color	SRP EUR
TL116		blue/black	22.00

XSSCUBA Scuba Multi-Tool



Stainless steel construction
 Valve DIN insert 1/4 hex wrench
 Port plugs 3/16 hex wrench
 Valve dip tube 5/32 hex wrench
 Valve nut slotted screwdriver
 Phillips screwdriver
 Inflator schrader valve tool
 O-ring pick
 Orifice adjustment flat screwdriver

Order#	Size	Color	SRP EUR
TL110		black	65.00

XSSCUBA Star Tool - Stainless Steel



- â€¢ Remove and replace the most common scuba hoses 1/2, 9/16, 5/8 & 11/16 wrenches
- â€¢ Most common hex wrenches 5/32, 3/16 & 1/4
- â€¢ Valve handwheel driver
- â€¢ All imperial sizes for US products
- â€¢ Compact size - 3.85 x 0.5 thick (approximately)
- â€¢ Stainless steel construction with silicone over mold

Order#	Size	Color	SRP EUR
TL127		black	69.00



GA TENACIOUS PATCH Neoprene Repair Patch.
Color: Black
Size: 25.5cm x 15cm

Order#	Size	Color	SRP EUR
99116	25.5cm x 15cm	black	20.00

GEAR AID Talcum Powder



High quality talc helps preserve latex and rubber seals, eases entry into water sports suits, and helps prevent chafing. Also used for dusting Aquasure repairs etc.

Order#	Size	Color	SRP EUR
99109	100g	white	12.00

Inflator Tool for DZ Inflators



from 2019/2020 onwards - flat assembly
High-quality inflator tool for servicing common power inflators with the 3-slot screw connection
Perfect for small repairs at the dive site as well as regular service.
Material: Composite plastic

Order#	Size	Color	SRP EUR
65098		black	22.00

Inflator Tool for DZ Inflators - complete



from 2019/2020 onwards - flat assembly, including hex wrench
High-quality inflator tool for servicing common power inflators with the 3-slot screw connection
Perfect for small repairs at the dive site as well as regular service.
Material: Composite plastic

Order#	Size	Color	SRP EUR
65099		black	32.00

McNett Silicone Spray 250ml



Silicone spray for maintenance and care of scuba diving equipment. Do not use in combination with oxygen

Order#	Size	Color	SRP EUR
99128	250ml		12.00

Repair tape 50cm



Transparent repair tape (PVC), 50cm x 7.5cm

Order#	Size	Color	SRP EUR
99124	50cm x 7.5cm	transparent	12.00

Sea Buff precleaner



Special dive mask precleaner or slate cleaner. Removes silicone residue which exists due to the manufacturing process

Order#	Size	Color	SRP EUR
99126	37ml		12.00

Sea Gold highly concentrated anti-fog gel for dive masks



Anti-fog gel for diving masks, even for optical lenses
Without blister packaging

Order#	Size	Color	SRP EUR
99125	37ml		14.00

Silicone grease in can



GEAR AID silicone grease.
Content: 7 gram

Order#	Size	Color	SRP EUR
99127	7 gram		10.00

XSSCUBA Combo Filler



Add this one to your save-a-dive kit
 Easy attachment to standard BC quick-disconnect hose
 One end is a standard tire filler
 The other end is a convenient nozzle for squirting air
 Low pressure only - below 200 psi

Order#	Size	Color	SRP EUR
AC975		black	54.00

XSSCUBA Wash-Out Hose



Ideal BC cleaning by connecting water-hose directly to the BC inflator

Order#	Size	Color	SRP EUR
TL112		black	46.00

Regulator Adjuster



For adjustment of regulators, supports most of the manufacturers.
 - Intermediate pressure of 1st stage
 - Breathing resistance of 2nd stage

Order#	Size	Color	SRP EUR
51026	9/16 inch	chrome	89.00

XSSCUBA No bumb cable tie



Perfect for fitting mouthpieces to 2nd stages
 Extra flat profile for increased level of comfort
 package contains 100pcs

Order#	Size	Color	SRP EUR
TL114	17,5 cm	black	32.00

GEAR AID Aquasure + FD 250 g Tube



The worldwide industry standard for permanent, maximum strength repairs to wet or dry suits and many other types of water sports products including inflatable's etc. Flexible urethane formula waterproofs, seals and also protects against abrasion.

Comes in 250g tube

Currently out of stock with unknown delivery time.

Order#	Size	Color	SRP EUR
99104	250g	clear	55.00

GEAR AID Aquasure + FD 28g



The worldwide industry standard for permanent, maximum strength repairs to wet or dry suits and many other types of water sports products including inflatable's etc. Flexible urethane formula waterproofs, seals and also protects against abrasion.

Comes in 28g tube in multilingual clam shell

Order#	Size	Color	SRP EUR
99101	28g	clear	16.00

GEAR AID B.C.D CLEANER



The more you dive, the more your buoyancy compensator device— or BCD—is exposed to salt, chlorine and organic compounds that can damage it, inside and out.

B.C.D Cleaner makes it quick and easy to clean and condition all types of BCDs. This complete and balanced maintenance system effectively removes salt and chlorine crystals from the inside of the bladder and breaks down salt and chlorine on the outside, too. With its silicone conditioning formula, BC Life extends the life of all BCD parts, from rubber fittings and valves to the shell. It's safe to use on all dive equipment and scuba gear.

Order#	Size	Color	SRP EUR
99118	250ml		13.00

GEAR AID Cure Accelerator 30ml



For use with Aquasure(reg), Seamgrip(reg) and Freesole(tm) urethane adhesives. Speeds tack time to 15 minutes and full cure time to less than 2 hours.

Comes in multilingual clam shell

(Before: Coto)

Order#	Size	Color	SRP EUR
99105	30ml	clear	16.00

GEAR AID Wet- & Dry Suit Shampoo



You know the smell: wetsuit funk. It's not pretty, but it is preventable—and so is the chlorine and salt damage that shortens the life of your expensive neoprene equipment.

Just use Wetsuit and Drysuit Shampoo on booties, gloves, fishing waders, LYCRA(reg) body wear, and of course, wetsuits and drysuits. Our Wetsuit and Drysuit Shampoo works fast to remove organic residues like algae and bacteria, plus chlorine and salt deposits—so your neoprene equipment smells fresher, stays supple and lasts much longer.

Order#	Size	Color	SRP EUR
99122	250ml		15.00

GEAR AID Zipper Stick 2x 4.5 grams



High performance lubricant for water tight and air tight zips. Long lasting protection against rust, corrosion, chlorine and salt in all temperatures. Contains no paraffin or silicone
Comes in multilingual clamshell

Order#	Size	Color	SRP EUR
99108	2x 4.5 grams		14.00

GEAR AID ZIPPER WAX



Maximum protection for all types of zips.

When zips stick, you can really get in a jam—and forcing the issue usually ends in a zip repair. Lubricating zips is a better way to go, especially when it's as easy as using Zipper Wax from GEAR AID.

Zipper Wax stick zip lubricant is ideal for protecting all kinds of zips from getting stuck. Just glide it along metal zips, plastic zips, wetsuit zips, boat zips and luggage zips. In fact, there aren't many zips that won't benefit from the silicone-free lubricant in Zipper Wax. It works in all water temperatures and the most extreme weather conditions.

A stiff, stuck zip is a useless zip. Keep them sliding like they should with GEAR AID Zipper Wax.

Silicone-free zip lubricant in solid stick form

Prevents zip jamming and costly zip repairs

Works in all water temperatures and conditions

Non-toxic, non-staining formula

Ideal for metal zips, plastic zips, wetsuit zips, boat zips, luggage zips and more

Contains no beeswax or paraffin

Prolongs zip life

Order#	Size	Color	SRP EUR
99117	20g	yellow	12.00

McNet Sea Drops



Safe for all glass and plastic lenses—will not harm surrounding silicone or rubber support frames. Designed for maximum dive mask defogging and quick, easy, in-field application. Also excellent for ski goggles, eye glasses, face masks, binoculars and telescopes. Not recommended for swim goggles.
Comes in multilingual clam shell

Order#	Size	Color	SRP EUR
99114	37ml	clear	12.00

McNett MiraZyme



MiraZymeâ„¢ Odour Eliminator is a powerful blend of natural enzymes and microbes used to remove odours caused by mold, mildew and bacteria. McNett has identified, separated and reproduced a unique blend of 10 naturally occurring and highly adapted enzymes, microbes and other organic ingredients designed to identify and destroy odour. MiraZyme is extremely versatile, quickly and effectively removing odour and organic debris from a wide variety of clothing, footwear, watersports and sports equipment, and more. Residues from MiraZyme are water and carbon dioxide-safe for the environment.

Order#	Size	Color	SRP EUR
99119	250ml		20.00

McNett SEAL SAVER 37ml



Protects and conditions dry suit seals, gaskets, O-rings and rubber products. Preserves and maintains latex and neoprene seals while inhibiting oxidation and deterioration. Comes in multilingual Clamshell

Order#	Size	Color	SRP EUR
99107	37ml	clear	12.00

McNett Zip Care



Zip Care is the ultimate zipper care for plastic, nylon or metal zippers. Unique brush top enables the cleaner to be delivered between the teeth and physically removes harmful dirt, sand, and salt deposits that can jam the zipper. Silicone and Paraffin free formula. Comes in multilingual clam shell

Order#	Size	Color	SRP EUR
99115	60ml	clear	12.00

Christo Lube MCG111, Jar 1/2 oz., 14,18 g



High quality oxygen lube
Comes in blank 14g jar

Order#	Size	Color	SRP EUR
99113	14g	white	38.00

Christo Lube MCG111, Syringe 1 oz., 28,35 g



High quality oxygen lube
Comes in 28g syringe

Order#	Size	Color	SRP EUR
99112	28g	white	79.00

Christo Lube MCG111, Tube 2 oz., 57 g



High quality oxygen lube
 Comes in blank 57g tube

Order#	Size	Color	SRP EUR
99111	57g	white	119.00

GEAR AID Aquasure + FD 2x 7g Tube



The worldwide industry standard for permanent, maximum strength repairs to wet or dry suits and many other types of water sports products including inflatable's etc. Flexible urethane formula waterproofs, seals and also protects against abrasion.

Comes in 2x7g tube in multilingual clam shell

Order#	Size	Color	SRP EUR
99100	2x 7g	clear	16.00

GEAR AID BLACK WITCH 28ml - Black Formula



The new Black Witch toluene free formula is suitable for quick, (up to one hour) repairs, of Neoprene rips and tears and especially suitable for Neoprene butt end jointing of seams or edges, where rubber is directly bonded together. Black Witch is also suitable for use on latex wrist and neck seals etc. Note: When quick repairs are not required, or to re-coat high wear abrasion areas such as knee or elbow sections etc, use McNett Aquasure high strength, permanent adhesive.

Comes in multilingual Clamshell

Order#	Size	Color	SRP EUR
99106	28ml	black	13.00

Accessories/Hardware - Travel Bags

DIRZONE Computer Bag



Two different logo types available

Order#	Size	Color	SRP EUR
86120	big logo	black	55.00
86121	small logo	black	55.00

XSCUBA Weight Bag



A bag designed specifically for diving weights
 Designed to carry up to 60 lbs. of lead
 Fits the largest weight-integrated BC pockets
 Tough, PVC-reinforced bottom
 Easy-access, U-shaped #10 YKK zipper opening
 D-rings to attach BG910 Shoulder Strap

Order#	Size	Color	SRP EUR
BG550	15cm x 30cm x 15cm	black	69.00

Adapters - Filling

Personal Filter



Additional filter to keep tanks O2-clean

Order#	Size	Color	SRP EUR
99200	G5/8 200bar	black	129.00

Adapter DIN G5/8 - Argon



G5/8 to W21.8
Can be used to fill a dry suit inflation bottle with argon valve.

Order#	Size	Color	SRP EUR
99020	G5/8 to W21.8	chrome	28.00

Adapter DIN G5/8 - DIN G5/8



G5/8 on both sides, can be used to connect two decanting hoses.

Order#	Size	Color	SRP EUR
99022	G5/8 to G5/8	chrome	28.00

Adapter DIN G5/8 - O2 230bar



G5/8 to 3/4 Oxygen
Enables you to connect regulators or decanting hoses to tanks with 3/4 oxygen valve

Order#	Size	Color	SRP EUR
99021	G5/8 to 3/4	chrome	28.00

Adapter DIN G5/8 - W30x2



G5/8 to W30x2
Can be used to connect decanting hoses to storage tanks.

Order#	Size	Color	SRP EUR
99000	G5/8 to W30x2	Brass	36.00

Adapter G 5/8 232 bar female to G5/8 300 bar male



Enables you to connect a 200bar filling or decanting hose to 300bar valves.

Order#	Size	Color	SRP EUR
99023	G5/8 232bar to 300bar	chrome	28.00

Adapter M 26 female to G 5/8 male 230 bar



Enables you to connect a Nitrox (M26) regulator or hose to 230bar G5/8 valves.

Order#	Size	Color	SRP EUR
99025	G5/8 to M26 230bar	chrome	28.00

Adapter M26 male to G 5/8 female 232 bar



Enables you to connect a DIN G5/8 regulator or hose to 232bar Nitrox (M26x2) valves.

Order#	Size	Color	SRP EUR
99024	G5/8 to M26 232bar	chrome	28.00

Reduction Valve till 300bar



Reduction valve piece for taking gas samples for analysis. With adjustable gas flow.

Order#	Size	Color	SRP EUR
99006	G5/8 300bar	chrome	78.00

T- Adapter Male G5/8 - 2x Female G5/8



Enables you to connect two second stages to a mono valve. Ideal when travelling! Available in 232 and 300bar versions.

Order#	Size	Color	SRP EUR
51027	G5/8 232bar	Stainless Steel	55.00
51028	G5/8 300bar	Stainless Steel	59.00

The Silencer



Silencer 300 bar

Order#	Size	Color	SRP EUR
8016	G5/8	chrome	89.00

Adapters - High pressure

XSSCUBA 90 angel adapter HP with swivel



This brass adapter with an 90 degree angel fits between HP hose and 1st stage. The whole adapter is rotating, so it's good for strait hose configuration, eg with rebreathers

No, CE! Export use only!

Order#	Size	Color	SRP EUR
AE0112	7/16 inch	chrome	26.00

XSSCUBA High Pressure Port Adapter - 1 to 2 HP Ports



- Add an additional high pressure port to your regulator's first stage
- Additional port allows for 360 degree swivel
- One 7/16-20 male to two 7/16-20 female outlets (common HP port)
- Chromed brass construction
- High pressure use - Maximum 5000 psi / 340 bar
- Factory cleaned - Viton o-rings

No CE! Export use only!

Order#	Size	Color	SRP EUR
AC906	7/16 inch	chrome	95.00

XSSCUBA HP Port Swivel Adapter



HP Port Swivel Adapter for use at the first stage for better hose routing. Cleaned for Nitrox up to EAN40, using Vton O-rings

No CE! Export use only!

Order#	Size	Color	SRP EUR
AC907			48.00

HIGHLAND 90 Degree Adapter Mini Gauge



Not included with Mini Tech Gauge
Use to mount a Mini Tech Gauge to HP hose
Right angle (90 degree) with the HP hose
Airspool with Viton o-rings
No CE! Export use only!

Order#	Size	Color	SRP EUR
HL403-90	7/16 inch	chrome	22.00

HIGHLAND Adapter for Mini Tech Gauge



Adapter to fit the Mini tech gauge (HL501) to a high pressure hose instead of attaching it directly to a first stage.
No CE! Export use only!

Order#	Size	Color	SRP EUR
hl403	7/16 inch	chrome	22.00

XSSCUBA HP Hose QD Adapter



- Add to any pressure gauge, console or air integrated console which uses a standard high pressure hose
- Remove your gauges for safe storage
- Bayonet mount style quick-connect (push and turn)
- Gauge attachment end has 7/16-20 female threads
- Hose attachment end has 7/16-20 male threads
- Airspool with Viton o-rings included
- Brass construction with black chrome finish
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC383	7/16 inch	black	99.00

Adapters - Low pressure

110° Angle Adapter



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AE0114	9/16 inch	chrome	26.00

3/8" connector for 1st stage LP port, rotatable



Connector that directly fits the 1st stage outlet ports.
 This enables you to connect a LP hose in an ideal way that would not be possible without this rotatable adapter!
 Chrome plated brass
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AE0118			28.00

Adapter 90 degree for LP port of 1. stage, with swivel, UNF 3/8, chromed brass

No CE! Export use only!



Order#	Size	Color	SRP EUR
AE0117			28.00

High Flow Adapter 110 degree



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Extra high flow!
 No CE! Export use only!

Order#	Size	Color	SRP EUR
99030	9/16 inch	chrome	26.00

High Flow Adapter 90 degree



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Extra high flow!
 No CE! Export use only!

Order#	Size	Color	SRP EUR
99031	9/16 inch	chrome	26.00

HIGHLAND Shut off 1st stage



Install between standard 3/8" male regulator hose fitting and first stage low pressure port
 Slide machined Delrin collar to shut off gas flow
 Prevent critical gas loss
 Most commonly used with rebreather systems
 No CE! Export use only!

Order#	Size	Color	SRP EUR
HL404-38	3/8 Zoll	black	46.00

Right Angle



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AE0115	9/16 inch	chrome	26.00

XSSCUBA 1/2" to 3/8" Adapter



This adapter allows connection of a 3/8" low pressure regulator hose into a 1/2" regulator first stage low pressure port
 Black-chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-ring
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC940	1/2 to 3/8 inch	black	18.00

XSSCUBA 3/8 Extender



Extend the placement of low pressure port away from first stage
 3/8" Female x 3/8" Male
 16mm height
 Black chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-ring
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC970	3/8 inch	black	18.00

XSSCUBA Adapter Swivel LP for 1st stage 1 to 3 Ports



-Increase the number of low pressure port on a first stage
 -Takes one low pressure to three low pressure ports
 -The bright chromed part swivels around the black chromed part
 -(1) 3/8-24 male inlet to (3) 3/8-24 female outlets
 -Chromed brass construction
 -Low pressure only - below 200 psi/ 14 bar
 -Factory cleaned - Viton o-rings
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC913	3/8 inch	chrome	48.00

XSSCUBA Male 1/4 NPT Adapter



Attach one end to a first stage low pressure port
 The other end allows the attachment of a industrial style hose with 1/4 NPT female threads
 3/8-24 male to 1/4 male NPT
 Brass construction with black chrome finish
 Low pressure only - below 200 psi
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC916	3/8 to 1/4 inch	chrome	18.00

0-360 Angle Adapter



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction.
 Usable up to 40% oxygen.
 No CE! Export use only!
 Choose the perfect angle between 0 degree and 350 degree by simply twisting the adapter!

Order#	Size	Color	SRP EUR
AE0280	9/16 inch	chrome	54.00

HIGHLAND Deluxe Inline Shut-Off



Red colored visual indicator of closed position
 Green colored visual indicator of open position
 Install between standard regulator hose and second stage
 9/16-18 UNF male inlet to 9/16-18 UNF female outlet threads
 Slide machined Delrin collar to shut off gas flow
 Prevent critical gas loss
 Commonly used with deco rigs, stage bottles & drysuit inflation
 Low pressure use only - below 200 psi
 No CE! Export use only!

Order#	Size	Color	SRP EUR
HL404-DLX	9/16 inch	black	59.00

HIGHLAND Shut off 2nd stage



Can be installed on any 2nd stage and allows instant stoppage of airflow through hose
 Provides complete protection from an octopus free flow while diving
 Ideal for decompression bottles or stage bottles where preventing gas loss is critical
 No CE! Export use only!

Order#	Size	Color	SRP EUR
HL404	9/16 inch	black	46.00

XSSCUBA 110 Adapter



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-rings
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC911	9/16 inch	chrome	47.00

XSSCUBA 2nd Stage Hose QD - Male Only



- Male quick-disconnect only of AC990
- Allows attachment of multiple second stages to a single hose
- Chromed brass construction
- Low pressure only - below 200 psi
- Factory cleaned - Viton o-ring

No CE! Export use only!

Order#	Size	Color	SRP EUR
AC991	9/16 inch	black	29.00

XSSCUBA 2nd Stage Quick Disconnect



Add a quick-disconnect to almost any regulator
 Installs between low pressure regulator hose and second stage
 Lock-down screw to prevent accidental disconnection
 Maximum 200 psi
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC990	9/16 inch	chrome	69.00

XSSCUBA 90 Right Angle



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-rings
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC910	9/16 inch	chrome	47.00

XSSCUBA Poseidon Hose Adapter



Convert any standard regulator hose to fit a Poseidon second stage
 Installs between low pressure regulator hose and second stage
 Maximum 200 psi
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC980	9/16 inch	chrome	59.00

XSSCUBA Stainless 2nd Stage Quick Disconnect



-Add a quick-disconnect to most any regulator or full face mask
 -Installs between low pressure regulator hose and second stage
 -Click & Lock to prevent accidental disconnection
 -Stainless Steel construction
 No CE! Export use only!
 -Low pressure use only - below 200 psi
 -Factory cleaned - Viton o-ring

Order#	Size	Color	SRP EUR
AC992	9/16 inch	Stainless Steel	149.00

XSSCUBA Stainless 2nd Stage Quick Disconnect with Swivel - Male part only



- This is the male quick-disconnect of the AC993
 - Add the rotating swivel feature to AC990 or AC992
 - All stainless steel construction
 - Low pressure use only - below 200 psi
 - Factory cleaned - Viton o-ring
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC994	9/16 inch	Stainless Steel	49.00

XSSCUBA Swivel Adapter



- Increase comfort and reduce jaw fatigue
 - Rotating swivel action
 - Installs to the second stage end of a regulator hose
 - Chromed brass construction
 - Low pressure use only - below 200 psi
 - Factory cleaned - Viton o-rings
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC912	9/16 inch	chrome	69.00

XSSCUBA "Oceanic Style" QD Adapter



- Convert any standard regulator hose to a "Oceanic Style" QD hose
 - Installs to the second stage end of a regulator hose
 - Chromed brass construction
 - Low pressure use only - below 200 psi
 - Factory cleaned - Viton o-rings
- Compatible with:
 Oceanic Air XS, Aeris Air Link, Zeagle Octo Plus, Beuchat Venturi
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC920	9/16 inch	chrome	39.00

XSSCUBA "ScubaPro Style" QD Adapter



- Convert any standard regulator hose
 - Installs to the second stage end of a regulator hose
 - Chromed brass construction
 - Factory cleaned - Viton o-rings
- Compatible with:
- Tusa Duo Air
 - ScubaPro Air 2
 - Atomic SS1
 - Sherwood Gemini
 - Zeagle Octo-Z
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC930	9/16 inch	chrome	39.00

XSSCUBA "SeaQuest Style" QD Adapter



- Convert any standard regulator hose to a "SeaQuest Style" QD hose
- Installs to the second stage end of a regulator hose
- Chromed brass construction
- Low pressure use only - below 200 psi
- Factory cleaned - Viton o-rings

Compatible with:
SeaQuest Air Source, US Divers Air Mic
No CE! Export use only!

Order#	Size	Color	SRP EUR
AC925	9/16 inch	chrome	39.00

XSSCUBA 3/8 to QD Nipple



Adapter so connect a standard Regulator-Hose to a QD/Inflator-Hose
No CE! Export use only!

Order#	Size	Color	SRP EUR
AC382	3/8 inch	black	14.00

XSSCUBA MP to inflation hose adapter



Simple attachment without pulling back the collar. Just push!
Easy disconnect with or without gloves using the easy-grip wide collar
Oxygen cleaned with Viton o-rings and individually packaged
Upgrade your rental BC's. Your students will love you for it!
No CE! Export use only!

Order#	Size	Color	SRP EUR
AC900	9/16 inch	black	38.00

XSSCUBA Female 1/4" NPT Adapter



Attach one end to the first stage end of a low pressure hose
The other end allows the attachment of a "industrial style" hose
with 1/4" NPT female threads
3/8-24 female to 1/4" male NPT
Brass construction with black chrome finish
Low pressure only - below 200 psi
No CE! Export use only!

Order#	Size	Color	SRP EUR
AC917	3/8 to 1/4 inch	chrome	14.00

XSSCUBA Adapter 3/8-24 to 1/4"



Change the first stage end of a regulator hose to 1/4" NPT Male threads
3/8-24 female to 1/4" Male NPT
Stainless steel construction
Low pressure only - below 200 psi
No CE! Export use only!

Order#	Size	Color	SRP EUR
AC915	3/8 to 1/4 inch	Stainless Steel	36.00

XSSCUBA Adapter LP Male 3/8 to Male 9/16



- Convert standard low pressure regulator hose so that both ends are male threads
- Adapter changes second stage end of regulator hose to be the same as male end
- Change 9/16 - 18 female to 3/8 - 24 male
- Low pressure use only - below 200 psi
- Factory cleaned - Viton o-ring
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC919	3/8 to 9/16 inch	black	20.00

XSSCUBA LP Hose Splitter



- Attach to the second stage end of one low pressure regulator hose
- Allows the attachment of two low pressure regulator hoses (first stage ends)
- One 9/16-18 male inlet to two 3/8-24 female outlets
- Chromed brass construction
- Low pressure only - below 200 psi
- NO CE! Export use only!

Order#	Size	Color	SRP EUR
AC918	9/16 auf 3/8 Zoll	chrome	26.00

XSSCUBA Reg to Reg Adapter



- Connect two regulators together to make one longer hose
- 3/8" Female x 9/16" Male
- Low profile 11.5 mm Height
- Black chromed brass construction
- Low pressure use only - below 200 psi
- Factory cleaned - Viton o-ring
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC960	3/8 to 9/16 inch	black	19.00

XSSCUBA SS Adapter 9/16-18 Male to 1/4 Male NPT



- Change the second stage end of a regulator hose to 1/4 NPT male threads
- 9/16-18 male to 1/4 male NPT
- Stainless steel construction
- Low pressure only - below 200 psi
- Factory cleaned - Viton o-ring
- No CE! Export use only!

Order#	Size	Color	SRP EUR
AC905	9/16 to 1/4 inch	Stainless Steel	39.00

CutHero - CutHero

CutHero Ceramic Blade Cutter

DIR ZONE



Most likely the sharpest and most durable safety cutter on the market. Featuring a ceramic blade it cuts almost anything that gets in its way:

Designed for Scuba Diving, Climbing, Sailing and Sky Diving but useful way beyond. Its ceramic blade is so sharp, it even cuts Kevlar and strong webbing. Out of 6 colors: choose yours - and fit it to your harness!

iframe width=300 height=225 src=https://www.youtube.com/embed/iuoeNxCy314 frameborder=0 allowfullscreen/iframe

Order#	Size	Color	SRP EUR
CH01	BLACK w. Harness Pouch	black	36.00
CH02	PHOSPORECENT w. Harness Poi	phluorescent	36.00
CH03	YELLOW w. Harness Pouch	yellow	36.00
CH04	ORANGE w. Harness Pouch	orange	36.00
CH05	BLUE w. Harness Pouch	blue	36.00
CH06	PINK w. Harness Pouch	pink	36.00
CH50	CutHero Ceramic Spare Blade	white	11.90

Instruments - Compasses

Compass with Bungeemount



Compass comes ready to dive in bungeemount. Great readability and flat design.

Order#	Size	Color	SRP EUR
50015		black	69.00

Compass 30 TEC Casing



new high quality liquid-filled Diving Compass.

The main features:

- Exceptional tilt allows the compass to be held at an angle of up to 30 degree and still respond quickly and accurately
- High strength magnets for fast, positive action
- Filled with liquid silicone
- Firm-grip ratcheting bezel
- Easy to read lubber line
- Top or side reading
- Bold numbers for ease of reading
- Luminescent floating card
- Manufactured in Europe

Order#	Size	Color	SRP EUR
50017		black/clear	69.00

Compass TEC 30 with Bungeemount - Assembled



new high quality liquid-filled Diving Compass.

The main features:

- Exceptional tilt allows the compass to be held at an angle of up to 30 degree and still respond quickly and accurately
- High strength magnets for fast, positive action
- Filled with liquid silicone
- Firm-grip ratcheting bezel
- Easy to read lubber line
- Top or side reading
- Bold numbers for ease of reading
- Luminescent floating card
- Manufactured in Europe

Order#	Size	Color	SRP EUR
50016		black	82.00

Compass TEC GREY Ring with Bungeemount - Assembled



new high quality liquid-filled Diving Compass.

The main features:

- Exceptional tilt allows the compass to be held at an angle of up to 30° and still respond quickly and accurately
- High strength magnets for fast, positive action
- Filled with liquid silicone
- Firm-grip ratcheting bezel
- Easy to read lubber line
- Top or side reading
- Bold numbers for ease of reading
- Luminescent floating card
- Manufactured in Europe

Order#	Size	Color	SRP EUR
50019		grey	82.00

Instruments - Others

SCUBAPRO Bottom Timer 300 m NEW MODEL



Order#	Size	Color	SRP EUR
51005		black	259.00

SCUBAPRO Bottom Timer 300 m NEW MODEL Casing Only



Order#	Size	Color	SRP EUR
51004		black	249.00

DIRZONE Wetnotes



Indispensable for every diver, waterman or tourist. Waterproof notebook made from plastic foil designed for writing under the water. Cover is sewn from Cordura. It has pockets for pencils and compass and also an eye for hooking a double end snap.

Order#	Size	Color	SRP EUR
57000		black	30.00

DIRZONE Wetnotes with Plastic



Indispensable for every diver, waterman or tourist. Waterproof notebook made from plastic foil designed for writing under the water. Cover is sewn from Cordura. It has pockets for pencils and compass and also an eye for hooking a double end snap. This version includes a transparent plastic cover on the inner frontpage to hold maps, diving-tables etc.

Order#	Size	Color	SRP EUR
57003		black	28.00

Elastic Ready Mount for Suunto SK7 Compass



Elastic Ready Mount for Suunto SK7 Compass
 w. Bungee 4 mm

Order#	Size	Color	SRP EUR
51007		black	29.00

Elastic Ready Mount for Suunto Vyper



Elastic Ready Mount for Suunto Vyper
 w. Bungee 4 mm

Order#	Size	Color	SRP EUR
51008		black	29.00

Elastic Ready Mount for UWATEC Digital Bottom Timer



Elastic Ready Mount for UWATEC Digital Bottom Timer
 w. Bungee 4 mm

Order#	Size	Color	SRP EUR
51006		black	29.00

DIRZONE Wetnotes - Inner Notes



Inner Notes for DIRZONE Wetnotes
 45 sheets white synthetic paper

Order#	Size	Color	SRP EUR
57002	17,5cm x 10cm	white	18.00

XSSCUBA Folding Wrist Slate



- Designed to fit the curve of a forearm
- Three separate writing surfaces with two fold up leafs
- Carbon stick pencil
- Dimensions 4.25 wide x 4.0 tall
- Two methods for attachment included: Velcro strap and bungee cords

Order#	Size	Color	SRP EUR
AC456	10cm x 11cm	white	32.00

Instruments - SPGs

DIRZONE SPG 52mm 240bar chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 300 bar.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50000	52mm	chrome	79.00

DIRZONE SPG 52mm 320bar chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 400 bar.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50001	52mm	chrome	79.00

DIRZONE SPG 63mm 240bar chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 300 bar.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50002	63mm	chrome	79.00

DIR ZONE SPG 52mm 240bar black-chromed



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Body: black chromed
 Stainless steel ring: PVD treatment
 PVD is 300 times harder than chrome
 The chromed body is much more durable than nickel treatment
 Synoptic dial scale up to 300 bar, white dial.
 Comes with swivel and with viton o-rings.

Order#	Size	Color	SRP EUR
50028	52mm	black-chromed	109.00

DIR ZONE SPG 52mm 240bar black-chromed



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Body: black chromed
 Stainless steel ring: PVD treatment
 PVD is 300 times harder than chrome
 The chromed body is much more durable than nickel treatment
 Synoptic dial scale up to 300 bar, black dial.
 Comes with swivel and with viton o-rings.

Order#	Size	Color	SRP EUR
50029	52mm	schwarz	109.00

DIR ZONE SPG 52mm 288bar black-chromed



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Body: black chromed
 Stainless steel ring: PVD treatment
 PVD is 300 times harder than chrome
 The chromed body is much more durable than nickel treatment
 Synoptic dial scale up to 360 bar, black dial.
 Comes with swivel and with viton o-rings.

Order#	Size	Color	SRP EUR
50030	52mm	black	109.00

SPG 52mm 240bar



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 300 bar.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50007	52mm	nickel-plated	69.00

SPG 52mm 240bar BLACK



High-quality brass pressure gauge, suitable especially for main tanks.
 BLACK synoptic dial scale up to 360 bar.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50013	52mm	nickel-plated/black	63.00

SPG 52mm 288bar



High-quality brass pressure gauge, suitable especially for main tanks.
 Synoptic dial scale up to 360 bar.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50006	52mm	nickel-plated	69.00

SPG 52mm 288bar BLACK CHROME



High-quality brass pressure gauge, suitable especially for main tanks.
 BLACK synoptic dial scale up to 360 bar.
 Comes with swivel with viton o-rings.
 Chrome plated housing.

Order#	Size	Color	SRP EUR
50014	52mm	chrome/black	89.00

SPG 63mm 240bar



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 300 bar.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50009	63mm	nickel-plated	72.00

Swivel oxygene for slim gauge



Highend swivel with viton O-rings to connect SPGs to HP hoses.
 Fits for DIR ZONE 50012 slim gauge

Order#	Size	Color	SRP EUR
50100S	for 50012	chrome	7.00

Thin-Line SPG 240bar



Compact and thin, high-quality pressure gauge
 Nickel-plated brass housing
 Durable, Lexan lens
 Ready to mount directly to high pressure hose
 Airspool included with Viton o-rings
 Luminescent gauge face
 Synoptic dial scale up to 300 bar
 Bright, white face - easy to read
 HP hose is not included
 Manufactured in Italy

Order#	Size	Color	SRP EUR
50012	45mm	nickel-plated	58.00

Finimeter 52mm 288bar Oxygen



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 360 bar.
 Suitable and marked for oxygen use.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50005	52mm	nickel-plated	69.00

Finimeter 52mm 288bar Oxygen chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 360 bar.
 Suitable and marked for oxygen use.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50004	52mm	chrome	79.00

SPG 52mm 288bar SNAP



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 360 bar.
 With attachment point for different moutings, ideal combination with #HL911
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50020	52mm	nickel-plated	76.00

SPG 52mm 288bar SNAP complete



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 360 bar.
 With attachment point for different mountings, comes with Shackle Bolt Snap
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50021	52mm	nickel-plated	95.00

SPG 63mm 360bar Oxygen



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 450 bar.
 Suitable and marked for oxygen use.
 Comes with swivel with viton o-rings.

Order#	Size	Color	SRP EUR
50010	63mm	nickel-plated	72.00

HIGHLAND Mini Tech SPG



Bright, white face - easy to read
 Ready to mount directly to a HP port of first stage
 Ready to mount directly to a HP hose
 Inline adapter and airspool included
 Airspool with Viton o-rings
 Viton gauge o-ring
 Luminescent gauge face
 Wide 210° degree sweep
 Attractive clamshell packaging

Order#	Size	Color	SRP EUR
Z-HL501M	w/o Adapter	nickel-plated	69.00
HL501M	25mm	nickel-plated	89.00

SPG Cover 45mm black



Protective cover that fits any small (45mm) SPG.
 Commonly used among rebreather divers, black is used for the SPG connected to diluent.

Order#	Size	Color	SRP EUR
50112	45mm	black	9.00

SPG Cover 45mm green



Protective cover that fits any small (45mm) SPG. Commonly used among rebreather divers, green is used for the SPG connected to oxygen.

Order#	Size	Color	SRP EUR
50113	45mm	green	9.00

SPG Cover 52 mm Black



Protective cover that fits any regular (52mm) SPG. Commonly used among rebreather divers, black is used for the SPG connected to diluent.

Order#	Size	Color	SRP EUR
50110	52mm	black	9.00

SPG Cover 52 mm Green



Protective cover that fits any regular (52mm) SPG. Commonly used among rebreather divers, green is used for the SPG connected to oxygen.

Order#	Size	Color	SRP EUR
50119	52mm	green	9.00

SPG Cover 63 mm Black



Protective cover that fits any large (63mm) SPG. Avoids scratches and dents on SPGs.

Order#	Size	Color	SRP EUR
50111	63mm	black	9.00

HP Gauge 300 bar G5/8



Check your tanks before assembly!
 Scale up to 400 bar, G5/8 threads fit 230bar und 300bar valves. Pressure relief valve.
 Gauge can be used for Nitrox, Oxygen use up to 60%.

Order#	Size	Color	SRP EUR
51024	G 5/8	black	78.00

Oxygen Swivel



Highend swivel with viton O-rings to connect SPGs to HP hoses.

Order#	Size	Color	SRP EUR
50100		chrome	5.00

Lightning - Accessories/Parts

Agro Sealing Gland M16x1,5



Nickle Plated Brass
 Seals: NBR
 O-Ring: NBR (change to fit your needs)
 Anti-Wrink Nozzle: EPDM
 Temp Range: -20 Degrees Celsius to 100 Degrees Celsius
 Thread: M16x1.5 mm
 Clamping Range: 6 to 8.8 mm
 Wrench Size: 20 mm
 Thread Length: 6mm

Order#	Size	Color	SRP EUR
23020	M16x1,5	black/metal	22.00

Nielsen Hook for Cannisters SS



Spare part, fits many canisters.

Order#	Size	Color	SRP EUR
65125		Stainless Steel	1.00

Nielsen Secure Latch for Cannisters SS



Spare part, fits many canisters.
 Secure latch, prevents accidental opening.

Order#	Size	Color	SRP EUR
65121		Stainless Steel	11.00

Switch Boot for Explorer Light



Spare switch boot, fits explorer lights and many others.

Order#	Size	Color	SRP EUR

Switch for Explorer Light



Spare switch for use with explorer and other lights.

Order#	Size	Color	SRP EUR
23011		black/metal	29.00

Switch Protector for Cannister



Switch protector for explorer lights. Also great for DIY tanks.

Order#	Size	Color	SRP EUR
23013		black	6.00

Test Tubes and Spares



Testtube for HID lights.
 Diameter: 25mm
 Length: 65mm

Order#	Size	Color	SRP EUR
23010	Testtube 25x65mm	clear	14.00
24500	O-Ring Testtube	black	0.80
24501	Bumper O-Ring Testtube	black	0.80
24502	O-Ring 4,5Ah Tank	black	1.00
24504	O-Ring 13Ah Tank	black	2.00
96120	O-Ring 247.02 x 5.33 f Gavins	black	28.00

Lightning - E/O Cords

WAM E/O Blind Plug

Blind Plug for E/O cords



Order#	Size	Color	SRP EUR
23035	one size	black	39.00
23036	one size	red	39.00

WAM E/O Cord Adapter from M16x1.5 to M12x1.5



Reduction brass
 Outer thread metric
 Inner thread metric
 including O-ring
 Thread outside M16x1.5
 Thread inside M12x1.5
 Wrench width 18mm
 H 3mm
 L 5mm

Order#	Size	Color	SRP EUR
23027	M16x1.5 to M12x1.5	nickelplated	4.00

WAM E/O Cord Extension

Extension for use with E/O-cords, available in various length



Order#	Size	Color	SRP EUR
23038	70cm	black	129.00
23039	100cm	black	139.00

WAM Sealing Gland w. protection spring



One-piece sealing insert
 Continuous insulation
 Thread M12x1.5
 Minimum clamping area 5.0 mm
 Maximum clamping area 6.5 mm
 Wrench width 15 mm
 H 57mm
 L 5mm

Order#	Size	Color	SRP EUR
23030	M12x1.5	nickelplated	28.00

WAM-cord



The new WAM-cords are available with black (standard) and red (e.g. for heating) plus with the following specs:

- 100% compatible to e/o, THOR and SANTI...
- 1,5mm² wire cross-section (permanent 18A @ 30 degreeC)
- 6mm outer diameter
- Coax-cable
- cable unbreakable (with guarantee)
- perfect kink protection
- extreme cut resistant material (PUR)
- double shell (outer black, inner orange)
- seawater-resistant contacts
- single hole dimple
- cable glands and adapters available

Length: 120cm

[Click for manual \(German\)](#)

Order#	Size	Color	SRP EUR
23025	120cm	black	69.00
23026	120cm	red	69.00

Merchandising - DIR ZONE

DIR ZONE Shirt



Be part of the DIR ZONE family - wear the DIR ZONE shirt
 100% Cotton

Order#	Size	Color	SRP EUR
			0.00
			0.00
98020	Lady-SM	black	24.00
98021	Lady-MD	black	24.00
98022	Lady-LG	black	24.00
98025	Men-S	black	24.00
98026	Men-MD	black	24.00
98027	Men-LG	black	24.00

MIFLEX Hoses - High Pressure

MIFLEX Carbon HD braided



Reference standard: EN 250

Upon request from divers that still prefer a stiffer and a more robust hose than our Xtreme-hi but more flexible than the traditional rubber ones, Miflex developed a new high performance HP hose.

Aimed for the Dive Centres, who use hoses every day with different divers and different configurations, and for divers who perform expeditions where the contact with rocks and wrecks is more frequent, Miflex offers the new Carbon HD high pressure gauge hose, with a larger diameter, electroless nickel plated fittings and viton o-ring.

Miflex Carbon HD high pressure hoses are approved according to EN250 standard.

Standard fittings: M 7/16" € Ä UNF, F 7/16" € Ä

Order#	Size	Color	SRP EUR
62016	15cm	carbon	46.00
62017	20cm	carbon	47.00
62018	56cm	carbon	50.00
62019	60cm	carbon	52.00
62020	65cm	carbon	52.00
62021	75cm	carbon	56.00
62022	80cm	carbon	56.00
62023	90cm	carbon	57.00
62024	100cm	carbon	58.00
62025	110cm	carbon	62.00
62026	120cm	carbon	65.00

Rubber HP Hose



Classic rubber high pressure hose, available in different lengths.

Order#	Size	Color	SRP EUR
62300	15cm	black	35.00
62306	20cm	black	37.00
62301	56cm	black	46.00
62302	62cm	black	48.00
62303	80cm	black	54.00

MIFLEX Hoses - Inflator**MIFLEX XT-Tech Inflation Hose 3/8"**

The new XT series Miflex hoses impress with new characteristics and are produced especially for technical diving.

- lightweight
- smooth outer layer
- Kevlar reinforcement
- Not positively bouyant
- well-known Miflex quality

Order#	Size	Color	SRP EUR
62155	56cm	black with yellow line	46.00
62157	65cm	black with yellow line	51.00
62159	75cm	black with yellow line	53.00
62160	90cm	black with yellow line	56.00

MIFLEX O-Ring for Inflator

10 pcs 7,65x1,78

For use with MIFLEX and many other jacket hoses.

Order#	Size	Color	SRP EUR
400154	7,65mm x 1,78mm	black	2.50

MIFLEX Xtreme braided BLACK Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61021	15cm	black	31.00
61006	20cm	black	32.00
61007	25cm	black	33.00
61031	30cm	black	35.00
61005	35cm	black	35.00
61004	40cm	black	36.00
61020	45cm	black	37.00
61008	51cm	black	38.00
61010	55cm	black	39.00
61018	61cm	black	42.00
61012	65cm	black	44.00
61013	75cm	black	45.00
61015	90cm	black	48.00
61022	100cm	black	50.00

MIFLEX Xtreme braided BLUE Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61009	51cm	blue	38.00
61011	55cm	blue	39.00
61019	61cm	blue	42.00
61016	65cm	blue	44.00
61014	75cm	blue	45.00
61017	90cm	blue	48.00

MIFLEX Xtreme braided CARBON Jacket hose



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61035	51cm	carbon	38.00
61036	55cm	carbon	39.00
61037	61cm	carbon	42.00
61038	65cm	carbon	44.00
61039	75cm	carbon	45.00
61040	90cm	carbon	48.00

MIFLEX Xtreme braided GREEN Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61071	51cm	green	38.00
61072	55cm	green	39.00
61073	61cm	green	42.00
61074	65cm	green	44.00
61075	75cm	green	45.00
61076	90cm	green	48.00

MIFLEX Xtreme braided ORANGE Fluo Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61090	51cm	orange	38.00
61091	55cm	orange	39.00
61092	61cm	orange	42.00
61093	65cm	orange	44.00
61094	75cm	orange	45.00
61095	90cm	orange	48.00

MIFLEX Xtreme braided PINK Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61061	51cm	pink	38.00
61062	55cm	pink	39.00
61063	61cm	pink	42.00
61064	65cm	pink	44.00
61065	75cm	pink	45.00
61066	90cm	pink	48.00

MIFLEX Xtreme braided RED Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61025	51cm	red	38.00
61026	55cm	red	39.00
61030	61cm	red	42.00
61027	65cm	red	44.00
61028	75cm	red	45.00
61029	90cm	red	48.00

MIFLEX Xtreme braided WHITE Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.


Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61055	51cm	white	38.00
61056	55cm	white	39.00
61057	61cm	white	42.00
61058	65cm	white	44.00
61059	75cm	white	45.00
61060	90cm	white	48.00

MIFLEX Xtreme braided YELLOW Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
61045	51cm	yellow fluo	38.00
61046	55cm	yellow fluo	39.00
61047	61cm	yellow fluo	42.00
61048	65cm	yellow fluo	44.00
61049	75cm	yellow fluo	45.00
61050	90cm	yellow fluo	48.00

Rubber Inflator Hose



Classic rubber inflator hose 1/2 inch.
 Available in different lengths.

Order#	Size	Color	SRP EUR
61000	56cm	black	29.00
61001	65cm	black	29.00
61002	74cm	black	30.00
61003	90cm	black	33.00

Schrader Valve for MFX Inflator Hose



Spare valve for MIFLEX and other inflator hoses.

Order#	Size	Color	SRP EUR
990001		chrome	3.00

MIFLEX Hoses - Medium Pressure

MIFLEX XT-Tech LP regulator hoses 3/8"



The new XT series Miflex hoses impress with new characteristics and are produced especially for technical diving.

- lightweight
- smooth outer layer
- Kevlar reinforcement
- Not positively bouyant
- well-known Miflex quality

Order#	Size	Color	SRP EUR
62110	56cm	black with yellow line	37.00
62111	62cm	black with yellow line	39.00
62113	75cm	black with yellow line	41.00
62114	80cm	black with yellow line	43.00
62115	90cm	black with yellow line	44.00
62116	100cm	black with yellow line	45.00
62118	120cm	black with yellow line	49.00
62119	150cm	black with yellow line	57.00
62121	210cm	black with yellow line	66.00

MIFLEX LP green



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Available lengths:

M 3/8" UNF - F 9/16"

55cm, 62cm, 75cm, 80cm, 100cm, 120cm, 150cm, 210cm

Order#	Size	Color	SRP EUR
62030	55cm	green	32.00
62031	62cm	green	33.00
62032	75cm	green	35.00
62033	80cm	green	36.00
62034	100cm	green	37.00
62035	120cm	green	42.00
62036	150cm	green	49.00
62037	210cm	green	57.00

MIFLEX Xtreme braided BLACK Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
60190	10cm	black	28.00
60191	15cm	black	29.00
60196	20cm	black	29.00
60197	25cm	black	30.00
60192	30cm	black	30.00
60199	35cm	black	30.00
60193	40cm	black	30.00
60194	45cm	black	31.00
60195	50cm	black	32.00
60107	55cm	black	32.00
60104	60cm 1/2	black	35.00
60108	62cm	black	33.00
60101	70cm	black	35.00
60114	75cm	black	35.00
60112	80cm	black	36.00
60150	80cm 1/2	black	39.00
60116	90cm	black	36.00
60105	100cm 1/2	black	42.00
60109	100cm	black	37.00
60198	110cm	black	41.00
60113	120cm	black	42.00
60110	150cm	black	49.00
60151	150cm 1/2	black	52.00
60115	180cm	black	54.00
60106	210cm 1/2	black	62.00
60111	210cm	black	57.00

MIFLEX Xtreme braided BLUE Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

You can download the instruction manual [here](#).

Order#	Size	Color	SRP EUR
60126	30cm	blue	30.00
60117	55cm	blue	32.00
60118	62cm	blue	33.00
60124	75cm	blue	35.00
60122	80cm	blue	36.00
60119	100cm	blue	37.00
60123	120cm	blue	42.00
60120	150cm	blue	49.00
60121	210cm	blue	57.00

MIFLEX Xtreme braided CARBON Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
60138	55cm	carbon	32.00
60139	62cm	carbon	33.00
60145	75cm	carbon	35.00
60140	80cm	carbon	36.00
60141	100cm	carbon	37.00
60142	120cm	carbon	42.00
60143	150cm	carbon	49.00
60144	210cm	carbon	57.00

MIFLEX Xtreme braided ORANGE Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

You can download the instruction manual [here](#).

Order#	Size	Color	SRP EUR
61100	55cm	orange	32.00
61101	62cm	orange	33.00
61102	75cm	orange	35.00
61103	80cm	orange	36.00
61104	100cm	orange	37.00
61105	120cm	orange	42.00
61106	150cm	orange	49.00
61107	210cm	orange	57.00

MIFLEX Xtreme braided PINK Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.


Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
60188	55cm	pink	32.00
60189	62cm	pink	33.00
60290	75cm	pink	35.00
60291	80cm	pink	36.00
60292	100cm	pink	37.00
60293	120cm	pink	42.00
60294	150cm	pink	49.00
60295	210cm	pink	57.00

MIFLEX Xtreme braided RED Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.


Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
60178	55cm	red	32.00
60179	62cm	red	33.00
60180	75cm	red	35.00
60181	80cm	red	36.00
60182	100cm	red	37.00
60183	120cm	red	42.00
60184	150cm	red	49.00
60185	210cm	red	57.00

MIFLEX Xtreme braided WHITE Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Order#	Size	Color	SRP EUR
60158	55cm	white	32.00
60159	62cm	white	33.00
60156	75cm	white	35.00
60160	80cm	white	36.00
60161	100cm	white	37.00
60162	120cm	white	42.00
60163	150cm	white	49.00
60164	210cm	white	57.00

MIFLEX Xtreme braided YELLOW regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Available lengths:

M 3/8"UNF - F 9/16":

55cm, 62cm, 75cm, 80cm, 100cm, 120cm, 150cm, 210cm

Order#	Size	Color	SRP EUR
60128	55cm	yellow fluo	32.00
60129	62cm	yellow fluo	33.00
60127	75cm	yellow fluo	35.00
60130	80cm	yellow fluo	36.00
60136	90cm	yellow fluo	36.00
60131	100cm	yellow fluo	37.00
60135	100cm 1/2	yellow fluo	42.00
60132	120cm	yellow fluo	42.00
60133	150cm	yellow fluo	49.00
60134	210cm	yellow fluo	57.00

Rubber MP Hose



Classic rubber regulator hose.

Available in different lengths.

Order#	Size	Color	SRP EUR
60000	56cm	black	26.00
60001	62cm	black	26.00
60002	100cm	black	29.00
60003	100cm	yellow	30.00
60004	150cm	black	36.00
60005	210cm	black	42.00

Rubber MP Hose 1/2



Classic rubber regulator hose 1/2 inch.
Available in different lengths.

Order#	Size	Color	SRP EUR
			0.00
60100	60cm 1/2	black	12.00
60102	100cm 1/2	black	13.50
60103	210cm 1/2	black	17.00

MIFLEX Hoses - Others & Accessories

Decanting Hose



usable up to 300bar
 1m long

Order#	Size	Color	SRP EUR
63002	1m G5/8	black	119.00

Decanting hose INOX w/ Manometer



Incl. pressure gauge up to 400bar
 usable up to 300bar
 thread dimension of inox gauge: 1/8 BSPT"
 thread dimension of hose: 1/4 BSP
 class 2.5

Order#	Size	Color	SRP EUR
63004	1m G5/8	black	149.00
63006	2m G5/8	black	159.00

Hose Holder 2x



Holds up to two MIFLEX regulator or classic hoses.
 Set of 5 pieces

Order#	Size	Color	SRP EUR
66011		black	20.00

Hose Holder 3x



Holds up to three MIFLEX regulator or classic hoses.
 Set of 5 pieces

Order#	Size	Color	SRP EUR
66013	5 pcs	black	22.50

Hose Holder yellow 3x



Holds up to three MIFLEX regulator or classic hoses.
 Set of 5 pieces

Order#	Size	Color	SRP EUR
66014		yellow	22.50

MIFLEX Hose Holder yellow



Holds up to two MIFLEX regulator or classic hoses.
 Set of 5 pieces

Order#	Size	Color	SRP EUR
66012		yellow	20.00

XSSCUBA Easy Gripper



Make your QD coupler easier to operate
 Helps when wearing thick gloves
 Wide, easy to grip collar
 Flat side to prevent clearance issues
 Fits over most quick-disconnect hose ends

Order#	Size	Color	SRP EUR
AC155		black	4.50

XSSCUBA Plug Set - Delrin 9/16



The AC914 is a "second stage" plug set which kind of works like "caps". One of them screw into the 2nd stage to protect it and the other screw on to the end of the hose that was connected to the 2nd stage to protect it.

- Male plug - cap off and keep clean the second stage end of a low pressure regulator hose

- Female plug - cap off and keep clean the inlet to a second stage

No CE! Export use only!

- 9/16-18 threads

- Includes both male and female plugs

- Machined Delrin construction

- Not to be used under pressure

Order#	Size	Color	SRP EUR
AC914	9/16 inch	black	18.00

XSSCUBA Regulator Hose Plug Set



The TL129 are "hose plugs" used for keeping the inside of the hose dry when rinsing off, it has an oring seal on both sides of it and the set goes on each side of the hose when the hose is removed.

- Machined from Delrin
 - Male Plug: 9/16 - 18 threads
 - Female Plug: 3/8 - 24 threads
 - Never pressurize hose with plugs in place
- No CE! Export use only!

Order#	Size	Color	SRP EUR
TL129	3/8 9/16 Zoll	black	18.00

Neoprene - Boots

XSCUBA 8mm Thug Boots



- YKK's best marine bronze zipper slider
- Velcro tab zipper retainer
- Large #10 YKK zipper chain
- Coldwater zipper dam
- Protective heel cap
- Nylon zipper stop
- Full 8mm neoprene insole with arch support
- Heavy-duty molded rubber sole
- Nylon edge binding
- 8mm neoprene all panels including sole
- High abrasion resistant RynoHyde exterior lamination
- Glued and double blind stitched exterior and interior
- Extended toe protector

Order#	Size	Color	SRP EUR
BT800-05	5 / 37	black	69.00
BT800-06	6 / 38	black	69.00

XSSCUBA Lycra Sock One Size Fits Most



- 6 ounce, four-way stretch Lycra
- Manufactured with overlock stitching
- Take the effort out of putting on your wetsuit & boots
- Reduce foot discomfort with full foot fins
- One size fits most
- Color: Black

Order#	Size	Color	SRP EUR
BT100	universal	black	11.00

XSSCUBA Neoprene Socks



- Foot protection seal design zipper easy
- 2mm SS-1Ti, Titanium coated neoprene
- Glued and blindstitch construction inside and out Soft nylon lining
- Rubberized textured sole
- Extended heel for fin strap protection
- Available sizes: 5 - 12

Order#	Size	Color	SRP EUR
BT200-09	9 / 42	black	18.00
BT200-10	10 / 43	black	18.00
BT200-11	11 / 45	black	18.00
BT200-12	12 / 46	black	18.00

Neoprene - Gloves

XSSCUBA Dry Five



The ultimate cold water gloves
Reinforced and sealed seams
5mm neoprene
Made from our finest PyroStretch 5mm neoprene
Twin cuff design for minimal water transfer
Includes cool mesh bag packaging

Order#	Size	Color	SRP EUR
GV400-2XL	XXL	black	99.00
GV400-LG	L	black	99.00
GV400-MD	M	black	99.00
GV400-SM	S	black	99.00
GV400-XL	XL	black	99.00
GV400-XS	XS	black	99.00

XSSCUBA RynoHyde3



The ultimate cold water glove gloves
Abrasion-resistant RynoHyde palm
RynoHyde-wrapped thumb and fingertips
Exclusive TruFit women's sizes
Wide, wrap-around wrist closure with gusset
Two styles available: 3mm or 5mm neoprene

Order#	Size	Color	SRP EUR
GV350-SM	S	black	13.00
GV350-XS	XS	black	13.00

Neoprene - Hoods

XSSCUBA 5/3 PyroStretch



Finally, a hood you won't hate putting on
 Made from our finest PyroStretch neoprene
 Soft, comfortable fit
 Vented top panel to prevent trapped air
 5mm hood with 3mm bib

Order#	Size	Color	SRP EUR
HD530-2XL	XXL	black	42.00
HD530-SM	S	black	42.00

XSSCUBA 6mm Standard



6mm neoprene hood
 3mm skin-in neoprene face seal
 Glued and blindstitch construction
 SuperStretch neck for comfort
 Face seal allows for easy trimming
 Broad 3mm bib
 Cut-away bib for use with drysuit

Order#	Size	Color	SRP EUR
HD600-2XL	XXL	black	30.00

XSSCUBA 7/5mm PyroStretch



Finally, a hood you won't hate putting on
 Made from our finest PyroStretch neoprene
 Soft, comfortable fit
 Vented top panel to prevent trapped air
 7mm hood with 5mm bib

Order#	Size	Color	SRP EUR
HD750-2XL	XXL	black	46.00
HD750-MD	M	black	46.00
HD750-SM	S	black	46.00

XSSCUBA 7/5mm PyroStretch Drysuit



The ultimate hood for the drysuit diver
 PyroStretch neoprene has incredible stretch for an excellent fit
 Vented to prevent trapped air
 Glideskin neck for excellent neck seal

Order#	Size	Color	SRP EUR
HD800-2XL	XXL	black	42.00
HD800-SM	S	black	42.00

Neoprene - Others**HIGHLAND Neoprene Pocket Shorts**

Nylon cord draw string waist to prevent slipping
 Hide-away nylon cord loop for hanging
 Three 1inch 316 stainless steel D-rings per pocket
 Large Velcro flap closure
 Interior mesh pocket
 1680d ballistic nylon material
 Real Velcro brand hook & loop
 Pockets with double needle sewn construction
 Two 4inch webbing straps for gear attachment per pocket
 Durable flat-lock seams
 Advanced bike shorts pattern
 Fits over wetsuit or drysuit
 Five nickel plated brass grommets per pocket
 Pocket held flat with Velcro tabs when empty
 Pocket dimensions: 9 x 6 x 3inch
 2mm super-stretch neoprene
 color black

Order#	Size	Color	SRP EUR
HL101-LG	L	black	129.00
HL101-MD	M	black	129.00
HL101-SM	S	black	129.00
HL101-XL	XL	black	129.00

Reels etc. - Reels

DIRZONE Reel 45 meter



Small, convenient Reel made out of delrin with 45 meters of 2mm line which will not float.
100mm A4/W316 d-ender included

Order#	Size	Color	SRP EUR
55025	45m		109.00

DIRZONE Reel 120m



We have 120 m of 2 mm non floating line. The frame is made from hard-coated aluminium.
Beside the very nice finish and large SS screw, the advantage to competitors is the centre. The reel is not running around a simple screw, but a bush.
This new, modified version prevents the line sliding down.
It contains a 120 mm ss d- ender A4 / W316.

Order#	Size	Color	SRP EUR
55009	120m	black/alu	239.00

DIRZONE Reel 200m



We have 200 m of 2 mm line.
Beside the very nice finish and large SS screw, the advantage to competitors is the centre. The reel is not running around a simple screw, but a bush.
It contains a 120 mm ss d- ender.

Order#	Size	Color	SRP EUR
55019	200m	black/alu	289.00

DIRZONE Cold Water Lock Down Screw for DZ Reels



Spare lock down screw for DIRZONE Reels.
Only suitable for Reel120 and Reel200.
Extra grip for cold water use.

Order#	Size	Color	SRP EUR
85060		Stainless Steel	9.00

Lock Down Screw for Reels

Lock Down Screw for Reels 45 m number 55025



Order#	Size	Color	SRP EUR
85059		white	6.00

Reels etc. - Spools

DIRZONE Coldwater Spool 30m



Perfect spool for coldwater diving.
Machined from solid delrin, 30m 1,5mm line.
comes with 10cm doubleender

Order#	Size	Color	SRP EUR
85003	30m	black	59.00

DIRZONE Coldwater Spool 40m



Perfect spool for coldwater diving.
Machined from solid delrin, 40m 1,5mm line.
comes with 10cm doubleender

Order#	Size	Color	SRP EUR
85004	40m	black	62.00

DIRZONE Spool30



The spool is made from one piece of very durable Delrin.
Can be used as a decompression or safety spool.
Consists of the spool cca 17 m of 2 mm PA line and short double-ender.
Spool dimension is 76 mm and width 30 mm.

Order#	Size	Color	SRP EUR
85000	17m 30mm	black	39.00

DIRZONE Spool40



The spool is made from one piece of very durable Delrin.
Can be used as a decompression or safety spool.
Consists of the spool cca 26 m of 2 mm PA line and short double-ender.
Spool dimension is 76 mm and width 40 mm.

Order#	Size	Color	SRP EUR
85001	26m 40mm	black	42.00

DIRZONE Spool50



The spool is made from one piece of very durable Delrin.
Can be used as a decompression or safety spool.
Consists of the spool cca 33 m of 2 mm PA line and short double-ender.
Spool dimension is 76 mm and width 50 mm.

Order#	Size	Color	SRP EUR
85002	33m 50mm	black	46.00


HIGHLAND Finger Spool orangene Leine ca 30m



with SS double ender

Order#	Size	Color	SRP EUR
HL465SS	30m	orange	89.00

XSSCUBA Finger Spool



• Spools are injection-molded with glass-filled nylon
• #24 hi-viz yellow nylon 16 strand line Breaking strength 56 - 59 kg.
• stainless steel doublender bolt snap with 18-8 SS internal springs
3 diameter:
AC475: 1 diameter, 60 (tm) line
AC465: 1,44 width, 100' line
3,25 diameter:
AC470: 1,75 width, 160' line

Order#	Size	Color	SRP EUR
AC475	18m 25mm 75mm	yellow	36.00
AC465	30m 37mm 75mm	yellow	39.00
AC470	48m 45mm 83mm	yellow	44.00

Reels etc. - Caveline**Bungee Cord 3mm**

Bungee cord for several purposes.
Diameter: 3mm

Order#	Size	Color	SRP EUR
66000	3mm/1m	black	1.50

Bungee Cord 4mm

Bungee cord for several purposes.
Diameter: 4mm

Order#	Size	Color	SRP EUR
66002	4mm/1m	black	2.00

Bungee Cord 5mm

Bungee cord for several purposes.
Diameter: 5mm

Order#	Size	Color	SRP EUR
66001	5mm/1m	black	2.40

Bungee Cord 6mm

Bungee cord for several purposes.
Diameter: 6mm

Order#	Size	Color	SRP EUR
66003	6mm/1m	black	2.90

Bungee Cord 8mm

Bungee cord for several purposes.
Diameter: 8mm

Order#	Size	Color	SRP EUR
66005	Bungee Cord, 8 mm, 1 m	black	4.00

Caveline PES, ca. 200 m Spool, 1,5 mm , braided



High quality caveline, PES
 Diameter: 1,5mm
 Comes on 200m Spool
 Color: white

Order#	Size	Color	SRP EUR
85006	1,5mm 200m	white	36.00

Caveline PES, ca. 200 m Spool, 2 mm , braided



High quality caveline, PES
 Diameter: 2mm
 Comes on 200m Spool
 Color: white

Order#	Size	Color	SRP EUR
85005	2mm 200m	white	44.00

Caveline PES, ca. 200 m Spool, 2 mm , braided, YELLOW



High quality caveline, PES
 Diameter: 2mm
 Comes on 200m Spool
 Color: yellow

Order#	Size	Color	SRP EUR
85008	2mm 200m	yellow	50.00

Caveline PES, ca. 500 m Spool, 2 mm , braided



High quality caveline, PES
 Diameter: 2mm
 Comes on 500m Spool
 Color: white

Order#	Size	Color	SRP EUR
85007	2mm 500m	white	90.00

Reels etc. - Line Marker

DIRZONE Cave Arrow red 90 mm 10 Pcs.



Directional marker for cave diving.
length: 90mm
color: red

Order#	Size	Color	SRP EUR
65306	90mm	red	11.00


DIRZONE Cave Arrow white 65mm 10 Pcs.



Directional marker for cave diving.
length: 65mm
color: white

Order#	Size	Color	SRP EUR
65300	65mm	white	10.00

DIRZONE Cave Arrow white 90 mm 10 Pcs.



Directional marker for cave diving.
length: 90mm
color: white

Order#	Size	Color	SRP EUR
65304	90mm	white	11.00

DIRZONE Cave Arrow yellow 90 mm 10 Pcs.



Directional marker for cave diving.
length: 90mm
color: yellow

Order#	Size	Color	SRP EUR
65305	90mm	yellow	11.00

DIRZONE Cave Marker red 55mm 10 Pcs.



Nondirectional marker for cave diving.
diameter: 55mm
color: red

Order#	Size	Color	SRP EUR
65309	55mm	red	11.00

DIRZONE Cave Marker white 55 mm 10 Pcs.



Nondirectional marker for cave diving.
diameter: 55mm
color: white

Order#	Size	Color	SRP EUR
65307	55mm	white	11.00


DIRZONE Cave Marker yellow 55mm 10 Pcs.



Nondirectional marker for cave diving.
 diameter: 55mm
 color: yellow

Order#	Size	Color	SRP EUR
65308	55mm	yellow	11.00

XSSCUBA Cave Arrow



Directional marker for cave diving.
 length: 85mm
 color: white

Order#	Size	Color	SRP EUR
HL608	85mm	white	1.50

XSSCUBA Cave Arrow Glow in the Dark



Directional marker (Arrow) for cave diving.
 Glows in the dark!
 length: 85mm
 color: white with green glow

Order#	Size	Color	SRP EUR
HL612	85mm	glow	4.00


XSSCUBA Cave Marker



Nondirectional marker for cave diving.
 diameter: 55mm
 color: white

Order#	Size	Color	SRP EUR
HL609	55mm	white	1.50

XSSCUBA Cave Marker Glow in the Dark



Nondirectional marker (Cookie) for cave diving.
 Glows in the dark!
 diameter: 55mm
 color: white with green glow

Order#	Size	Color	SRP EUR
HL613	55mm	glow	4.00

Regulators - 1st Stages

Argon 1st stage



Compact first stage, ideal for use with drysuit inflation bottles.
 2 medium pressure ports, please complete with over pressure valve.

Order#	Size	Color	SRP EUR
12004		chrome	89.00

HIGHLAND Compact DIN 1st stage



Compact, low profile design
 Flow-by piston design
 One high pressure, two low pressure ports
 Direct attachment to 200 or 300 bar DIN connection
 Add Spin-On Yoke (p/n AC375) for yoke attachment
 Includes Delrin DIN Cap w/ lanyard to protect threads
 No CE - export only!

Order#	Size	Color	SRP EUR
HL406		chrome	129.00
RK8	Service Kit		22.00

Regulators - 2nd stages Regulators - Accessories



Spare Part Kit for Argon 1st Stage 12004
 O-rings are Viton/FPM

Order#	Size	Color	SRP EUR
72016			12.00



Service Kit 2nd Stage for Oxygen Regulator from set 85079

Order#	Size	Color	SRP EUR
85083			27.00



Service Kit 1st Stage for Oxygen Regulator from set 85079

Order#	Size	Color	SRP EUR
85082			49.00

Blanking Plug 1/2



Blanking plus for 1/2 inch low pressure ports.

Order#	Size	Color	SRP EUR
72030	1/2 inch	chrome	7.00

Blanking Plug 3/8" UNF



NBR 70 O-ring included

Order#	Size	Color	SRP EUR
72031	3/8	chrome	6.00

Blanking Plug HP 7/16"

NBR 70 O-Ring included



Order#	Size	Color	SRP EUR
72032	7/16	chrome	6.00

Comfort Silicone Mouthpiece



High quality mouthpiece made from black silicone.
5pcs in a set

Order#	Size	Color	SRP EUR
13030		black	35.00

Delrin DIN Cap



Precision machined from delrin
Protects threads on DIN first stage
Seals water out of first stage
Attached nylon cord lanyard

Order#	Size	Color	SRP EUR
HL401	G5/8	black	11.90

DIN-INT Adapter



Connect your DIN regulator to a tank with INT outlet.

Order#	Size	Color	SRP EUR
51025		chrome	33.00

HIGHLAND Over Pressure Valve OPV



Small relief valve to allow regulator to release pressure from 1st stage
Pressure will release when intermediate pressure is above 200 psi
Fits into standard 3/8" low pressure regulator port
Compact size and low profile
Stainless steel internal spring
No CE! Export use only!

Order#	Size	Color	SRP EUR
AC395		chrome	18.00

HIGHLAND Regulator Necklace Black



- Available in two sizes: 7.5" and 10" diameters
- Attaches easily to any regulator second stage mouthpiece
- Allows regulator to hang close under the chin
- Keep your second stage where you need it
- Durable, no memory silicone

Order#	Size	Color	SRP EUR
HL601BK	19cm	black	20.00
HL601BK-LG	25cm	black	25.00

OPV 3/8



Compact over pressure valve for use the first stages on drysuit inflation tanks.

Order#	Size	Color	SRP EUR
12010		chrome	16.00



XSSCUBA Deluxe OPV



All stainless steel construction
 Easy to adjust from 150 to 250 psi (10-17 bar)
 Factory preset at 175 to 185 psi (12-13 bar)
 Machined Delrin cap protects the adjustment point
 Compact relief valve releases pressure in the event of an over pressurization of the first stage
 Fits standard 3/8-24 UNF low pressure regulator port
 Factory cleaned - Viton o-rings
 No CE! Export use only!

Order#	Size	Color	SRP EUR
AC396	3/8 inch	chrome	49.00

XSSCUBA Two Color - Mouthpieces



Good looks and good comfort
 Two material, liquid silicone injection
 Includes traditional mouthpiece tie
 FDA approved material
 Individual clamshell packaging
 3 color combinations

Order#	Size	Color	SRP EUR
AC331		black/blue	10.00
AC332		black/yellow	10.00
AC333		black/red	10.00

Regulators - Kits

APEKS Regulators and Spares



We have a large selection of Apeks regulators and spares on stock.

Order#	Size	Color	SRP EUR
13000	ServiceKit 1st	white	55.00
13001	ServiceKit 2nd	white	29.00
13004	Mouthpiece Comforbite	black	19.00

HIGHLAND Argon-Regulator w/Gauge



Compact first stage designed specifically for drysuit inflation
 DIN 1st stage for low profile attachment
 Factory I.P. set at 120 psi
 Includes 22â€Â• EZ QD inflation hose
 Includes Over Pressure Relief Valve (OPV)
 Includes Delrin DIN cap w/ lanyard to protect threads
 Includes Mini Tech Gauge (p/n HL501)
 No CE - export only!

Order#	Size	Color	SRP EUR
HL405M		black	289.00

ROLOCK - Complete Kits

RoLock 90 kit alone without silicone wrist seals and gloves



RoLock 90 kit alone without silicone wrist seals and gloves
 Delivery contains blue rings for glove mounting. The black rings (item 46263) are optional and can be ordered extra.

br
 Video-Tutorials at a href='http://www.rolock.ch/?page_id=228' target=_blankhttp://www.rolock.ch/?page_id=228/abr br

Accessories:

a href='https://dirzone.com/cms/de/products/101/870'silicone seals/abr

a href='https://dirzone.com/cms/de/products/101/869'PU-rings/abr

Order#	Size	Color	SRP EUR
46185			199.00

RoLock 90 on glove with attached inner glove, without seals



RoLock 90 on glove with attached inner glove, without seals and without PU ring
 Video-Tutorials at http://www.rolock.ch/?page_id=228

Order#	Size	Color	SRP EUR
46301	M	blue	239.00
46302	L	blue	239.00
46303	XL	blue	239.00

RoLock 90 on glove with loose inner glove, without seals



RoLock 90 on black glove with loose inner glove, without seals and without PU ring

Video-Tutorials at http://www.rolock.ch/?page_id=228

Order#	Size	Color	SRP EUR
			0.00
			0.00
46311	L	black	249.00

RoLock 90 on glove with loose inner glove, without seals



RoLock 90 on blue glove with loose inner glove, without seals and without PU ring
 Video-Tutorials at http://www.rolock.ch/?page_id=228

Order#	Size	Color	SRP EUR
46305	S	blue	243.00
46306	M	blue	243.00
46307	L	blue	243.00
46308	XL	blue	243.00

RoLock Kit 1



Complete Rolock kit for:
46202 M gloves with attached inner gloves

Order#	Size	Color	SRP EUR
46180	f. 46202	black/blue	169.00

ROLOCK Kit 1 & 2 complete



Pre-mounted complete Rolock system on blue gloves with attached inner gloves
9490 M-L-XL, all O-rings and silicone care dose.
Supplied in carton box.
;

Order#	Size	Color	SRP EUR
46100	MD	blue	229.00
46101	XL	blue	229.00
46102	LG	blue	229.00

RoLock Kit 2



Complete Rolock kit for:
46200 XL, 46201 L gloves with attached inner gloves

Order#	Size	Color	SRP EUR
46181	f. 46200, 46201	black	169.00

RoLock Kit 3



Complete Rolock kit without gloves for:
46205-46208 (all sizes)
46212-46214 (all sizes)

Order#	Size	Color	SRP EUR
46182	f. 46205-46208, 46212-46214	black/red	169.00

ROLOCK Kit 3 black complete



Pre-mounted complete Rolock system on black gloves with separated inner gloves, all O-rings and silicone care dose. Supplied in carton box

Order#	Size	Color	SRP EUR
			0.00
46107	XL	black	239.00
46109	MD	black	239.00

ROLOCK Kit 3 complete



Pre-mounted complete Rolock system on blue gloves with separated inner gloves, all O-rings and silicone care dose. Supplied in carton box

Order#	Size	Color	SRP EUR
46103	XL	blue	234.00
46104	LG	blue	234.00
46105	MD	blue	234.00
46106	SM	blue	234.00

ROLOCK Wrist seals protection



Rubber wrist seals protections to be mounted around the ring to protect the latex from mechanical injuries and UV

Order#	Size	Color	SRP EUR
46190		black	49.00

ROLOCK - Inner Gloves

Thermoacryl inside gloves



Black thermoacryl inside glove

Order#	Size	Color	SRP EUR
46225	XL	black	12.00
46226	LG	black	12.00
46227	MD	black	12.00

ROLOCK - Care and Maintain

ROLOCK Carekit Rolock 2



Set with all O-rings and silicone dose for Rolock systems for all kind of attached inner gloves except M size

Order#	Size	Color	SRP EUR
46257		black	38.00

ROLOCK O-Ring f. Latex seals



O-Ring to mount the Rolock rings on latex wrist seals (1 pcs.)

Order#	Size	Color	SRP EUR
46282		black	4.00

ROLOCK O-Rings Bajonett from 2006



O-ring for the sealing between gloves and drysuit rings on the bayonet system, for old Rolock gloves from 2006

Order#	Size	Color	SRP EUR
46280		black	4.00

ROLOCK O-Rings Bajonett to 2006



O-ring for the sealing between gloves and drysuit rings on the bayonet system, for old Rolock gloves up to 2006

Order#	Size	Color	SRP EUR
46281		black	5.00

ROLOCK O-Rings f. Neoprene seals



O-Rings to mount the Rolock rings on neoprene wrist seals

Order#	Size	Color	SRP EUR
46284		black	9.00

ROLOCK O-Rings f. red Ring



O-rings to mount on the red ring used to fit gloves with separate inner gloves on Rolock rings.

Order#	Size	Color	SRP EUR
46283		black	4.00

ROLOCK Pflegeset Carekit 1 & 3



Set with all O-rings and silicone dose for Rolock systems for all kind of separated inner gloves as well as for M size attached inner gloves

Order#	Size	Color	SRP EUR
46258		black	40.00

ROLOCK Silicone grease



For use with O-Ring seals

Order#	Size	Color	SRP EUR
46285	12ml	white	15.00

ROLOCK - Gloves

Diving dryglove PVC drygloves black without under gloves

**DIR
ZONE**



Inner gloves have to be ordered extra.

Order#	Size	Color	SRP EUR
46215	SM	black	45.00
46216	MD	black	45.00
46217	LG	black	45.00
46218	XL	black	45.00

Dryglove black



Black dry gloves with seperate inner gloves

Order#	Size	Color	SRP EUR
			0.00
46212	XL	black	59.00
46214	MD	black	59.00

Dryglove blue



Blue dry gloves with seperate inner gloves

Order#	Size	Color	SRP EUR
46205	XL	blue	47.00
46206	LG	blue	47.00
46207	MD	blue	47.00
46208	SM	blue	47.00

Dryglove blue - attached



Blue dry gloves with attached inner gloves

Order#	Size	Color	SRP EUR
46200	XL	blue	39.00
46201	LG	blue	39.00
46202	MD	blue	39.00

ROLOCK - Parts

ROLOCK Drysuit side Ring left



Rolock ring to be mounted on the wrist seal, for left side

Order#	Size	Color	SRP EUR
46252		black	32.00

ROLOCK Drysuit side Ring right



Rolock ring to be mounted on the wrist seal, for right side

Order#	Size	Color	SRP EUR
46253		black	32.00

ROLOCK Glove side Ring left



Rolock ring for the gloves side, version for left side

Order#	Size	Color	SRP EUR
46250		black	32.00

ROLOCK Glove side Ring right



Rolock ring for the gloves side, version for right side

Order#	Size	Color	SRP EUR
46251		black	32.00

RoLock PU ring



RoLock PU ring to be glued on the sleeve or for the system mounting on existing wrist seals

Order#	Size	Color	SRP EUR
46187			22.00

ROLOCK Ring 1 blue



Set of two Blue rings with O-rings
For assembling latex-/PVC-gloves.

Order#	Size	Color	SRP EUR
46254		blue	18.00

ROLOCK Ring 2 black



Set of two black rings
For assembling gloves with attached inner gloves.

Order#	Size	Color	SRP EUR
46255		black	14.00

ROLOCK Ring 3 red



Set of two red rings with O-rings
For assembling gloves with separate inner gloves.

Order#	Size	Color	SRP EUR
46256		red	18.00

RoLock SI Tech TPE Wrist Seals wrist seals grey L - Pair



The seals are coated both inside and outside to reduce friction when donning and doffing. The coat will tear off over time and when it happens, we recommend the usage of talcum, in the same way as for regular seals. The Elastoseal are made of TPE plastic and has better aging resistance in comparison with latex and is non-allergic.

Order#	Size	Color	SRP EUR
46186	universal	grey	39.00

RoLock silicone wrist seals



to use in combination with the RoLock 90 kit, available in two sizes

Order#	Size	Color	SRP EUR
46188	M	black	35.00
46189	L	black	35.00

RoLock90 BLACK ring



RoLock90 BLACK ring (1 pair) for glove mounting for Drygloves 46200 - 46202 (all sizes). For assembling gloves with attached inner gloves.

Order#	Size	Color	SRP EUR
46263		black	15.00

RoLock90 BLUE ring



RoLock90 BLUE ring (1 pair with o-rings) for glove mounting for lose inner glove 46205-46208 (all sizes), 46212-46214 (all sizes). For assembling gloves with separate inner gloves.

Order#	Size	Color	SRP EUR
46264		blue	17.00

RoLock90 Care and O-rings set



RoLock90 Care and O-rings set

Order#	Size	Color	SRP EUR
46265		black	34.00

RoLock90 Drysuit side ring left



RoLock90 Drysuit side ring left. black

Order#	Size	Color	SRP EUR
46261	left	black	28.00



RoLock90 Drysuit side ring right black



RoLock90 Drysuit side ring right black

Order#	Size	Color	SRP EUR
46262	right	black	28.00



RoLock90 Glove side Ring left



Rolock90 ring for the gloves side, version for left side

Order#	Size	Color	SRP EUR
46259			28.00



RoLock90 Glove side Ring right



Rolock90 ring for the gloves side, version for right side

Order#	Size	Color	SRP EUR
46260			28.00



RoLock90 O-Rings for bayonet lock



RoLock90 O-Rings for bayonet lock - PAIR

Order#	Size	Color	SRP EUR
46266		schwarz	4.00



Sale - Fins
Sale - Sidemount
Sale - Wings and Accessories
Weights & Weightbelts - Weight Systems

Belt Buckle DIRZONE



High-quality stainless-steel buckle.

Order#	Size	Color	SRP EUR
65105	50mm	Stainless Steel	16.00

DIR ZONE Belt Buckle SS



High quality belt buckle, without Logo

Order#	Size	Color	SRP EUR
65106	50mm	Stainless Steel	15.00

Dripstone Diving weight system



An easier way to secure and adjust your weights:
EXACTLY WHERE YOU NEED IT

Mount weight anywhere you please. Works with any 2" webbing including standard harnesses for sidemount, backmount, and rebreathers.

REDUNDANT

Eliminate the risk of uncontrolled ascents. Weights are held securely by two independent pieces of bungee.

NON-SLIP

Built in anti-sliding mechanism prevents mounted weights from moving around

BUILT TO LAST

Made from fiberglass reinforced polymer that is tougher than delrin. Replaceable bungee

FLEXIBLE USE

Can be used to mount any 1lb to 5lb hard lead weights

Further information:

<https://www.dripstonediving.com/>

Order#	Size	Color	SRP EUR
56400	one size	black	22.00

XSSCUBA Quick-Attach Weight Pocket



Same design as Single Weight Pocket above, except:

- Allows pocket to be quickly added without having to slide over the end of webbing

- Quick attachment with double Velcro® closure at bottom of pocket

Designed to add up to 5 pounds of shot or hard weight

Easy addition to XS Scuba ponypac or other harness systems

Perfect for adjusting your trim

Order#	Size	Color	SRP EUR
WB101QA	2,2kg	black	22.00

XSSCUBA Quick-Release Weight Pocket



Here is the one that everyone has been asking for
 VelcroÂ(reg) release weight dump
 Designed to add up to 5 pounds of shot or hard weight
 Attaches by sliding over the end of any 2inch webbing or 2inch cummerbund
 Easy addition to XS Scuba ponypac or other harness systems
 Perfect for adjusting your trim

Order#	Size	Color	SRP EUR
WB101QR	2,5kg	black	25.00

XSSCUBA Single Weight Pocket



Designed to add up to 5 pounds of shot or hard weight
 Attaches by sliding over the end of 2inch webbing or 2inch cummerbund
 Easy addition to XS Scuba PonyPac or other harness systems
 Perfect for adjusting your trim

Order#	Size	Color	SRP EUR
WB101BK	2,5kg	black	18.00
WB101BU	2,5kg	blue	18.00

XSSCUBA Weight Pocket w. Velcro Front



Same design as Single Weight Pocket above, except:
 - Allows excess webbing from cam buckle to attach to Velcro on front of weight pocket
 - Keeps cam buckle webbing secure against cylinder
 Designed to add up to 5 lbs of shot or hard weight
 Perfect for adjusting your trim

Order#	Size	Color	SRP EUR
WB101V	2,2kg	black	17.00

XSSCUBA Spring-Loaded Buckle



- Adds depth compensation to any weight belt
 - Rust-free 304 stainless steel

Order#	Size	Color	SRP EUR
AC310		Stainless Steel	8.00

XSSCUBA U-Fill Soft Weight Pouches



Fill your own pouches
Opening at top for filling
Double Velcro safety closure
Shot weight not included
Different color mesh for quick identification

Order#	Size	Color	SRP EUR
WT02	1kg	grey	6.00
WT03	1,5kg	red	6.00
WT04	2kg	blue	7.00
WT05	2,5kg	black	7.00

Weights & Weightbelts - Weights

P-Weight 2,7kg +/-5% for Backplate



P-Weights are directly screwed in the groove of the backplate and provide a perfectly centers weighting very close to the body.

Order#	Size	Color	SRP EUR
99140	2,7kg +/-5%	Lead	45.00

P-Weight 4,9kg +/-5% for Backplate



P-Weights are directly screwed in the groove of the backplate and provide a perfectly centers weighting very close to the body.

Order#	Size	Color	SRP EUR
99143	4,9kg +/-5%	Lead	75.00

V-Weight 2,7kg +/-5% for Double Sets



Used between doubles and wing/backplate. Fits D10, D12, D15, D18 and D20 with tankbands

Order#	Size	Color	SRP EUR
99152	2,7kg +/-5%	Lead	39.00

V-Weight 4,0 kg for +/-5% Double Sets TAIL Weight



Used between doubles and wing/backplate.
Moves the mass centre further down and therefor enhances trimm of many divers.
Fits D10, D12, D15, D18 and D20 with tankbands

Order#	Size	Color	SRP EUR
99154	4,0 kg +/-5%	Lead	59.00

V-Weight 4,0kg +/-5% for Double Sets wide Distance (D7, D8.5)



Used between doubles and wing/backplate. Fits D7, D8 and D8,5 wide distance (185mm) with tankbands.

Order#	Size	Color	SRP EUR
99153	4,0 kg +/-5% D7	Lead	59.00

Table of contents

110 Adapter.....102	Additional Pocket.....49
Female 1/4.....105	Adjustable Spanner Wrench.....85
0,85l 200bar.....8	Adjustable SS Belt Buckle.....56
0-360 Angle Adapter.....101	Adjustable SS Belt Buckle.....75
1/2.....100	Agro Sealing Gland M16x1,.....120
10l 232bar.....2	Alloy Tanks complete w/ T.....12
10l 300bar.....2	APEKS Regulators.....165
11,1l 207bar natural.....9	Aquasure + FD 2x 7g93
110 Angle Adapter.....99	Aquasure + FD 250 g Tube.....90
12l 232bar.....2	Aquasure + FD 28g.....90
12l 232bar CONCAVE.....2	Argon 1st stage.....161
12l 232bar SHORT.....3	Argon Strap 85mm.....53
12l 300bar.....3	Argon Straps 110mm.....53
15l 232bar.....3	Argon Straps 14cft.....53
18l 232bar.....3	Argon-Regulator w/Gauge.....165
1l 200bar.....4	B.C.D CLEANER90
1l 300 bar.....4	Backpack Standard.....48
20l 232bar.....4	Backplate 3mm.....46
2l 200bar.....9	Backplate 3mm ALU.....46
2l 232bar.....4	Backplate 6mm.....46
2nd Outlet.....27	Backplate complete SHORT.....48
2nd Outlet 300 bar.....27	Backplate QUICK FIX - com.....48
2nd Stage Hose QD - Male102	Ballast System 6 kg singl.....53
2nd Stage Quick Disconnec.....103	Ballast System 9kg.....54
3/8 Extender.....101	Ballast System vertical.....54
3/8 to QD Nipple.....105	BC Hanger.....69
3l 206bar natural.....9	BC Travel Hanger.....69
3l 232bar.....5	BC Wash-Out Hose.....89
3l 232bar BLACK.....5	Bellow Pocket.....67
3l 232bar SHORT.....5	Bellowpocket flat.....67
3l 300bar.....5	Belt Buckle DIRZONE.....178
3mm RynoHyde.....151	Belt Pocket.....49
5,7l 207bar natural.....9	Belt Stop.....73
5/3mm PyroStretch.....152	Belt Stop Heavy Duty.....73
5l 232bar.....6	Belt Stop Serrated.....73
5mm Dry Five.....151	Billy Ring 45.....74
6mm Standard.....152	Billy Ring 90.....74
7/5mm PyroStretch.....152	Black Witch.....93
7/5mm PyroStretch Drysuit.....152	Blanking Plug 1/2.....162
7l 200bar natural.....10	Blanking Plug 3/8" UNF162
7l 232bar.....6	Blanking Plug HP 7/16".....163
7l 300bar.....6	Blanking plug left.....37
8,5l 232bar.....7	Blanking plug right.....37
8,5l 232bar CONCAVE.....7	Boltsnap 120mm.....71
8l 300bar.....7	Boltsnap 62mm.....71
8mm Thug Boots.....150	Boltsnap 76mm.....72
90 Degree Adapter Mini Ga.....97	Boltsnap 90mm.....72
90 Right Angle103	Boltsnap Stage 105mm.....72
Aadapter for Mini-Gauge.....97	Book Screw Set.....55
ACB Innentasche für 56320.....49	Book Screw Set round.....56
ACB Innentasche für 56330.....49	Bottom Timer 300 m.....110
Accessory Hanger.....69	Bottom Timer Casing.....110
Adapter 110 degree 1st st.....99	BP complete 3mm.....47
Adapter 3/8-24 Female to105	BP complete 6mm.....47
Adapter 90 degree 1st Sta.....99	BP complete adjustable.....46
Adapter Oceanic QD.....104	BP complete ALU.....47
Adapter ScubaPro QD.....104	Break Away Strap.....75
Adapter SeaQuest QD.....105	BRUTE.....62
Adapter Swivel LP for 2nd.....101	Buckles and Pins Kit.....59

Table of contents

Bungee Cord 3mm.....	157	D-Ring on Belt Stop.....	73
Bungee Cord 4mm.....	157	D-Ring SS 25 mm.....	74
Bungee Cord 5mm.....	157	Decanting Hose.....	147
Bungee Cord 6mm.....	157	Decanting hose INOX.....	147
Bungee Cord 8mm.....	157	Delrin DIN Cap.....	163
Bungee for Cylinder	31	Delrin Thumbwheel M8.....	55
Butterfly Strap.....	50	Deluxe Inline Shut-Off.....	102
Carekit Rolock 1 & 3.....	171	Deluxe OPV.....	164
Carekit Rolock 2.....	170	DIN G5/8 - 3/4 O2.....	95
Cargo foldable.....	66	DIN G5/8 - DIN G5/8.....	95
Cave Arrow.....	160	DIN G5/8 - W21.8.....	95
Cave Arrow Glow in the Da.....	160	DIN G5/8 - W30x2.....	95
Cave Arrow red 90 mm.....	159	DIN-INT Adapter.....	163
Cave Arrow white 65mm.....	159	DIR ZONE 23 I Stream RING.....	42
Cave Arrow white 90 mm.....	159	DIR ZONE Acive Control Ba.....	49
Cave Arrow yellow 90 mm.....	159	DIR ZONE Belt Buckle SS.....	178
Cave Marker.....	160	DIR ZONE Reel 45 meter.....	154
Cave Marker Glow in the D.....	160	DIR ZONE RING 12 I	
Cave Marker red 55mm.....	159	DIR ZONE Shirt.....	124
Cave Marker white 55 mm.....	159	DIRZONE Alert Marker 120c.....	78
Cave Marker yellow 55mm.....	160	DIRZONE Alert Marker 120c.....	80
Caveline 1,5mm.....	158	DIRZONE Alert Marker 120c.....	78
Caveline 200m 2mm yellow.....	158	DIRZONE Alert Marker 120c.....	81
Caveline 2mm.....	158	DIRZONE Alert Marker 120c.....	79
Caveline 500m 2mm.....	158	DIRZONE Alert Marker 120c.....	81
Check Valve.....	68	DIRZONE alert marker 122c.....	82
Christo Lube 1/2oz.....	92	DIRZONE alert marker 122c.....	82
Christo Lube 1oz.....	92	DIRZONE Alert Marker 180c.....	79
Christo Lube 2oz.....	93	DIRZONE Alert Marker 180c.....	83
Coil lanyard with clip.....	72	DIRZONE Alert Marker 180c.....	80
Coil lanyard with clip.....	72	Divemaster Pointer.....	71
Coil lanyard with clips.....	72	Double 12 232 bar.....	
Cold Water Lock Down Scre.....	154	Double Ender SS.....	73
Coldwater Spool 30m.....	155	Double Ender SS 90 mm	73
Coldwater Spool 40m.....	155	Double tanks, complete, w.....	13
Combo Filler.....	89	Doublevalve 232 bar SOS.....	22
Comfort Mouthpiece.....	163	Dripstone Diving weight s.....	178
Comfort Shoulder Pads.....	50	Dryglove black.....	172
Compact DIN 1st stage.....	161	Dryglove blue.....	172
Compass 30 TEC Casing.....	108	Dryglove blue - attached.....	172
Compass TEC 30 Bungeemoun.....	108	Drysiut Hanger foldable.....	67
Compass TEC 30 Bungeemoun.....	109	Drysuit side Ring left.....	173
Compass with Bungeemount.....	108	Drysuit side Ring right.....	173
Computer Bag.....	94	EagleEye Rayblocker.....	63
Corr. Hose 34 cm Rapid Ex.....	56	Easy Gripper.....	148
Corrograted Hose.....	56	ECS 1,8l black.....	7
Cover Tube for Hoseclamps.....	31	ECS 3l 300bar BLACK.....	6
Crew.....	63	ECS Dust Cap.....	32
Crotch Strap.....	50	ECS Steel Tanks.....	11
Cure Accelerator.....	90	EMT Shears.....	77
CutHero.....	107	EUQD to inflation.....	105
Cylinder Boot 80cf.....	36	Extendable Valve left 300.....	19
Cylinder Protection Net B.....	31	Extendable Valve right 30.....	19
Cylinder Protection Net B.....	32	Fin Goby.....	60
Cylinder Protection Net Y.....	32	Finger Spool.....	156
D-Ring.....	73	FLO.....	66
D-Ring bend.....	74	Fog Cutter droppoint.....	76
D-Ring Holder.....	75	Folding Wrist Slate.....	112
D-Ring Low Profile.....	74	Fusion2 GaugeReader.....	64

Table of contents

G5/8 232bar to 300bar.....95	MC Storage Pack.....51
G5/8 to M26 232bar.....96	McNett Silicone Spray 250.....88
GA TENACIOUS PATCH.....87	Merge3.....65
Gator Wraps.....67	MES Alu Tanks.....12
Gauge Reader.....64	Mesh Carry Pouch.....84
GEAR AID SEA BUFF88	MIFLEX Carbon HD braided125
GEAR AID SEA GOLD 37ml88	MIFLEX XT-Tech Inflation126
GEAR AID Silicone Grease.....88	MIFLEX XT-Tech Regulator136
Glove side Ring left.....173	MIFLEX Xtreme braided BLA.....127
Glove side Ring right.....173	MIFLEX Xtreme braided BLA.....138
Goby.....64	MIFLEX Xtreme braided BLU.....128
Handwheel Tool.....85	MIFLEX Xtreme braided BLU.....139
Harness.....50	MIFLEX Xtreme braided CAR.....129
Harness complete.....50	MIFLEX Xtreme braided CAR.....140
Harness complete adjustab.....51	MIFLEX Xtreme braided GRE.....130
Harness complete Quick Fi.....51	MIFLEX Xtreme braided LP137
Harness w/ rivet.....51	MIFLEX Xtreme braided ORA.....131
High Flow Adapter 110 deg.....99	MIFLEX Xtreme braided ORA.....141
High Flow Adapter 90 degr.....100	MIFLEX Xtreme braided PIN.....132
High Pressure Port Adapte.....97	MIFLEX Xtreme braided PIN.....142
Hollister Condom.....68	MIFLEX Xtreme braided RED.....133
Hose Clamp.....33	MIFLEX Xtreme braided RED.....143
Hose Holder.....147	MIFLEX Xtreme braided WHI.....134
Hose Holder.....147	MIFLEX Xtreme braided WHI.....144
Hose Holder yellow.....148	MIFLEX Xtreme braided YEL.....135
Hose Holder yellow.....148	MIFLEX Xtreme braided YEL.....145
Hose Hook.....75	Mini Fog Cutter.....76
HP 90 with swivel.....97	Mini Tech SPG.....117
HP Gauge 300 bar G5/8.....119	MiraZyme.....92
HP Hose QD Adapter.....98	MOD Decal 21.....29
HP Port Swivel Adapter.....97	MOD Decal 36.....29
Inflator Service Kit.....56	MOD Decal 45.....29
Inflator Tool.....85	MOD Decal 57.....29
Inflator Tool for DZ Infl.....87	MOD Decal 70.....29
Inflator Tool for DZ Infl.....87	MOD Decal 80.....29
INT Inlet.....33	Mono Valve 230 Bar.....16
Knife w/ sheet.....76	Mono Valve 300 Bar16
large SMB 300cm.....83	Mono Valve 300 Bar16
Lavo Valve 230bar extenda.....18	Mono Valve 300 Bar left.....16
Lavo Valve mit Swivel 2.22	Mono Valve M18x1,5 230 Ba.....18
Lavo Valve Swivel 2. Outl.....27	Mono valve M18X1,5 300 ba.....16
Liftbag 22kg.....84	Mono Valve NPSM 3/4.....17
Lock Down Screw for Reels.....154	Mount for Bottom Timer.....111
LP Hose Splitter.....106	Mount for Suunto SK7.....111
LP Male 3/8 to Male 9/16.....106	Mount for Suunto Vyper.....111
LUXFER Alu Tanks.....11	Neoprene Knife Wrap.....77
Lycra Sock.....150	Neoprene Pocket Shorts.....153
M26 to G5/8.....96	Neoprene Socks.....150
Male 1/4.....101	Nielsen Hook.....120
Manifold 140mm.....27	Nielsen Secure Latch.....120
Manifold 171mm.....27	Nitrox Mono Valve DIN144-.....17
Manifold 204mm.....28	Nitrox Mono Valve DIN144-.....17
Manifold complete 140mm.....23	No bumb cable tie.....89
Manifold complete 140mm 3.....23	Norprene Hose.....68
Manifold complete 171mm.....23	O-Ring f. Latex seals.....170
Manifold complete 171mm.....23	O-Ring for Inflator.....126
Manifold complete 204mm.....23	O-Ring M25x2.....38
Manifold complete 204mm 3.....24	O-Ring Picks Set.....85
Mask Strap.....61	O-Rings Bajonett from 200.....170

Table of contents

O-Rings Bajonett to 2006.....	170
O-Rings f. Neoprene seals.....	171
O-Rings f. red Ring.....	171
OPV.....	163
OPV 3/8.....	164
Oxygen Swivel.....	119
P-Weight 2,7kg +/-5% for	181
P-Weight 4,9kg +/-5% for	181
Pee Valve balanced.....	67
Personal Filter.....	95
Plug Set - Delrin 9/16.....	148
Pony Mount.....	33
Poseidon Hose Adapter.....	103
Propel.....	60
PVC drygloves.....	172
Quick Disconnect - Male P.....	104
Quick Link SS.....	71
Quick-Attach Weight Pocke.....	178
Quick-Release Weight Pock.....	179
Rapid Exhaust Valve knee.....	52
Rebreather Nitrox Valve.....	18
Rebreather Valve.....	18
Reduction Valve.....	96
Reel120.....	154
Reel200.....	154
Reg to Reg.....	106
Regulator Adjuster.....	89
Regulator Cover Removal T.....	86
Regulator Hose Plug Set.....	149
Regulator Necklace Black.....	164
Regulator Support Handle.....	86
Rigging Kit.....	32
Rigging Kit 120 mm.....	32
Right Angle	100
Ring 1 blue.....	174
RING 14.....	42
RING 14 travel wing.....	43
RING 17.....	43
RING 17 travel wing.....	
Ring 2 black.....	174
RING 20.....	44
Ring 3 red.....	174
RoLock 1.....	167
RoLock 1 & 2 complete.....	167
RoLock 2.....	167
RoLock 3.....	167
RoLock 3 black complete.....	168
RoLock 3 complete.....	168
RoLock 90 kit.....	166
RoLock 90 on glove - atta.....	166
RoLock 90 on gloves, blac.....	166
RoLock 90 on gloves, blue.....	166
RoLock PU ring	174
RoLock SI Tech TPE Wrist	175
RoLock silicone wrist sea.....	175
RoLock90 BLACK ring.....	175
RoLock90 BLUE ring	175
RoLock90 Care set.....	175
RoLock90 Drysuit side rin.....	176
RoLock90 Drysuit side rin.....	176
RoLock90 Glove side Ring	176
RoLock90 Glove side Ring	176
RoLock90 O-Rings/ bayonet.....	177
Rubber Fin Strap.....	59
Rubber HP Hose.....	125
Rubber Inflator Hose.....	135
Rubber Knob Black.....	38
Rubber Knob Green.....	38
Rubber MP Hose.....	145
Rubber MP Hose 1/2.....	146
Rubberknob soft.....	39
Safety valve for Wings	57
Schrader Valve.....	135
Schrader valve tool.....	86
Scissors with cover.....	76
Screw Nut for DZ Hand Whe.....	37
Screw Set for Wings.....	57
Screw Set for Wings 6mm.....	57
Screw Set Storage Pack.....	57
Screw Set Weighting Syste.....	57
Scuba Multi-Tool.....	86
Scubapro Jetfins.....	60
Sea Drops.....	91
SEADIVE SeaFire RayBlocke.....	
Seal Saver.....	92
Service Kit 1st Stage.....	162
Service Kit 2nd Stage.....	162
Shackle Bolt Snap 4inch.....	71
Sheat for EMT Shears.....	77
Shut off 1st stage.....	100
Shut off 2nd stage.....	102
Sidemount Backpad.....	52
Silicone grease.....	171
Single Weight Pocket.....	179
SingleTank Adapter.....	49
SiTech Dump Valve.....	68
SiTech Inlet Valve.....	68
SOS Oxygen Kit.....	15
Spare Axis.....	39
Spare Axis.....	39
Spare Axis.....	37
Spare Inflator.....	57
Spare Inflator Lite.....	58
Spare Part Kit for Argon	162
SPG 52mm 240bar.....	114
SPG 52mm 240bar BLACK.....	114
SPG 52mm 240bar black-chr.....	113
SPG 52mm 240bar black-chr.....	114
SPG 52mm 240bar chrome.....	113
SPG 52mm 288bar.....	115
SPG 52mm 288bar BLACK CHR.....	115
SPG 52mm 288bar black-chr.....	114
SPG 52mm 288bar Oxygen.....	116
SPG 52mm 288bar Oxygen ch.....	116
SPG 52mm 288bar SNAP.....	116
SPG 52mm 288bar SNAP comp.....	117
SPG 52mm 320bar chrome.....	113
SPG 63mm 240bar	115

Table of contents

SPG 63mm 240bar chrome.....	113
SPG 63mm 360bar Oxygen.....	117
SPG Cover 45mm black.....	117
SPG Cover 45mm green.....	118
SPG Cover 52 mm Black.....	118
SPG Cover 52 mm Green.....	118
SPG Cover 63 mm Black.....	119
Spool30.....	155
Spool40.....	155
Spool50.....	156
Spring for DZ Hand Wheels.....	37
Spring Strap Replacement	59
Spring-Loaded Buckle.....	179
SS Edelstahl Adapter 9/16.....	106
SS DIN Plug.....	41
SS Spool Orange Line ca 3.....	156
Stage Rigging Kit.....	33
Stainless 2nd Stage Quick.....	103
Star Tool - Stainless Ste.....	87
Steel Mono Tanks w/ TÜV.....	14
Sticker ARGON.....	30
Sticker DILUENT.....	30
Sticker OXYGEN.....	30
StreamRing 17.....	44
StreamRing 20.....	45
StreamRing 20 travel wing.....	45
StreamRing23.....	45
Surface Marker Buoy 210cm.....	84
SWITCH.....	62
SWITCH Bag.....	63
Switch Boot.....	120
SWITCH Caddy.....	62
SWITCH Filters.....	62
Switch for Explorer Light.....	120
Switch Protector.....	121
Swivel Adapter.....	104
Swivel oxygene for slim g.....	115
T-Adapter.....	96
Tail Weight Pouch.....	53
Talcum Powder.....	87
Tank Bands.....	54
Tank Bands.....	55
Tank Bands with Plastic.....	54
Tank Banger.....	31
Tank Boot.....	35
Tank Boot 80cf.....	36
Tank Handle.....	34
Tank Handle Deluxe.....	34
Tank Holder Rail.....	34
Tankboot Double 140 mm.....	35
Tankboot Double 171 mm.....	35
Tankboot 140mm.....	35
Tankboot 171 mm.....	35
Tankboot 204 mm.....	36
TECLINE 1,5l CE.....	20
TECLINE 3l CE.....	20
TECLINE 7l CE.....	20
TECLINE S080cft.....	21
TECLINE 0,85l.....	21
TECLINE 2l CE.....	20
TENACIOUS Tape.....	88
Test Tubes and Spares.....	121
The Silencer.....	96
Thermo Rubber Knob Black.....	39
Thermo Rubber Knob Green.....	40
Thermoacryl inside gloves.....	169
Thin-Line SPG 240bar.....	116
Tightening Tool for DZ El.....	52
Trim Weight Pocket.....	52
Trim Weight Pocket Backpl.....	52
Turtle Fins.....	60
Twin Valve.....	22
Two Color - Mouthpieces.....	164
U-Fill Soft Weight Pouche.....	180
Under Spindle.....	39
Universal Spring Fin Stra.....	59
Universal Valve Caps.....	34
V Weight Pouch.....	55
V-Weight 2,7kg +/-5% for	181
V-Weight 4,0 kg +/-5% for.....	181
V-Weight 4,0kg +/-5% for	181
v4tec Bolt Kit 140 mm	26
v4tec Bolt Kit 171 mm	26
v4tec Bolt Kit 204 mm	26
v4tec Tankbands 140/154mm.....	25
v4tec Tankbands 140/185mm.....	25
v4tec Tankbands 140mm SMA.....	25
v4tec Tankbands 171/185mm.....	25
v4tec Tankbands 171mm SMA.....	25
v4tec Tankbands 184mm.....	25
v4tec Tankbands 204/215mm.....	26
v4tec Wetnote-Tool.....	85
Valve 232 bar left.....	17
Valve 232 bar right exten.....	18
Valve 232bar left extenab.....	19
Valve 232bar right.....	17
Valve remover stainless s.....	40
Valve Spare Part 71040.....	40
Valve Spare Part Kit.....	38
Valve Spare Part Kit for	37
Valve Spare Part Kit V-/T.....	40
Valve Spare Part Kit w/ 2.....	38
WAM E/O Blind Plug.....	122
WAM E/O Cord Adapter from.....	122
WAM E/O Cord Extension.....	122
WAM Sealing Gland w. prot.....	122
WAM-cord.....	123
Weight Bag.....	94
Weight Keeper with D-Ring.....	74
Weight Pocket w. Velcro F.....	179
Wet- & Dry Suit Champ.....	91
Wetnotes.....	110
Wetnotes - Inner Notes.....	111
Wetnotes w/ plastic.....	110
Wetsuit Hanger.....	69
Wetsuit Travel Hanger.....	70
Wrist seals protection.....	168
X-Strap Mask Strap.....	61