

DIRZONE



WINGS • TANKS • ACCESSORIES

XSCUBA
EVERYTHING FOR THE PERFECT DIVE...

MIFLEX

EEZYCUT
emergency cutting tools

Cylinders & Valves - ECS Steel Tanks

ECS 10l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 10l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 171mm
 Length: 595mm
 Weight: approx. 12,2kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| 85077 | 10l 232bar 171mm | white | 309.00 |

ECS 10l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 10l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 171mm
 Length: 610mm
 Weight: approx. 15,6kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| 85078 | 10l 300bar 171mm | white | 369.00 |

ECS 12l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 171mm
 Length: 690mm
 Weight: approx. 14,0kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| 85123 | 12l 232bar 171mm | white | 319.00 |

ECS 12l 232bar CONCAVE



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 171mm
 Length: 685mm
 Weight: approx. 16,0kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| 85085 | 12l 232bar 171mm | white | 329.00 |

ECS 12l 232bar SHORT



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 550mm
 Weight: approx. 15,9kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------------|
| 85124 | 12l 232bar 204mm | white | 359.00 |

ECS 12l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 12l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 171mm
 Length: 710mm
 Weight: approx. 18,9kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------------|
| 85122 | 12l 300bar 171mm | white | 409.00 |

ECS 15l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 15l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 640mm
 Weight: approx. 17,4kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------------|
| 85177 | 15l 232bar 204mm | white | 399.00 |

ECS 18l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 18l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 710mm
 Weight: approx. 21,0kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------------|
| 85181 | 18l 232bar 204mm | white | 459.00 |

ECS 1l 200bar



ECS Tanks are made in Germany (Apolda).
 Volume: 1l
 Fill pressure: 200bar
 Thread: M18x1,5
 Diameter: 82,5mm
 Length: 265mm
 Weight: approx. 1,7kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|--------------------------|-------|---------|
| 00100 | 1l 200bar 82,5mm M18x1,5 | white | 169.00 |

ECS 1l 300 bar



ECS Tanks are made in Germany (Apolda).
 Volume: 1l
 Fill pressure: 300bar
 Thread: M18x1,5
 Diameter: 82,5mm
 Length: 265mm

| Order# | Size | Color | SRP EUR |
|--------|----------------------------|-------|---------|
| 00110 | 1l M18x1,5 300 bar 82,5 mm | white | 169.00 |

ECS 20l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 20l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 204mm
 Length: 810mm
 Weight: approx. 22,7kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| 85200 | 20l 232bar 204mm | white | 499.00 |

ECS 2l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 2l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 114mm
 Length: 305mm
 Weight: approx. 3,8kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 00101 | 2l 232bar 114mm | white | 174.00 |

ECS 3l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------------|
| 85099 | 3l 232bar 100mm | white | 189.00 |

ECS 3l 232bar BLACK



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|---------|-----------------|-------|---------------|
| 85099BK | 3l 232bar 100mm | black | 189.00 |

ECS 3l 232bar SHORT



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 114mm
 Length: 425mm
 Weight: approx. 4,7kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------------|
| 00102 | 3l 232bar 114mm | white | 189.00 |

ECS 3l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------------|
| 85097 | 3l 300bar 100mm | white | 189.00 |

ECS 3l 300bar BLACK



ECS Tanks are made in Germany (Apolda).
 Volume: 3l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 100mm
 Length: 515mm
 Weight: approx. 4,97kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|---------|-----------|-------|---------|
| 85097BK | 3l 300bar | black | 189.00 |

ECS 5l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 5l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 466mm
 Weight: approx. 7,49kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 85098 | 5l 232bar 140mm | white | 269.00 |

ECS 7l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 7l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 605mm
 Weight: approx. 9,3kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 85075 | 7l 232bar 140mm | white | 279.00 |

ECS 7l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 7l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 140mm
 Length: 615mm
 Weight: approx. 9,9kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 85073 | 7l 300bar 140mm | white | 329.00 |

ECS 8,5l 232bar



ECS Tanks are made in Germany (Apolda).
 Volume: 8,5l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 740mm
 Weight: approx. 10,4kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------|---------------|
| 85076 | 8,5l 232bar 140mm | white | 329.00 |

ECS 8,5l 232bar CONCAVE



ECS Tanks are made in Germany (Apolda).
 Volume: 8,5l
 Fill pressure: 232bar
 Thread: M25x2
 Diameter: 140mm
 Length: 705mm
 Weight: approx. 11,0kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------|---------------|
| 85084 | 8,5l 232bar 140mm | white | 319.00 |

ECS 8l 300bar



ECS Tanks are made in Germany (Apolda).
 Volume: 8l
 Fill pressure: 300bar
 Thread: M25x2
 Diameter: 140mm
 Length: 690mm
 Weight: approx. 9,83kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------------|
| 85080 | 8l 300bar 140mm | white | 359.00 |

ECS steel cylinder 1,8l black



Volume: 1,8l
 Fill pressure: 230bar
 Thread: M18x1,5
 Diameter: 82,5mm
 Length: 455mm
 Weight: approx. 2,8kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------------|
| 00105 | 1.8 liter | black | 179.00 |

Cylinders & Valves - LUXFER Tanks

LUXFER 0,85l 200bar



Alloy tanks made by LUXFER.
 Volume: 0,85l
 Fill pressure: 200bar
 Thread: M18x1,5
 Diameter: 81mm
 Length: 279mm
 Weight: approx. 1,18kg (deviations are possible)
 TPED/Pi certified

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|-------|---------------|
| 80005 | 0,85l 200bar 81mm M18x1,5 | black | 160.00 |

LUXFER 7l 200bar



Alloy tanks made by LUXFER.
 Volume: 7l
 Fill pressure: 200bar
 Thread: M25x2
 Diameter: 152mm
 Length: 610mm
 Weight: approx. 8,8kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|---------|---------------|
| 80175 | 7l 200bar 152mm | natural | 279.00 |

Cylinders & Valves - MES Tanks

MES 11,1l 207bar natural



Alloy tanks made by MES.
 Volume: 11,1l (80cuft)
 Fill pressure: 207bar
 Thread: M25x2
 Diameter: 184mm
 Length: 662mm
 Weight: approx. 14,4kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-------------------------|---------|---------------|
| 85211 | 11,1l 207bar 184mm S080 | natural | 359.00 |

MES 2l 200bar



Alloy tanks made by MES.
 Volume: 2l
 Fill pressure: 200bar
 Thread: M25x2
 Diameter: 102mm
 Length: 400mm
 Weight: approx. 2,6kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------------|
| 85219 | 2l 200bar 102mm | black | 149.00 |

MES 3l 206bar natural



Alloy tanks made by MES.
 Volume: 3l
 Fill pressure: 206,3bar
 Thread: M25x2
 Diameter: 117mm
 Length: 440mm
 Weight: approx. 3,6kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-------------------|---------|---------------|
| 85215 | 3l 206,3bar 117mm | natural | 189.00 |

MES 5,7l 207bar natural



Alloy tanks made by MES.
 Volume: 5,7l (40cuft)
 Fill pressure: 207bar
 Thread: M25x2
 Diameter: 133mm
 Length: 645mm
 Weight: approx. 7,0kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|------------------------|---------|---------------|
| 85223 | 5,7l 207bar 133mm S040 | natural | 289.00 |

MES 7l 200bar natural



Alloy tanks made by MES.
Volume: 7l
Fill pressure: 200bar
Thread: M25x2
Diameter: 152mm
Length: 614mm
Weight: approx. 8,6kg (deviations are possible)

| Order# | Size | Color | SRP EUR |
|--------|-----------------|---------|---------------|
| 85218 | 7l 200bar 152mm | natural | 299.00 |

Cylinders & Valves - Complete Tanks

ECS Steel Tanks



ECS Tanks are made in Germany (Apolda).

Please complete these tanks with valves, tank bands and tank boots according to your demands.

| Order# | Size | Color | SRP EUR |
|---------|---------------------------|-------|---------------|
| 00100 | 1l 200bar 82,5mm M18x1,5 | white | 169.00 |
| 00101 | 2l 232bar 114mm | white | 174.00 |
| 00102 | 3l 232bar 114mm | white | 189.00 |
| 85097 | 3l 300bar 100mm | white | 189.00 |
| 85097BK | 3l 300bar 100mm | black | 189.00 |
| 85099 | 3l 232bar 100mm | white | 189.00 |
| 85099BK | 3l 232bar 100mm | black | 189.00 |
| 85098 | 5l 232bar 140mm | white | 269.00 |
| 85073 | 7l 300bar 140mm | white | 329.00 |
| 85075 | 7l 232bar 140mm | white | 279.00 |
| 85076 | 8,5l 232bar 140mm | white | 329.00 |
| 85084 | 8,5l 232bar 140mm CONCAVE | white | 319.00 |
| 85077 | 10l 232bar 171mm | white | 309.00 |
| 85078 | 10l 300bar 171mm | white | 369.00 |
| 85085 | 12l 232bar 171mm CONCAVE | white | 329.00 |
| 85122 | 12l 300bar 171mm | white | 409.00 |
| 85123 | 12l 232bar 171mm | white | 319.00 |
| 85124 | 12l 232bar 204mm | white | 359.00 |
| 85177 | 15l 232bar 204mm | white | 399.00 |
| 85181 | 18l 232bar 204mm | white | 459.00 |
| 85200 | 20l 232bar 204mm | white | 499.00 |

LUXFER Alu Tanks



Please complete these tanks with valves, tank bands and tank boots according to your demands.

Picture shows a brushed S040 (80043)

| Order# | Size | Color | SRP EUR |
|----------|---------------------------|---------|---------------|
| | | | 0.00 |
| | | | 0.00 |
| 80005 | 0,85l 200bar 81mm M18x1,5 | black | 160.00 |
| 80175-06 | 7l mono valve | natural | 338.00 |

MES Alu Tanks



Please complete these tanks with valves, tank bands and tank boots according to your demands.

Picture shows 11,1l tanks white and natural

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|---------|---------------|
| 85219 | 2l 200bar 102mm 2,6kg | black | 149.00 |
| 85215 | 3l 206,3bar 117mm 3,6kg | natural | 189.00 |
| 85223 | 5,7l 207bar 134m 7,0kg | natural | 289.00 |
| 85218 | 7l 200bar 152mm 8,6kg | natural | 299.00 |
| 85211 | 11,1l 207bar 184mm 14,4kg | natural | 359.00 |

Alloy Tanks complete w/ TÜV



Alloy tanks complete with valves and german TÜV

Certified by: TÜV Rheinland, Prüfstelle Wuppertal

Cylinders smaller than 1L without TÜV certification

Standard sizes:

S040: 40 cuft, 5,7l

S080: 80 cuft, 11,1l

extendable valves come with blanking plug.

Picture shows a brushed S040 (80043)

Delivery unassembled because of transport reasons.

| Order# | Size | Color | SRP EUR |
|-----------|---------------------------------|---------|---------------|
| 80005-25 | LUXFER 0.85l, mono valve, 81mm | black | 195.00 |
| 80075-06 | TECLINE 1.5l, mono valve, 111mm | black | 184.00 |
| 80170-5 | LUXFER 7l, mono valve | white | 348.00 |
| 80170-51 | LUXFER 7l ext. valve left | white | 388.00 |
| 80170-52 | LUXFER 7l ext. valve right | white | 388.00 |
| 80170-5TL | LUXFER 7l ext. valve left | white | 388.00 |
| 80170-5TR | LUXFER 7l ext. valve right | white | 388.00 |
| 80171 | LUXFER 7l mono valve | white | 348.00 |
| 80175-5TL | LUXFER 7l ext. valve left | natural | 378.00 |
| 80175-5TR | LUXFER 7l ext. valve right | natural | 378.00 |
| 85211-5T | MES S080 mono valve | natural | 418.00 |
| 85211-5TL | MES S080 ext. valve left | natural | 458.00 |
| 85211-5TR | MES S080 ext. valve right | natural | 458.00 |
| 85218-5T | MES 7l mono valve | natural | 358.00 |
| 85218-5TL | MES 7l ext. valve left | natural | 398.00 |
| 85218-5TR | MES 7l ext. valve right | natural | 398.00 |
| 85223-5T | MES S040 mono valve | natural | 348.00 |

Double tanks, complete w/ TÜV



ECS Tanks are made in Germany (Apolda).
 v4tec tankbands and DIRZONE manifolds are included!
 Please complete these tanks with tank boots in case you need those.
 Those tanks come with german TÜV
 Certified by: TÜV Rheinland, Prüfstelle Wuppertal
 Delivery unassembled because of transport reasons.
 Sample picture D12 shows #86006:
 - 2x 85123 ECS Steel Tank 12l 232bar 171mm
 - 1x 88171 v4tec Tank Bands 171/185mm
 - 1x 71001 DIRZONE Manifold complete 171mm

| Order# | Size | Color | SRP EUR |
|----------|--------------------------|-------|----------------|
| 85080-5T | D8 300bar wide | white | 1076.00 |
| 85084-5T | D8.5 232bar concave wide | white | 986.00 |
| 85085-5T | D12 232bar concave | white | 1006.00 |
| 85122-01 | D12 300bar | white | 1166.00 |
| 85201 | D20 232bar | white | 1362.00 |
| 86004 | D10 232bar | white | 966.00 |
| 86005 | D8.5 232bar wide | white | 1006.00 |
| 86006 | D12 232bar | white | 986.00 |
| 86007 | D8.5 232bar | white | 996.00 |
| 86009 | D7 232bar | white | 896.00 |
| 86011 | D7 232bar wide | white | 906.00 |
| 86020 | D7 300bar | white | 996.00 |
| 86021 | D7 300bar wide | white | 1006.00 |
| 86029 | D15 232bar | white | 1162.00 |
| 86030 | D18 232bar | white | 1282.00 |

Steel Mono Tanks w/ TÜV



ECS Tanks are made in Germany (Apolda).

Tanks larger than 3l come with tank boots.

Tanks with volume 1 liter with German TÜV, other combinations available on request.

Certified by: TÜV Rheinland, Prüfstelle Wuppertal

Delivery unassembled because of transport reasons.

Preorder only:

85125-03, 85125-06, 85125-14, 85125-40, 85125-46

| Order# | Size | Color | SRP EUR |
|-------------|----------------------------------|-------|---------------|
| 00100-25 | 1l (82,5mm) w/ 70025, without Tu | white | 225.00 |
| 00100-25 | 1l (82,5 mm) 200 M18x1,5 70025 | white | 225.00 |
| 00110-29 | 1l (82,5mm) 300bar M18x1,5 7002 | white | 228.00 |
| 00101-06 | 2l (114mm) w/ 70006 | white | 233.00 |
| 85097-5L | 3l (100mm) 300bar w/ 70017 | white | 257.00 |
| 85097-5R | 3l (100mm) 300bar w/ 70004 | white | 257.00 |
| 85099-5L | 3l (100mm) w/ 70003 | white | 248.00 |
| 85099-5R | 3l (100mm) w/ 70006 | white | 248.00 |
| 85099-T27 | 3l (100mm) w/ 70027 | white | 268.00 |
| 85099-T28 | 3l (100mm) w/ 70028 (M26x2) | white | 273.00 |
| 85099BK-5L | 3l (100mm) w/ 70003 | black | 248.00 |
| 85099BK-5R | 3l (100mm) w/ 70006 | black | 248.00 |
| 85099BK-T27 | 3l (100mm) 230 bar w/ 70027 | black | 178.00 |
| 85098-T06 | 5l (140mm) w/ 70006 | white | 341.00 |
| 80093 | 10l 232bar (171mm) w/ 71040 | white | 489.00 |
| 80095 | 10l 232bar (171mm) mit 70006 | white | 384.00 |
| 80099 | 10l (171mm) w/ 71040 (SOS) | white | 444.00 |
| 80109 | 10l (171mm) w/ 70014 (T-Valve) | white | 444.00 |
| 80070 | 12l (171mm) w/ 70006 | white | 394.00 |
| 80092 | 12l 232bar (171mm) w/ 71021,-46 | white | 499.00 |
| 80094 | 12l (171mm) w/ 71040 (SOS) | white | 454.00 |
| 80107 | 12l (171mm) CONCAVE w/ 70014 | white | 448.00 |
| 80108 | 12l (204mm) w/ 70014 (T-Ventil) | white | 495.00 |
| 80112 | 12l (171mm) w/ 70014 (T-Valve) | white | 454.00 |
| 85124-06 | 12l (204mm) w/ 70006 | white | 435.00 |
| 80097 | 15l (204mm) w/ 70006 | white | 475.00 |
| 80098 | 15l 232bar (204mm) w/ 71021,-46 | white | 580.00 |
| 80106 | 15l (204mm) w/ 70014 (T-Valve) | white | 535.00 |
| 85177-40 | 15l (204mm) w/ 71040 (SOS) | white | 535.00 |

SOS Oxygen Rescue Kit complete, Steel 5 l



The ideal Rescue Kit.

Provides two options of O₂ treatment: Demand mask and constant flow (up to 30l/min).

Two divers can be treated at the same time!

Kit consists of:

- 5l O₂-Tank
- Demand Mask
- Constand-Flow Mask
- Transport/Storage Tube
- Fülladapter

[a href=http://dir.zone/files/85079-Manual.pdf](http://dir.zone/files/85079-Manual.pdf) target=_blankdownload manual/a
„l confirm inlet thread on OXYGEN KIT is 5/8G same as SCUBA DIN VALVE to be

Compatible with SCUBA thread directly and don't need any adapter to refill.

The manual is for standard OXYGEN valves that are realized for oxygen therapy
Following oxygen standard of single country, UNI,DIN,NF,BS"

| Order# | Size | Color | SRP EUR |
|--------|------|-------------|---------------|
| 85079 | 5l | green/white | 799.00 |

Cylinders & Valves - Mono Valves

Mono Valve M18x1,5 300 Bar



For use with 1l steel and 0,85l ALU tanks. Ideal for drysuit inflation, comes with big handwheel.
Image shows 200bar version.

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------------|---------|
| 70029 | M18x1,5 300 Bar | matt chrome | 59.00 |

Mono Valve M25x2 300 Bar Handwheel Top



| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| 70024 | M25x2 300 | | 68.00 |

Mono Valve M25x2, 230 Bar, Handwheel Top



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 70026 | | | 59.00 |

DIRZONE Mono Valve 300 Bar



Highend single valve, 300bar, DING5/8
Ideal for use with 300bar single tanks.
Comes with viton O-ring

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|---------|
| 70004 | M25x2 G5/8 300bar | matt chrome | 68.00 |

DIRZONE Mono Valve 300 Bar left



Highend single valve, 300bar, DING5/8
Ideal for use with 300bar single tanks.
Comes with viton O-ring

| Order# | Size | Color | SRP EUR |
|--------|-------------------|--------|---------|
| 70017 | M25x2 G5/8 300bar | chrome | 68.00 |

DIRZONE Mono Valve NPSM 3/4, 232 Bar



Highend single valve, 232bar, NPSM 3/4
Ideal for use with stage tanks.
EXPORT only!

| Order# | Size | Color | SRP EUR |
|--------|---------------------|-------------|---------|
| 70005 | NPSM3/4 G5/8 232bar | matt chrome | 59.00 |

DIRZONE valve left



Highend single valve, 232 bar, DING5/8
Ideal for use independent doubles and rebreather setups.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|---------|
| 70003 | M25x2 G5/8 232bar | matt chrome | 59.00 |

DIRZONE Valve right



Highend single valve, 232bar, DING5/8
Ideal for use with stage tanks.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|---------|
| 70006 | M25x2 G5/8 232bar | matt chrome | 59.00 |

Mono Valve DIN144-3, 232 Bar M26x2



Highend single valve, 232bar, M26x2
Ideal for use with stage tanks.
Comes with viton O-ring

| Order# | Size | Color | SRP EUR |
|--------|--------------------|-------------|---------|
| 70030 | M25x2 M26x2 232bar | matt chrome | 75.00 |

Mono Valve DIN144-3, 232 Bar M26x2 left



Highend single valve, 232bar, M26x2
Ideal for use with stage, sidemount and rebreather tanks.
Comes with viton O-ring

| Order# | Size | Color | SRP EUR |
|--------|--------------------|-------------|---------|
| 70031 | M25x2 M26x2 232bar | matt chrome | 75.00 |

Mono Valve M18x1,5 230 Bar



For use with 1l steel and 0,85l ALU tanks. Ideal for drysuit inflation, comes with big handwheel.

| Order# | Size | Color | SRP EUR |
|--------|---------------------|-------------|---------|
| 70025 | M18x1,5 G5/8 230bar | matt chrome | 56.00 |

Rebreather Valve M26x2, Handwheel Inline



Ideal for small, upside-down tanks typically used on ECRs. Handwheel in oposite direction of outlet.
Operating pressure 232bar, comes with O-Ring

| Order# | Size | Color | SRP EUR |
|--------|--------------------|-------------|---------|
| 70028 | M25x2 M26x2 232bar | matt chrome | 84.00 |

SOS Rebreather Valve



Ideal for small, upside-down tanks typically used on ECRs. Handwheel in oposite direction of outlet.
Operating pressure 232bar, comes with O-Ring

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|---------|
| 70027 | M25x2 G5/8 232bar | matt chrome | 79.00 |

DIRZONE Lavo Valve



Extendable Lavo Valve
ext. for Swivel 2nd Outlet (70013)
with Blanking Plug
230 Bar

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|---------|
| 70012 | M25x2 G5/8 230bar | matt chrome | 79.00 |

DIRZONE Valve 232 bar right extendable



This valve is used in DIRZONE manifold systems but can also be used as a single vavle in conjunction with the blanking plug a href=/cms/de/products/76/33772023/a. It is extendable with the second outlet 71046.

Combined with its left counterpart this valve perform as a optimal solution for sidemount systems.
Comes with viton O-Ring and rubberknob.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|---------|
| 71021 | M25x2 G5/8 232bar | matt chrome | 89.00 |

DIRZONE Valve 232bar left extendable



This valve is used in DIRZONE manifold systems but can also be used as a single valve in conjunction with the blanking plug 72022. Combined with its right counterpart this valve performs as an optimal solution for sidemount systems. It comes with viton O-Ring and rubberknob.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|--------------|
| 71020 | M25x2 G5/8 232bar | matt chrome | 89.00 |

Extendable Valve left DIN 144 300 Bar, no blanking plug



This valve is used in DIRZONE manifold systems but can also be used as a single valve in conjunction with the blanking plug 72022. Combined with its right counterpart this valve performs as an optimal solution for sidemount systems. Comes with viton O-Ring and rubberknob.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|--------------|
| 71024 | M25x2 G5/8 300bar | matt chrome | 95.00 |

Extendable Valve right DIN 144 300 Bar



This valve is used in DIRZONE manifold systems but can also be used as a single valve in conjunction with the blanking plug 72023. It is extendable with the second outlet 71047. Combined with its left counterpart this valve performs as an optimal solution for sidemount systems. Comes with viton O-Ring and rubberknob.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------------|--------------|
| 71025 | M25x2 G5/8 300bar | matt chrome | 95.00 |

Cylinders & Valves - TECLINE Tanks

TECLINE Aluminium Cylinder 2 l CE

DIR
ZONE

weight : approx. 2,83 kg
height : 36,5 cm
Diameter : 11,1 cm
Fill pressure: 207bar
Thread: M25x2



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 80072 | 2l | black | 129.00 |

TECLINE Aluminium Cylinder 3 l CE

DIR
ZONE

weight : approx. 3,76 kg
height : 50,5 cm
Diameter : 11,1 cm
Fill pressure: 207bar
Thread: M25x2



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 80073 | 3l | black | 159.00 |

TECLINE Aluminium Cylinder 7 l CE

DIR
ZONE

weight : approx. 8,92 kg
height : 62,5 cm
Diameter : 15,1 cm
Fill pressure: 207bar
Thread: M25x2



| Order# | Size | Color | SRP EUR |
|--------|------|---------|---------|
| 80077 | 7l | no coat | 199.00 |

TECLINE Aluminium Cylinder 1,5 l CE

DIR
ZONE

weight : approx. 2,33 kg
height : 29,5 cm
Diameter : 11,1 cm
Fill pressure: 207bar
Thread: M25x2



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 80075 | 1,5l | black | 125.00 |

TECLINE S080cft



TECLINE Aluminium Cylinder S080 cft CE,
Brushed NO Coat

iframe

width=300

height=225

src=<https://www.youtube.com/embed/yn4DqgWE2So>

frameborder=0 allowfullscreen/iframe

Volume: 11,1l (80cuft)

Fill pressure: 207bar

Thread: M25x2

Diameter: 185mm

Length: 660mm

Weight: approx. 14,3kg

| Order# | Size | Color | SRP EUR |
|--------|-------|---------|---------------|
| 80087 | 80cft | brushed | 299.00 |

Cylinders & Valves - Double Valves

DIRZONE Twin Valve



Ideal valve for use with two first stages on a single tank.
 Enables the diver to handle his valves by himself.
 230bar G5/8 M25x2
 Comes with O-ring

| Order# | Size | Color | SRP EUR |
|--------|---------------------|-------------|---------------|
| 70014 | M25x2 2xG5/8 230bar | matt chrome | 119.00 |

DIRZONE Lavo Valve mit Swivel 2. Outlet



Enables you to use a second first stage on a single tank - a clear advantage in cold water.
 Comes with viton o-ring

| Order# | Size | Color | SRP EUR |
|--------|---------------------|-------------|---------------|
| 70008 | M25x2 2xG5/8 230bar | matt chrome | 139.00 |

Valve Set Double DIN 230 bar SOS



Enables you to use a second first stage on a single tank - a clear advantage in cold water.
 Comes with O-Ring

| Order# | Size | Color | SRP EUR |
|--------|-------------------|--------|---------------|
| 71040 | M25x2 G5/8 230bar | chrome | 119.00 |

Cylinders & Valves - Manifolds

DIRZONE Manifold complete 140mm



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with narrow tankbands.
Incl. Rubber-Knobs.

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|-------------|---------|
| 71000 | M25x2 2xG5/8 232bar 154mm | matt chrome | 209.00 |

DIRZONE Manifold complete 140mm 300bar



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with narrow tankbands.
Incl. Rubber-Knobs.

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|-------------|---------|
| 71003 | M25x2 2xG5/8 300bar 154mm | matt chrome | 209.00 |

DIRZONE Manifold complete 171mm



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with wide tankbands and also D10 and D12 (long)
Incl. Rubber-Knobs.

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|-------------|---------|
| 71001 | M25x2 2xG5/8 232bar 185mm | matt chrome | 209.00 |

DIRZONE Manifold complete 171mm 300bar



Complete DIRZONE manifold for doubletanks.
Fits 7l and 8,5l doubletanks with wide tankbands and also D10 and D12 (long)
Incl. Rubber-Knobs.

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|-------------|---------|
| 71004 | M25x2 2xG5/8 300bar 185mm | matt chrome | 209.00 |

DIRZONE Manifold complete 204mm



Complete DIRZONE manifold for doubletanks.
Fits D12 (short), D15, D18, D20.
Incl. Rubber-Knobs.

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|-------------|---------|
| 71002 | M25x2 2xG5/8 232bar 215mm | matt chrome | 209.00 |

DIRZONE Manifold complete 204mm 300bar



Complete DIRZONE manifold for double tanks.
Fits D12 (short), D15, D18, D20.
Incl. Rubber-Knobs.

| Order# | Size | Color | SRP EUR |
|--------|---------------------------|-------------|---------------|
| 71005 | M25x2 2xG5/8 300bar 215mm | matt chrome | 209.00 |

Cylinders & Valves - Tank Bands

v4tec Tankbands 140 H 154 mm Kit



Highend tankbands made from solid steel by v4tec
 Fits tanks with 140mm diameter (7l, 8.5l), wide distance (154mm)
 Comes with Bolt Kit

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|---------------|
| 88140 | 140/154mm | Stainless Steel | 129.00 |

v4tec Tankbands 140 mm SMALL (45 mm)



Highend tankbands made from solid steel by v4tec. Small Version, 45mm
 Fits tanks with 140mm diameter (7l, 8.5l), wide distance (185mm)
 1 PIECE ONLY

| Order# | Size | Color | SRP EUR |
|--------|----------------|-----------------|--------------|
| 88174 | 140/185mm 45mm | Stainless Steel | 49.00 |

v4tec Tankbands 140/185mm Kit



Highend tankbands made from solid steel by v4tec
 Fits tanks with 140mm diameter (7l, 8.5l), wide distance (185mm)
 Comes with Bolt Kit

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|---------------|
| 88141 | 140/186mm | Stainless Steel | 139.00 |

v4tec Tankbands 171 mm SMALL (45 mm)



Highend tankbands made from solid steel by v4tec. Small Version, 45mm
 Fits tanks with 171mm diameter (10l, 12l long), 185mm distance
 1 PIECE ONLY

| Order# | Size | Color | SRP EUR |
|--------|----------------|-----------------|--------------|
| 88173 | 171/185mm 45mm | Stainless Steel | 49.00 |

v4tec Tankbands 171/185mm Kit



Highend tankbands made from solid steel by v4tec
 Fits tanks with 171mm diameter (10l, 12l long), 185mm distance
 Comes with Bolt Kit

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|---------------|
| 88171 | 171/185mm | Stainless Steel | 139.00 |

v4tec Tankbands 184mm Kit



Highend tankbands made from solid steel by v4tec
 Fits tanks with 184mm diameter (80cft)
 Comes with Bolt Kit

| Order# | Size | Color | SRP EUR |
|--------|---------------|-----------------|---------------|
| 88206 | 184mm (80cft) | Stainless Steel | 155.00 |

v4tec Tankbands 204/215 mm Kit



Highend tankbands made from solid steel by v4tec
 Fits tanks with 204mm diameter (12l short, 15l, 18l, 20l), 215mm distance
 Comes with Bolt Kit

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|---------------|
| 88204 | 204/215mm | Stainless Steel | 155.00 |

v4tec Bolt Kit 140 mm



Complete Stainless Steel Bolt Kit
 for use with D7, D8, D8,5 together with our tankbands 88140, 88141, 88174

| Order# | Size | Color | SRP EUR |
|--------|-------|-----------------|--------------|
| 88500 | 140mm | Stainless Steel | 22.00 |

v4tec Bolt Kit 171 mm



Complete Stainless Steel Bolt Kit
 for use with D10, D12 together with our tankbands 88171, 88174

| Order# | Size | Color | SRP EUR |
|--------|-------|-----------------|--------------|
| 88501 | 171mm | Stainless Steel | 22.00 |

v4tec Bolt Kit 204 mm



Complete Stainless Steel Bolt Kit
 for use with D12 short, D15, D18, D20 together with our tankbands 88204

| Order# | Size | Color | SRP EUR |
|--------|-------|-----------------|--------------|
| 88502 | 204mm | Stainless Steel | 22.00 |

Cylinders & Valves - Valve extensions

2nd Outlet 300 bar



2nd Outlet 300 Bar for 71025 Valve right. Enables you to use a second first stage on a single tank - a clear advantage in cold water.

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------------|--------------|
| 71047 | G5/8 300bar | matt chrome | 78.00 |

DIRZONE 2nd Outlet for 71021 Valve right



Adds a second outlet to the valve 71021. Enables you to use a second first stage on a single tank - a clear advantage in cold water.

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------------|--------------|
| 71046 | G5/8 230bar | matt chrome | 75.00 |

DIRZONE swivel 2. Outlet



Swivel 2. outlet for lavo valve (70012)
Enables you to use a second first stage on a single tank - a clear advantage in cold water.

| Order# | Size | Color | SRP EUR |
|--------|------|-------------|--------------|
| 70013 | G5/8 | matt chrome | 74.00 |

DIRZONE Manifold Center-Part 140mm



Can be used to assemble a complete manifold with our extendable valves left/right, 230/300bar.
For use with tanks with 140mm diameter (7l, 8l, 8,5l).

| Order# | Size | Color | SRP EUR |
|--------|-------|-------------|--------------|
| 71010 | 140mm | matt chrome | 89.00 |

DIRZONE Manifold Center-Part 171mm



Can be used to assemble a complete manifold with our extendable valves left/right, 230/300bar.
For use with tanks with 171mm diameter (10l, 12l long) or 140mm and wide distance tankbands (7l, 8l, 8,5l).

| Order# | Size | Color | SRP EUR |
|--------|-------|-------------|--------------|
| 71011 | 171mm | matt chrome | 89.00 |

DIRZONE Manifold Center-Part 204mm



Can be used to assemble a complete manifold with our extendable valves left/right, 230/300bar.
For use with tanks with 204mm diameter (12l short, 15l, 18l, 20l).

| Order# | Size | Color | SRP EUR |
|--------|-------|-------------|--------------|
| 71012 | 204mm | matt chrome | 89.00 |

Cylinders & Valves - FABER tanks

Cylinders & Valves - Stickers

MOD Decal 21



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

| Order# | Size | Color | SRP EUR |
|----------|--------------|-------------|---------|
| 99405-21 | 10,5cm x 8cm | white/black | 1.00 |

MOD Decal 36



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

| Order# | Size | Color | SRP EUR |
|----------|--------------|-------------|---------|
| 99405-36 | 10,5cm x 8cm | white/black | 1.00 |

MOD Decal 45



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

| Order# | Size | Color | SRP EUR |
|----------|--------------|-------------|---------|
| 99405-45 | 10,5cm x 8cm | white/black | 1.00 |

MOD Decal 57



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

| Order# | Size | Color | SRP EUR |
|----------|------------------|-------------|---------|
| 99405-57 | 10,5cm x 8cm | white/black | 1.00 |
| 99405-60 | 10,5cm x 8cm 60m | white/black | 1.00 |

MOD Decal 70



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

| Order# | Size | Color | SRP EUR |
|----------|--------------|-------------|---------|
| 99405-70 | 10,5cm x 8cm | white/black | 1.00 |

MOD Decal 80



MOD Stickers are used for clear and permanent labeling of stagetanks showing their maximum operating depth.

| Order# | Size | Color | SRP EUR |
|-----------|-------------------|-------------|---------|
| 99405-120 | 10,5cm x 8cm 120m | white/black | 1.00 |
| 99405-80 | 10,5cm x 8cm | white/black | 1.00 |

Sticker ARGON (17x5 cm)

ARGON
!!! DO NOT BREATHE !!!

Ideal for marking dry suit inflation tanks which do not contain a breathable gas.

| Order# | Size | Color | SRP EUR |
|--------|----------------|-------------|-------------|
| 99410 | 16,5cm x 4,5cm | white/black | 1.50 |

Sticker DILUENT (small 17x5 cm)

DILUENT

Marks Rebreather tanks according to their content. Small size perfectly fits 2 and 3l tanks, whether alloy or steel.

| Order# | Size | Color | SRP EUR |
|--------|------------|-------------|-------------|
| 99409 | 17cm x 5cm | white/black | 1.50 |


Sticker OXYGEN

OXYGEN

Marks Rebreather tanks according to their content. Small size perfectly fits 2 and 3l tanks, whether alloy or steel.

| Order# | Size | Color | SRP EUR |
|--------|----------------|-------------|-------------|
| 99406 | 16,5cm x 4,5cm | white/black | 1.50 |
| 99407 | 35cm x 8cm | white/black | 3.00 |

Cylinders & Valves - Tank Accessories



Plastic ball with elastic band to mount at the tank.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AC450 | | | 10.00 |



XS Scuba Tank Holder Dual slots DELUXE. You can connect more of these tank holders.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| TR120 | | | 59.00 |

Bungee for Cylinder



Perfect bungee to hold a regulator in correct position when mounted to a stage cylinder but not in use. Can be used to set up own riggings and also as a replacement part for worn bungees. Comes in three sizes, 2 bungees are required per stage.

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| 65205 | for 80cft | black | 4.00 |
| 65206 | for 7l | black | 4.00 |
| 65207 | for 40cft | black | 4.00 |

Cover Tube for Hoseclamps per meter (10 m Minimum)



Protective cover for hose clamps, avoids scratching of tanks and damage of other equipment by sharp edges of the clamps.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 88135 | 1m | black | 2.50 |

Cylinder Protection Net BLACK



- avoids scratches, protects paint
- durable nylon
- different sizes available

| Order# | Size | Color | SRP EUR |
|--------|---------------|-------|---------|
| 85300 | for 7l 140mm | black | 12.00 |
| 85303 | for 10l 171mm | black | 12.00 |
| 85306 | for 12l 171mm | black | 13.00 |
| 85309 | for 15l 204mm | black | 14.00 |
| 85312 | for 12l 204mm | black | 13.00 |

Cylinder Protection Net BLUE



- avoids scratches, protects paint
- durable nylon
- different sizes available

| Order# | Size | Color | SRP EUR |
|--------|---------------|-------|---------|
| 85302 | for 7l 140mm | blue | 12.00 |
| 85305 | for 10l 171mm | blue | 12.00 |
| 85308 | for 12l 171mm | blue | 13.00 |
| 85311 | for 15l 204mm | blue | 14.00 |
| 85314 | for 12l 204mm | blue | 13.00 |

Cylinder Protection Net YELLOW



- avoids scratches, protects paint
- durable nylon
- different sizes available

| Order# | Size | Color | SRP EUR |
|--------|---------------|--------|---------|
| 85301 | for 7l 140mm | yellow | 12.00 |
| 85304 | for 10l 171mm | yellow | 12.00 |
| 85307 | for 12l 171mm | yellow | 13.00 |
| 85310 | for 15l 204mm | yellow | 14.00 |
| 85313 | for 12l 204mm | yellow | 13.00 |

DIRZONE Rigging Kit 120 mm



Complete rigging set for cylinder 7l/S40/S80 w/ large 120 mm Boltsnaps

| Order# | Size | Color | SRP EUR |
|--------|--------------|-------|---------|
| 65208 | 7l 120 mm | black | 54.00 |
| 65204 | 40cft 120 mm | black | 54.00 |
| 65203 | 80cft 120 mm | black | 54.00 |

DIRZONE Stage Rigging Kit



Complete rigging set for cylinder 7l/S40/S80

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 65202 | 7 l | black | 49.00 |
| 65201 | 40cft | black | 49.00 |
| 65200 | 80cft | black | 49.00 |

ECS Dust Cap



Dust Cap to close empty tank during storage/transport or for transfer to inspection.
Thread: M25x2

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 72060 | M25x2 | grey | 2.38 |

HIGHLAND Pony Mount



316 grade stainless steel construction
Adjustable length nylon webbing
Stainless steel cam buckle
Quick detach
Designed for 4.4 diameter pony cylinder alum 13, 14, 19
Designed for 7.25 diameter primary cylinder
Rubber feet to protect paint

| Order# | Size | Color | SRP EUR |
|--------|-------------|-----------------|---------------|
| HL409 | 11cm/18,5cm | Stainless Steel | 129.00 |

HIGHLAND Stage Rigging Kit



Includes:
(2) 4 inch Jumbo stainless steel bolt snaps
(1) 1 inch Wide nylon webbing handle 2200 lbs. tensile strength
(1) 11 inch piece of clear plastic tubing to create a comfortable carry handle
(1) Marine grade stainless steel cylinder clamp
(1) Nylon tube webbing to cover cylinder clamp
(1) Rugged 2inch wide elastic EPDM hose retainer with easy grip tab
(1) 2inch piece of black PVC tubing to cover the cylinder band adjustment
P/N SS525 - Stage bottle strap kit for 5.125 to 6.0inch diameter cylinders
P/N SS725 - Stage bottle strap kit for 6.5 to 8.0inch diameter cylinders

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|--------------|
| SS525 | for 40cft | black | 59.00 |
| SS725 | for 80cft | black | 59.00 |

Hose Clamp SS Uni 60 - 195 mm



Stainless Steel hose clamps, ideal for setting up own stage riggings or replacement o defective clamps

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|-------------|
| 88130 | for 80cft | Stainless Steel | 9.00 |
| 88131 | for 40cft | Stainless Steel | 9.00 |
| 88132 | for 7l | Steinless Steel | 9.00 |

INT Inlet



This inlet enables you to use INT regulators on tanks with DIN valves.
It is simply screwed in the valve.

| Order# | Size | Color | SRP EUR |
|--------|-------------|--------|-------------|
| 72055 | G5/8 232bar | chrome | 7.00 |

Tank Handle



Universal Tank Handle
 stable Nylon construction
 Eases handling of scuba tanks and relieves valves from the thread of being abused as a handle
 Fits all common scuba tanks from 5 to 20 liter

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| AB0440 | 5l - 20l | black | 16.00 |

XSSCUBA Tank Handle Deluxe



â€¢ Carry steel tanks with ease and comfort
 â€¢ Tough, injection-molded handle
 â€¢ Fits XS Scuba Worthington & Faber steel cylinders
 â€¢ Folds down when not in use

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| AC440 | 5l - 20l | black | 19.00 |

XSSCUBA Tank Holder Rail



| Order# | Size | Color | SRP EUR |
|--------|---------|-------|---------|
| TR200 | 36 inch | alloy | 129.00 |

XSSCUBA Universal Valve Caps



Fits our complete range of valves
 Protect the valve outlet
 Nylon cord lanyard included - not attached.
 Minimum order quantity: 10pcs

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| VC-BK | universal | black | 2.50 |
| VC-BU | universal | blue | 2.50 |
| VC-GN | universal | green | 2.50 |
| VC-PK | universal | pink | 2.50 |
| VC-YL | universal | yellow | 2.50 |

Cylinders & Valves - Tank Boots

Tank Boot



| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|--------------|
| TBX7A | for 80cft | black | 24.00 |

Tankboot Double 140 mm for Twinsets



Set up a D7 or D8,5 without Tankbands in combination with a 140mm Manifold (71000 or 71003). For use with Bibo Kits.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 87141 | 140mm | black | 24.00 |

Tankboot Double 171 mm for Twinsets



Set up a D10 or D12 without Tankbands in combination with a 171mm Manifold (71001, 71004 or 71051). For use with Bibo Kits.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 87172 | 171mm | black | 27.00 |

Tankboot 140 mm Black



- avoids scratches
- central drain hole
- fits 5l, 7l 8l and 8,5l steel tanks

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 87140 | 140mm | black | 13.00 |

Tankboot 171 mm Black



- avoids scratches
- central drain hole
- fits 10l and long 12l steel tanks

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 87171 | 171mm | black | 16.00 |

Tankboot 204 mm Black



- avoids scratches
- central drain hole
- fits short 12l, 15l, 18l and 20l steel tanks

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 87204 | 204mm | black | 17.00 |

XSSCUBA Cylinder Boot 80cf



High quality injection-molded construction
 Self-draining and durable
 Flat bottom design for aluminum cylinders
 Octagon rim design to prevent side rolling
 Color: Black

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| TBX7A | for 80cft | black | 24.00 |

XSSCUBA Cylinder Boot 80cf



High quality injection-molded construction
 Self-draining and durable
 Flat bottom design for aluminum cylinders
 round
 Color: Black

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| TBR7A | for 80cft | black | 26.00 |

Cylinders & Valves - Valve Accessories

Blanking plug left



Blanking plug for extendable valve left.
Suitable for use with single tanks.
Fits for 230 and 300 bar valves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------------|---------|
| 72022 | | matt chrome | 10.00 |

Blanking plug right



Blanking plug for extendable valve right.
Suitable for use with single tanks.
Fits for 230 and 300 bar valves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------------|---------|
| 72023 | | matt chrome | 10.00 |

DIRZONE Screw Nut for DZ Hand Wheels/ Knob



Replacement for lost or damaged nuts.
Fits DIRZONE and many other valves.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 72009 | | chrome | 4.00 |

DIRZONE Spare Axis



fits DIRZONE mono valves

| Order# | Size | Color | SRP EUR |
|--------|-------------|--------|---------|
| 72012 | for DIRZONE | chrome | 8.00 |

DIRZONE Spring for DZ Hand Wheels/ Knobs



Replacement for broken springs.
Fits DIRZONE and many other valves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 72008 | | steel | 2.00 |

DIRZONE Valve Spare Part Kit for Manifolds



Spare parts kit for DIRZONE manifolds
Contains o-rings (Viton/FPM), spare axis and washer
O2-clean

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 72002 | | chrome | 48.00 |

DIRZONE Valve Spare Part Kit Mono Valve



Spare parts kit for DIRZONE mono valves
Contains o-rings (Viton/FPM), spare axis and washer
O2-clean

| Order# | Size | Color | SRP EUR |
|----------|---------|--------|---------|
| 72003 | M25x2 | chrome | 14.00 |
| 72003-18 | M18x1.5 | chrome | 14.00 |

DIRZONE Valve Spare Part Kit w/ 2nd outlet



Spare parts kit for valve 7008 with 2nd outlet
Contains o-rings (Viton/FPM), spare axis and washer
O2-clean

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 72007 | | chrome | 39.00 |

O-Ring Viton for Valve M25x2



O-ring for tanks
green Viton/FPM, O2-compatible

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 72000 | for M25x2 Valve | green | 2.50 |

Rubber Knob Black



Soft rubberknob, replaces the original knob on your valve.
Length: 4,2 cm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 70009 | | black | 9.00 |

Rubber Knob Green



Extra soft rubberknob, replaces the original knob on your valve.
Green color can be used to identify nitrox tanks.
Length: 4,2 cm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 70010 | | green | 11.00 |

Rubberknob soft



Extra soft rubberknob, replaces the original knob on your valve.
Length: 4,5 cm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 70000 | | black | 12.00 |

Spare Axis



fits Lavo Manifolds and Manifolds

| Order# | Size | Color | SRP EUR |
|--------|----------|--------|---------|
| 72004 | for Lavo | chrome | 9.00 |

Spare Axis



fits DIRZONE mono valves

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------|---------|
| 72013 | f. DIRZONE Valves | Brass | 8.00 |

Spare under spindle



fits Lavo Valves and Manifolds

| Order# | Size | Color | SRP EUR |
|--------|----------|--------|---------|
| 72005 | for Lavo | chrome | 10.00 |

Thermo Rubber Knob Black - Easy Grip



Soft rubberknob, replaces the original knob on your valve.
Length: 5,0 cm

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| VP12-BK | | black | 16.00 |

Thermo Rubber Knob Green - Easy Grip



Soft rubberknob, replaces the original knob on your valve.
Green color can be used to identify nitrox tanks.
Length: 5,0 cm

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| VP12-GN | | green | 16.00 |

Valve remover stainless steel up to 300 bar



The valve remover is screwed into the valve, so you can assemble/disassemble the valve from the bottle without damaging the valve.

- Material: stainless steel
- length 99080: approx. 17 cm
- weight 99080: approx. 0,56 kg
- length 99081: approx. 16 cm
- weight 99081: approx. 0,71 kg
- length 99082: approx. 20 cm
- weight 99082: approx. 0,81 kg

| Order# | Size | Color | SRP EUR |
|--------|----------------|-------|---------|
| 99080 | G5/8 | | 49.00 |
| 99081 | M26x2 | | 55.00 |
| 99082 | G5/8 and M26x2 | | 65.00 |

Valve Spare Part Kit Double Outlet 71040



Valve Spare Part Kit Double Outlet 71040

| Order# | Size | Color | SRP EUR |
|----------|------|-------|---------|
| 72003-40 | | | 25.00 |

Valve Spare Part Kit V- and T-Valve 70007 and 70014



Spare parts kit for V-Valve 70007 and T-Valve 70014
Contains o-rings (Viton/FPM), spare axis and washer
O2-clean

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 72006 | | chrome | 24.00 |

HIGHLAND SS DIN Plug



Precision machined from 316L stainless steel
Protects 200 and 300 bar DIN threads
Seals water out with Viton o-ring for oxygen compatibility
No groove through threads
No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|--------------|
| HL402 | G5/8 | Stainless Steel | 26.00 |

Backplates & Wings - Wing-Sets
Backplates & Wings - Classic Wings
Backplates & Wings - Donut Wings

DIR ZONE 23 | Stream RING TRAVEL



Lightweight model of classic wing for doubles up to 2x18 liter cylinders. The same double-shell construction but the cover is made of lighter material Cordura 1000. The inflator end-piece is made of high quality techno-polymer.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 23liter/ 51lbs

Weight: ca. 1260g

Miflex inflator hose 61cm included

| Order# | Size | Color | SRP EUR |
|------------|------|-----------|---------------|
| 90039RD | 23l | black-red | 339.00 |
| 90039RD-BK | 23l | red-black | 339.00 |

DIRZONE RING 14



New circular style wing for diving with a single tank. Comes out from time proven double layer model CUB. Use for single tank 12 l.

inflator MP hose 510 mm and 2 stainless-steel screws are included.

material:

Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 14liter/ 31lbs

Width: 49 cm

Length: 67 cm

Weight: ca. 1260g



| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------------|
| 90018 | 14l 1260g | black | 379.00 |

DIRZONE RING 14 travel wing



Lightweight model of RING wing for diving with single bottle. The same double-shell construction but the cover is made of lighter material Cordura 1000. Also the bottle strap buckles and the inflator end-piece are made from lighter material - high quality techno-polymer. Can be used with single bottle 12 l. Low volume is ideal for diving in neopren in tropic seas. Part of the wing are also 2 pieces of rubber pins in the middle area of wing which allow to attach the single bottle WITHOUT the need to use single tank adapter.
Weight: ca. 930g

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| | | | 0.00 |
| | | | 0.00 |
| 90035PK | 14l | pink | 354.00 |



DIRZONE Ring 17



New circular style wing for diving with a single tank. Comes out from time proven double layer model CUB. Use for single tank 12-15 l. inflator MP hose 510 mm and 2 stainless-steel screws are included.
material:

Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 17liter/ 37lbs

width: 56 cm

length: 67 cm

Weight: ca. 1320g

New features:

More flat, ergonomoc drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| 90017 | 17l 1320g | black | 385.00 |



DIRZONE Ring 20



New circular style wing for diving with a single tank. Comes out from time proven double layer model CUB. Use for single tank 15-20 l. inflator MP hose 510 mm and 2 stainless-steel screws are included.

material:

Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 20liter/ 44lbs

Width: 60cm

Height: 67cm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 90016 | 20l | black | 389.00 |

DIRZONE StreamRing 17



New circular style wing for diving with doubles. STREAM RING 17 was designed for diving with small double tanks up to bi-8.5 liter. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 17liter

blue Miflex BCD hose 61cm included

New features:

More flat, ergonomoc drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain

width: 61 cm

length: 65 cm

Weight: ca. 1320g

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 90021 | 17l | black | 389.00 |

DIRZONE StreamRing 20



New circular style wing for diving with doubles. STREAM RING 20 was designed for diving with double tanks from 2x7-2x12 and stage. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.
 material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 20liter/ 44lbs

Weight: ca. 1370g

Dimensions: 65cm high, 69cm wide
 blue Miflex BCD hose 61cm included

New features:

More flat, ergonomoc drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain



| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------------|
| 90019 | 20l 1370g | black | 399.00 |

DIRZONE StreamRing 20 travel wing



Lightweight model of classic wing for doubles. The same double-shell construction but the cover is made of lighter material Cordura 1000. The inflator end-piece is made of high quality techno-polymer.

Circular style wing for diving with doubles. STREAM RING 20 was designed for diving with double tanks from 2x7-2x12 and stage. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 20liter/ 44lbs

Weight: ca. 960g



| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------------|
| 90037 | 20l 960g | black | 399.00 |

DIRZONE StreamRing 23



New circular style wing for diving with doubles. STREAM RING 23 was designed for diving with double tanks from 2x12-2x18 and several stages. Due to the small profile, along with sufficient lift, this wing is especially suitable for recreational tec diving.

material: Cover Cordura 2000, high-frequency welded inner tube Cordura 560 with PU seam coating, zip RiRi.

Lift capacity: 23liter/ 51lbs

blue Miflex BCD hose included

New features:

More flat, ergonomoc drain plug and corrugated hose connection, more stable corrugated hose, inflator more easy to maintain



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 90015 | 23l | black | 429.00 |

Backplates & Wings - Backplates

DIRZONE Backplate complete adjustable



Backplate, thickness 3 or 6 mm, made of salt water resistant aluminium alloy or stainless steel with edges bevelled on a NC cutter.

It is possible to take the stainless-steel buckles apart, it is openable. You can adjust the harness by pulling the strap.

Complete set contains of

- backplate AL/SS, 3/6mm
- PA harness
- 2x adjustable stainless-steel buckles
- stainless-steel D-rings and stoppers
- stainless-steel buckle
- complete crotch strap
- pocket with knife

| Order# | Size | Color | SRP EUR |
|--------|----------------|-----------------|---------------|
| 90009 | 3mm appx 3.2kg | Stainless Steel | 329.00 |
| 90011 | 3mm appx 1.8kg | Aluminium | 299.00 |
| 90010 | 6mm appx 5.5kg | Steinless Steel | 439.00 |

DIRZONE Backplate 3mm




Stainless-steel backplate made of salt water resistant stainless-steel. Edges bevelled on a NC cutter, manually polised for perfect flattening of sharp edges, which could dilacerate the strap.

Weight: appx 2.2kg

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------------|
| 90006 | 3mm | Stainless Steel | 199.00 |

DIRZONE Backplate 3mm ALU



Dural backplate made of aluminium alloy resistant to salt water. Backplate is hard anodized. Edges bevelled on a NC cutter. Thanks to low weight of 0.8 kg it is ideal for travelling by plane.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 90030 | 3mm | Alu | 189.00 |

DIRZONE Backplate 6mm



Stainless-steel backplate made of salt water resistant stainless-steel. Edges bevelled on a NC cutter, manually polised for perfect flattening of sharp edges, which could dilacerate the strap.

Weight: appx. 4.5kg

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------------|
| 90008 | 6mm | Stainless Steel | 339.00 |

DIRZONE Backplate complete 3mm



Stainless-steel backplate, thickness 3 mm with PA harness, stainless-steel D-rings and stoppers, stainless-steel buckle, crotch strap and pocket with knife.
 Weight: appx 3.2kg

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------------|
| 90005 | 3mm | Stainless Steel | 299.00 |

DIRZONE Backplate complete 6mm



Stainless-steel backplate, thickness 6 mm with PA harness, stainless-steel D-rings and stoppers, stainless-steel buckle, crotch strap, buoy pocket and pocket with knife.
 Weight: appx 5.5kg

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------------|
| 90007 | 6mm | Stainless Steel | 419.00 |

DIRZONE Backplate complete ALU



Dural backplate, thickness 3 mm with PA harness, stainless-steel D-rings and stoppers, stainless-steel buckle, crotch strap, buoy pocket and pocket with knife. Backplate is made of aluminium alloy resistant to salt water. Backplate is hard anodized. Edges bevelled on a NC cutter.
 Weight: appx 1.8kg

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------------|
| 90014 | 3mm 1.8kg | Alu | 279.00 |

DIRZONE Backplate complete SHORT



Small sized backplate to fit smaller backs, 5 cm shorter than our normal backplates. Fits together with our KIDDO wing and also with all other wing types. Stainless-steel backplate, thickness 3 mm, made of salt water resistant stainless-steel with edges bevelled on a NC cutter, manually polished for perfect flattening of sharp edges.

Fits perfect to 12l travel wing.

Complete set contains of

- stainless-steel 3 mm plate
- PA harness
- stainless-steel D-rings and stoppers
- stainless-steel buckle
- complete crotch strap
- pocket with knife
- bungees on the strap

DELIVERY WITHOUT STORAGE PACK

HEIGHT: 5cm LESS THAN STANDARD BACKPLATE

Weight: 2.7kg

| Order# | Size | Color | SRP EUR |
|--------|--------------|-----------------|---------------|
| 90024 | short (-5cm) | stainless steel | 299.00 |

DIRZONE Backplate QUICK FIX - complete



Backplate, thickness 3 or 6 mm, made of salt water resistant aluminium alloy or stainless steel with edges bevelled on a NC cutter.

It is not possible to take the new QUICK-FIX stainless-steel buckles apart, it is not openable. You can only adjust the harness by pulling the strap.

Complete set contains of

- backplate AL/SS, 3/6mm
- PA harness
- 2x QUICK-FIX stainless-steel buckles
- stainless-steel D-rings and stoppers
- stainless-steel buckle
- complete crotch strap
- pocket with knife

| Order# | Size | Color | SRP EUR |
|--------|----------------|-----------------|---------------|
| 90051 | 3mm appx 3.2kg | Stainless Steel | 329.00 |
| 90053 | 3mm appx 1.8kg | Alu | 299.00 |
| 90052 | 6mm appx 5.5kg | Stainless Steel | 439.00 |

XSSCUBA Backpack Standard



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| BP100 | | black | 109.00 |

Backplates & Wings - Accessories

DIRZONE SingleTank Adapter



Adapter for mounting a single tank to a double tanks wing made of salt water resistant stainless-steel.
 Comes with screws but without the pictured CamBands.
 Weight: 718g

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|--------------|
| 55007 | 718g | Stainless Steel | 84.00 |

DIR ZONE Acive Control Ballast inner pocket for 56320



1 piece inner pocket replacement for ACB system #56320
 Length: 20cm
 Width: 12cm

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|--------------|
| 56336 | for 56320 | black | 24.00 |

DIR ZONE Acive Control Ballast inner pocket for 56330



1 piece inner pocket replacement for ACB system #56330
 Length: 19cm
 Width: 11cm

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|--------------|
| 56335 | for 56330 | black | 21.00 |

DIR ZONE Acive Control Ballast inner pocket for 56331



1 piece inner pocket replacement for ACB system #56331
 Length: 15cm
 Width: 12cm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 56337 | 4kg | black | 19.00 |

DIRZONE Additional Pocket



Additional pocket for backplate ballast system or belt.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------|--------------|
| 55008 | 18cm x 15cm x 4cm | black | 36.00 |

DIRZONE Belt Pocket



Pocket for those who do not want to glue pocket on the suit.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------|--------------|
| 55006 | 29cm x 19cm x 6cm | black | 39.00 |

DIRZONE Butterfly Strap



Butterfly Strap for SM, incl. 2x D- Ring, 2x Belt Stop, adjustable till 24 cm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 55036 | 24cm | black | 14.00 |

DIRZONE Comfort Shoulder Pads, Pair



Comfortable shoulder pads that can be added to any 50mm harness. Reduces abrasion of suit.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 55035 | | black | 17.00 |

DIRZONE Crotch Strap



Polypropylene strap with stitched on D-ring + 1 D-ring and 1 stopper.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 55020 | 50mm | black | 19.00 |

DIRZONE Harness



- Special-made, hard, very resistant strap for backplate
- extra soft webbing for crotch straps
- PA Webbing 50mm

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| 56306 | per meter | black | 8.00 |
| 56307 | f. Crotchstrap/m | black | 3.00 |

DIRZONE Harness complete



- The package includes:
- 4m strap with hole
 - knife with sheet
 - stainless-steel buckle
 - rubber band (4x narrow, 1x wide)
 - crotch strap with one integrated D-ring
 - 2x D-ring bend
 - 2x D-ring normal
 - 5x belt stoppers

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 56303 | | black | 89.00 |

DIRZONE Harness complete adjustable



- The package includes:
- 4m strap
 - knife with sheet
 - stainless-steel buckle
 - rubber band (4x narrow, 1x wide)
 - crotch strap with one integrated D-ring
 - 2x D-ring bend
 - 2x D-ring normal
 - 5x belt stoppers
 - 2x S-S buckle adjustable
 - 2x belt stoppers large

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 56304 | | black | 115.00 |

DIRZONE Harness complete Quick Fix



- The package includes:
- 4m strap
 - knife with sheet
 - stainless-steel buckle
 - rubber band (4x narrow, 1x wide)
 - crotch strap with one integrated D-ring
 - 2x D-ring bend
 - 2x D-ring normal
 - 5x belt stoppers
 - 2x S-S buckle Quick Fix
 - 2x belt stoppers large

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 56305 | | black | 115.00 |

DIRZONE Harness w/ rivet



- Special-made, hard, very resistant strap for backplate
- PA Webbing 50mm
- 4m with central rivet

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 56300 | 4m | black | 27.00 |

DIRZONE MC StoragePack



Designed for placing a buoy or a lifting bag between the backplate and diver's back. Stainless-steel screws for attaching the pocket to the backplate are included.

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| 55002 | | black | 44.00 |
| 55002BU | | blue | 44.00 |
| 55002PK | | pink | 44.00 |
| 55002RD | | red | 44.00 |

DIRZONE Sidemount Backpad



Using this Pad you are able to transform your DIRZONE wingsystem into a sidemount system.
The pad is to be screwed on the lower end of the backplate making it possible to clip the tanks there.
The leash is to be threated through the upper slot in the backplate. Here the tankvalves are placed in bungees.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 55003 | | black | 54.00 |

DIRZONE Trim Weight Pocket w. Velcro



Small pocket for attachment to the strap exactly where you need it. It can carry one piece of weight block (dimensions 8x10x3 cm, 1,5-2 kg).

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 90049 | 1pc, f. harness | black | 17.00 |

DIRZONE Trim Weight Pocket w. Velcro for Backplate



Small pocket for attachment to the backplate exactly where you need it. It can carry one piece of weight block (dimensions 8x10x3 cm, 1,5-2 kg).

| Order# | Size | Color | SRP EUR |
|--------|--------------------|-------|---------|
| 90050 | 2pcs, f. backplate | black | 35.00 |

Rapid Exhaust Valve knee



Rapid Exhaust Valve knee, NO corrugated hose for new design 2019/2020

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 64012 | | | 29.00 |



Tightening Tool for DZ Ellbows



Tightening Tool for DZ Ellbows and safety Valves from 2019/2020 onwards - flat assembly
Required for assembly work on elbows, elbows, pressure relief valves of the flat version.
Fits the new flat elbows and relief valves for our wings from 2019/2020 onwards.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65097 | | | 8.00 |

XSSCUBA Tail Weight Pouch



Pouch screwed to lower end of backplate optimizing the divers trim
Holds up to 2,7kg of weight

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| WB500 | 2,7kg | black | 22.00 |

DIRZONE Active Control Ballast System 6 kg single



Ballast system consists of 2 pockets, which are slipped on bottle straps, they include inner throw-away pockets for 2x 3 kg weights.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------|---------------|
| 56327 | 6kg | black/red | 124.00 |

DIRZONE Argon Straps 110mm



For mounting a small argon bottle (110mm diameter) directly on a backplate.
Suitable especially for wreck diving.
Comes in pair (2 pieces).

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 55014 | 100mm | black | 46.00 |

DIRZONE Argon Straps 14cft



For tightening the bigger (1,5 - 3l) argon bottle to the double tanks (cylinders with a diameter of 185 - 226 mm / 7,27 - 8,9 inches).
Comes in pair (2 pieces).

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 55000 | 110mm | black | 58.00 |

DIRZONE Argon Straps 85mm



For mounting a small 1 litre argon bottle directly on a backplate.
Suitable especially for wreck diving.
Comes in pair (2 pieces).

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 55001 | 85mm | black | 44.00 |

DIRZONE Ballast System 4kg or 6kg



Ballast system consists of 2 pockets, which are slipped on a waist strap and fastened to a backplate. Vertical mount

Inside each pocket is an inner pocket with a handle for inserting the weights. Including screws for installation at backplate, left pocket comes with D-Ring for gauge / stage tank.

Specifications 56330:

Weight: 442 grams

Length: 20 cm

Width: 12 cm

Length inner pocket: 19 cm

Width inner pocket: 11 cm

Specifications 56331:

Weight: 388 grams

Length: 15 cm

Width: 12 cm

Length inner pocket: 13 cm

Width inner pocket: 10 cm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 56331 | 4kg | black | 109.00 |
| 56330 | 6kg | black | 109.00 |

DIRZONE Ballast System for 9kg



Ballast system consists of 2 pockets, which are slipped on a waist strap and fastened to a backplate.

Left pocket has a D-ring for mounting a pressure gauge.

Inside each pocket is an inner pocket with a handle for inserting the weights.

Length: 21 cm

Width: 15 cm

Length inner pocket: 20 cm

Width inner pocket: 12 cm

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| 56320 | 9kg 576g | black | 129.00 |

DIRZONE Tank Bands



Indestructible buckle, HDPE pad, protecting the bottle from scratching, strap made from non-elongation material. Stitched on a strip of antislip rubber.

Set of two.

Weight: ca. 500g

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 55030 | 500g | black | 79.00 |

DIRZONE Tank Bands with Plastic Cam Buckles (Pair)



Durable buckle, HDPE pad, protecting the bottle from scratching, strap made from non-elongation material. Stitched on a strip of antislip rubber.

Set of two.

Weight: ca. 350g

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 55031 | 350g | black | 49.00 |

HIGHLAND Tank Bands



Unique cam band has hoop/buckle feature to allow complete separation of buckle from strap
 316 stainless steel buckle has a higher lift on the rolling edge to increase force
 Higher lift causes buckle to snap into place eliminating unintentional release of the buckle
 Easy to adjust to different cylinder diameters

| Order# | Size | Color | SRP EUR |
|--------|--------|-------|---------|
| HL201 | 1 pair | black | 99.00 |

HIGHLAND Delrin Thumbwheel M8



- Precision machined from Delrin
- Prevent stainless to stainless galling
- Strong, durable alternative to traditional wingnuts
- Knurled gripping surface for easier disassembly

HL415 M8x1,25 Pair of 2 pcs
 Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| HL415 | M8 | black | 18.00 |

XSSCUBA V Weight Pouch



Add trim weight in the center groove of your backplate
 Attach with twin cylinder band bolts
 11inch/28cm center to center
 Sealed opening with double Velcro
 Just pour in your lead shot of up to 5 lbs./2,2kg

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| WB550 | 2,2kg | black | 24.00 |

Book Screw Set



- Attach various accessories, such as mesh carry pouch to plate
- One complete set, male & female
- Stainless steel, non-rusting construction
- Will pass through 3/8inch hole
- Includes friction o-rings

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| HL510 | | Stainless Steel | 12.00 |

Book Screw Set round



- Attach various accessories, such as mesh carry pouch to plate
- One complete set, male & female
- Stainless steel, non-rusting construction
- Will pass through 3/8inch hole
- round heads

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| AE0116 | | chrome | 12.00 |

Corr. Hose 34 cm for Wings NO inflator, knee, Rapid Exhaust Valve



Add a rapid exhaust valve to your DIRZONE wing - release air by pulling the inflator.
Comes with 34cm corrugated hose.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 64008 | 34cm | black | 46.00 |

Corrugated Hose 34cm 35cm 40cm 60cm



Spare part for replacement of damaged corrugated hoses. Made out of reinforced techno polymer, available in different lengths.

Diameter:
34cm: 25/20mm
35cm oval: 20mm
40cm: 22mm
60cm: 22mm

| Order# | Size | Color | SRP EUR |
|--------|----------------|-------|---------|
| 64000 | 34cm 25/20mm | black | 21.00 |
| 64010 | 35cm oval 20mm | black | 34.00 |
| 64004 | 40cm 22mm | black | 34.00 |
| 64007 | 60cm 22mm | black | 45.00 |

DIRZONE Adjustable SS Belt Buckle (1 Set)



Stainless steel buckles as contained in our harness adjustable.
Suitable as replacement for lost buckles or for assembly of individual systems.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65107 | | Stainless Steel | 14.00 |

DIRZONE Inflator Service Kit



Contains all parts that have to be replaced when servicing an inflator. Fits inflator 65100 and also those used on our wings.

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|---------|
| 65103 | 65100/Wings | black | 36.00 |

DIRZONE Safety valve for Wings



Spare over pressure valve and quick dump for DIRZONE wings. String can be shortened according to your demands.

| Order# | Size | Color | SRP EUR |
|---------|----------------------------|-------|---------|
| 64005 | for design up to 2019/2020 | black | 15.00 |
| 64005LP | for new design 2019/2020 | black | 15.00 |

DIRZONE Screw Set for Wings



Screw set for mounting wing to backplate. Suitable for backplate 3 mm.

| Order# | Size | Color | SRP EUR |
|--------|---------|-----------------|---------|
| 56329 | M8x20mm | Stainless Steel | 5.00 |

DIRZONE Screw Set for Wings 6mm



Screw set for mounting wing to backplate. Suitable for backplate 6 mm.

| Order# | Size | Color | SRP EUR |
|---------|---------|-----------------|---------|
| 56329-6 | M8x25mm | Stainless Steel | 5.00 |

DIRZONE Screw Set Storage Pack



Screw set for buoy pocket with. Suitable for backplate 3mm or 6mm.

| Order# | Size | Color | SRP EUR |
|---------|---------------|-----------------|---------|
| 56323 | for 3mm plate | Stainless Steel | 6.00 |
| 56323-6 | for 6mm plate | Stainless Steel | 6.00 |

DIRZONE Screw Set Weighting System



Screw set for weighting system. Available for 3mm and 6mm backplates.

| Order# | Size | Color | SRP EUR |
|---------|---------------|-----------------|---------|
| 56324 | for 3mm plate | Stainless Steel | 7.00 |
| 56324-6 | for 6mm plate | Stainless Steel | 7.00 |

DIRZONE Spare Inflator



High end inflator, made in europe. Fits all DIRZONE Wings.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65100 | | black | 49.00 |

DIRZONE Spare Inflator Lite



High end lightweight inflator, made in europe.
Fits all DIRZONE Wings.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65104 | | black | 45.00 |

ABC - Fin Straps

HIGHLAND Universal Spring Straps



One kit attaches to almost any scuba fin
 DIR style .025 stainless springs
 Internal caveline to limit overstretching of springs
 Heavy-duty nylon tube webbing
 3 styles of 316 stainless steel buckles included
 "Old School" buckles fit Turtle(tm), Power(tm), Frog(tm), Jet(tm), Twin Jet(tm), Rocket(tm) and others
 "Large Post" buckles fit most of today's modern fins
 "Small Post" buckles fit Atomic split fins
 Available Sizes:
 8"FP-08
 10"FP-10
 12"FP-12

| Order# | Size | Color | SRP EUR |
|--------|----------------|-------|---------|
| FP08 | 20 cm/ 8 inch | black | 99.00 |
| FP10 | 25 cm/ 10 inch | black | 99.00 |
| FP12 | 30 cm/ 12 inch | black | 99.00 |

XSSCUBA Buckles and Pins Kit



Fits â€&oulig;Old Schoolâ€&A• fins
 â€¢ Turtle, Power, Frog, Rocket, Jet, etc...
 â€¢ Fits up to 1.125â€&A• fin posts
 â€¢ Chromed brass material
 â€¢ Kit includes everything you need for one pair of fins
 â€¢ Four buckles and four pins

| Order# | Size | Color | SRP EUR |
|--------|--------------------|--------|---------|
| FP01 | 2,9 cm/ 1.125 inch | chrome | 12.00 |

XSSCUBA Rubber Fin Strap



Old School Rubber Fin Strap
 â€¢ Fits Old School fins
 â€¢ Turtle, Power, Frog, Rocket, Jet, etc...
 â€¢ Finger tab on strap for easier grip
 â€¢ One single strap, not a pair
 â€¢ Black rubber material
 â€¢ 1inch width
 â€¢ 17inch Overall Length

| Order# | Size | Color | SRP EUR |
|--------|----------------|-------|---------|
| FP03 | 43 cm/ 17 inch | black | 8.00 |

XSSCUBA Spring Strap Replacement Hardware



For XS Scuba Spring Straps
 (4) 18-8 rust free stainless steel bolts
 (4) 18-8 rust free 316 stainless steel nylock nuts

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|---------|
| FP04 | universal | Stainless Steel | 9.00 |

ABC - Fins

Scubapro Jetfins



Classic Scubapro Jetfins. Divers favorite for many years!
Available Sizes:
L, XL, XXL

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 30000 | XL | black | 199.00 |
| 30002 | L | black | 199.00 |
| 30007 | XXL | black | 199.00 |

Turtle Fins



A classic favorite
New XL size with the foot pocket of a Large Jet and the blade of a 3XL Turtle
Popular among dry suit divers because of the large foot pocket
Compression molded, rubber construction provides exceptional speed with minimal effort
Black rubber only

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 30006 | XL | black | 199.00 |
| 30004 | 2XL | black | 199.00 |
| 30005 | 3XL | black | 199.00 |

XSSCUBA Fin Goby Full Foot



Excellent all around snorkeling fins
Lightweight and easy for travel
Comfortable TPR foot pockets
Co-molded thermoplastic material
Colors: blue with black accents or yellow with black accents
Includes mesh tote bag
Mesh Bag Included

| Order# | Size | Color | SRP EUR |
|---------|-------|--------|---------|
| FN503BU | 34-36 | blue | 32.00 |
| FN513BU | 45-46 | blue | 35.00 |
| FN513YL | 45-46 | yellow | 35.00 |

XSSCUBA PROPEL Snorkeling Fin



Use with bare feet or lightweight booties
Quick and easy adjustable heel straps
Much more range of fit than old-fashion shoe fins
Soft thermoplastic rubber heel strap & foot pocket
Lightweight and easy for travel
Excellent all around snorkeling fins
Colors: blue with black accents or yellow with black accents

| Order# | Size | Color | SRP EUR |
|---------|-------|--------|---------|
| FN801BU | 27-31 | blue | 32.00 |
| FN803BU | 38-41 | blue | 38.00 |
| FN804YL | 42-45 | yellow | 38.00 |

ABC - Mask Straps

DIRZONE Mask Strap



Neoprene Mask Strap with velcro.
 Durable and flexible!

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| 31199 | universal | black | 14.00 |

X-Strap Mask Strap



- â€¢ Upgrade almost any mask
- â€¢ Install easily on most masks - no tools needed
- â€¢ Contoured X-Strap fits comfortably on back of head
- â€¢ Squeeze top / bottom to release strap

| Order# | Size | Color | SRP EUR |
|-----------|-----------|-------------|---------|
| AC120UNIV | universal | black/clear | 16.00 |

ABC - Masks

HIGHLAND Mask BRUTE



New for 2012
Split lens, easy access nose pocket style
Old School tough mask and buckle design
Double feather edged sealing surface
Two color choices:
- All black with black silicone skirt
- Black with clear silicone skirt

| Order# | Size | Color | SRP EUR |
|---------|------|-------------|---------|
| HL702BK | | black/clear | 29.00 |

SeaDive Switch



New! Mask with replaceable filters
Choose blank mask or kit w/ Box
Each comes with 3 filters (red, amber and tinted)

| Order# | Size | Color | SRP EUR |
|-------------|------|-------------|---------|
| MA300BS | | black/black | 59.50 |
| MA300PK | | pink | 59.50 |
| MA300WT | | white | 59.50 |
| MA300YL | | yellow | 59.50 |
| MA310BS-KIT | | black/black | 99.50 |

SeaDive Switch Caddy



To carry different filters during dive

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| BG750 | | black | 35.00 |

SeaDive SWITCH Filters



Filters in various colors for our Switch mask

| Order# | Size | Color | SRP EUR |
|--------|------|-----------|---------|
| LF10 | | tinted | 23.80 |
| LF15 | | black | 23.80 |
| LF20 | | red | 23.80 |
| LF30 | | magenta | 23.80 |
| LF40 | | bernstein | 23.80 |

SeaDive Switch Mask Bag



Box for safe transport of mask and filters

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| BG740 | | black | 45.00 |

SEADIVE EagleEye Rayblocker HD



comes in box

| Order# | Size | Color | SRP EUR |
|----------|------|-------|---------|
| SMA975BS | | black | 96.00 |

XSSCUBA Crew Black Silicon



- Latest design in frameless masks
- Super wide vision and low volume
- Direct bonding of tempered glass to liquid silicone skirt
- Large, single window lens for unobstructed view
- Easy-adjust buckles
- Double, feathered edged sealing surface
- Includes mask storage box

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| MA405BS | | black | 69.00 |

XSSCUBA Fusion2 GaugeReader



Have you ever looked at your computer while diving and wished the numbers looked bigger? With the new Gauge Reader mask, that wish has now become a reality. Our newest mask incorporates magnification lenses of +1.75 into the bottom of each lens. This allows you to see normally through the main lenses and yet, the ability to look down and see everything BIGGER. Ideal for photographers, videographers, mature divers and just about anyone who could use a little extra visual boost.

- Unique design with positive 1.75 diopter magnification in lower lenses

- Beveled and bonded tempered lenses

- Comfortable, crystal silicone skirt

- Double feather-edged sealing surface

- Durable split window polycarbonate frame

Available Colors:

MA280YL Yellow

| Order# | Size | Color | SRP EUR |
|---------|------|--------|---------|
| MA280YL | | yellow | 59.00 |

XSSCUBA Gauge Reader +1,75 diopter



Have you ever looked at your computer while diving and wished the numbers looked bigger? With the new Gauge Reader mask, that wish has now become a reality. Our newest mask incorporates magnification lenses of +1.75 into the bottom of each lens. This allows you to see normally through the main lenses and yet, the ability to look down and see everything BIGGER. Ideal for photographers, videographers, mature divers and just about anyone who could use a little extra visual boost.

- Unique design with positive 1.75 diopter magnification in lower lenses

- Beveled and bonded tempered lenses

- Comfortable, crystal silicone skirt

- Double feather-edged sealing surface

- Durable split window polycarbonate frame

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| MA290BS | | black | 119.00 |

XSSCUBA Goby



Most narrow design - Perfect for kids and smaller faces.

- Comfortable, liquid-injected, crystal silicone skirt

- Split window design

- Double feather-edged sealing surface

- Durable polycarbonate frame

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| MA700BU | | blue | 42.00 |

XSSCUBA Merge3



New Version of the great Merge Mask
Latest design in frameless masks
Semi-frame construction utilizes side buckle attachment point
Merging the best in mask features for strength and quality
Large single window lens for unobstructed view
Liquid-injected, crystal silicone skirt

| Order# | Size | Color | SRP EUR |
|---------|------|-------|---------|
| MA415BS | | black | 72.00 |

ABC - Snorkels

XSSCUBA Cargo foldable



- â€¢ Roll up and stow in your BC pocket
- â€¢ Carry this snorkel out of your way
- â€¢ 100% silicone construction
- â€¢ Self-draining purge valve
- â€¢ Special snorkel keeper to keep rolled
- â€¢ Compact design

| Order# | Size | Color | SRP EUR |
|---------|------|-------|--------------|
| SN650BS | | black | 35.00 |

XSSCUBA FLO



- â€¢ Old School style
- â€¢ All sleek and black
- â€¢ Traditional open top
- â€¢ Traditional non-purge mouthpiece
- â€¢ Smooth bore
- â€¢ Adjustable snorkel keeper
- â€¢ Silicone mouthpiece

| Order# | Size | Color | SRP EUR |
|---------|------|-------|--------------|
| SN500BS | | black | 19.00 |

Accessories/Hardware - Drysuit diving

DIRZONE bellow Pocket



A pocket suitable for sticking on a diving suit, velcro closure. Made for carrying a spare mask, reel, buoy or a snack. Dimensions 29x19x6 cm.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------|--------------|
| 55004 | 29cm x 19cm x 6cm | black | 39.00 |

DIRZONE bellow Pocket flat



A pocket suitable for sticking on a diving suit, velcro closure. Made for carrying a spare mask, reel, buoy or a snack. Dimensions 29x19x4 cm.

| Order# | Size | Color | SRP EUR |
|--------|-------------------|-------|--------------|
| 55005 | 29cm x 19cm x 4cm | black | 38.00 |

DIRZONE Gator Wraps



Tightening calf wraps reduce inflation of diving suit at calf and foot part while swimming in an appropriate position (with legs slightly above the body). Material Cordura 1100, elastic ribbon 100 mm, velcro.

SIZES and DIMENSIONS

- size M - circumference of the wrap, no stretching applied - 38 cm (15 inches)
- size L - circumference of the wrap, no stretching applied - 43 cm (17 inches)
- size XL - circumference of the wrap, no stretching applied - 48 cm (19 inches)
- size XXL - circumference of the wrap, no stretching applied - 53 cm (21 inches)

EXAMPLE:

for a naked calf with the widest circumference of 39 cm I would choose size L (if diving in dry suit with undersuit).

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 55010 | L | black | 72.00 |
| 55011 | XL | black | 75.00 |
| 55012 | M | black | 69.00 |
| 55013 | XXL | black | 79.00 |

DIRZONE Pee Valve balanced



High quality balanced pee valve for drysuits. Comes with Conveen urinal condom

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 46000 | | black | 109.00 |

Drysuit Hanger, Foldable



replaces AC510

| Order# | Size | Color | SRP EUR |
|--------|--------------------------|-------|--------------|
| AC515 | Drysuit Hanger, Foldable | black | 25.00 |



Hollister Condom (30 pcs.)



Latex urinal condom, available in different sizes.
30pcs in a cardboard box

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|---------|
| 46012 | 21mm - 25mm | latex | 122.00 |
| 46011 | 26mm - 30mm | latex | 122.00 |
| 46010 | 31mm - 35mm | latex | 122.00 |

Norprene Hose



Norprene Hose for use with pee valves
inner diameter: 6,4mm
outer diameter: 12,8mm
wall thickness: 3,2mm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46004 | 1m | black | 22.00 |

SiTech Dump Valve



Classic, high quality dump valve für drysuits. Automatic, adjustable

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 11335 | | black | 79.00 |

SiTech Swivel Inlet Valve



High quality inflation valve for drysuit, free swivel.
w. EU Standard Nipple

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 25210 | | black | 79.00 |

Check Valve for Pee Valve



Spare Check Valve for Pee Valve #46000

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| 46003 | f. 46000 | black | 12.00 |

Accessories/Hardware - Hangers

Accessory Hanger



Holds your mask, snorkel, fins, boots, and gloves
 Designed for quick drainage and drying
 One place storage for your gear
 Removable center bar for flat storage and travel
 Great sales item for new students
 Tough X-beam construction

| Order# | Size | Color | SRP EUR |
|---------|------|--------|---------|
| AC500BK | | black | 25.00 |
| AC500BU | | blue | 25.00 |
| AC500YL | | yellow | 25.00 |

XSSCUBA BC Hanger



Designed for quick drainage and drying
 Tough construction

| Order# | Size | Color | SRP EUR |
|---------|------|--------|---------|
| AC550BK | | black | 15.00 |
| AC550BU | | blue | 15.00 |
| AC550YL | | yellow | 15.00 |

XSSCUBA Folding BC Travel Hanger



Unique folding design is ideal for travel
 Designed for quick drainage and drying
 Folding arms for regulator, hood and accessories
 Swivel hook
 Tough X-beam construction
 Patent Pending

| Order# | Size | Color | SRP EUR |
|---------|------|--------|---------|
| AC520BK | | black | 25.00 |
| AC520BU | | blue | 25.00 |
| AC520YL | | yellow | 25.00 |

XSSCUBA Wetsuit Hanger



Designed for quick drainage and drying
 Tough construction

| Order# | Size | Color | SRP EUR |
|---------|------|--------|---------|
| AC540BK | | black | 15.00 |
| AC540BU | | blue | 15.00 |
| AC540YL | | yellow | 15.00 |

XSSCUBA Wetsuit Travel Hanger



Unique folding design is ideal for travel
Designed for quick drainage and drying
Folding arms for regulator, hood and accessories
Swivel hook
Tough X-beam construction
Patent Pending

| Order# | Size | Color | SRP EUR |
|---------|------|--------|---------|
| AC530BK | | black | 26.00 |
| AC530BU | | blue | 26.00 |
| AC530YL | | yellow | 26.00 |

Accessories/Hardware - Hardware

HIGHLAND 4.0inch Shackle Bolt Snap



Botsnap featuring a shackle on the lower end.
 Suitable as a spare part for measurement tape HL418
 Ideal for break away connections when used with HL309-BA

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| HL911 | 10cm | Stainless Steel | 25.00 |

Quick Link SS - 36x17 mm, opening max. 5 mm



Used for connections which are not intended to be opened under water.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 56328 | 36mm | Stainless Steel | 4.00 |

DiveMaster Pointer with Attachment Clip



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AC143C | | | 39.00 |

Stainless-steel bolt-snap



| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65006 | 62mm | Stainless-steel | 6.00 |

Boltsnap 120mm



Stainless-steel snap for decompression bottles, stages and scooters. The eye is wide and it is possible to poke through a finger even in a dry glove.

| Order# | Size | Color | SRP EUR |
|--------|-------|-----------------|---------|
| 65001 | 120mm | Stainless Steel | 15.00 |

Boltsnap 76mm



Stainless-steel bolt-snap for backup torches and small things attaching to a loop in pocket, etc.
Length is 76 mm, the eye is 14 mm wide.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65005 | 76mm | Stainless Steel | 8.00 |

Boltsnap 90mm



Stainless-steel bolt-snap for pressure gauge, long hose, etc.
The eye is 20 mm wide

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65004 | 90mm | Stainless Steel | 8.00 |

Boltsnap Stage 105mm



Stainless-steel snap for decompression bottles, stages and scooters. The eye is 35 mm wide and it is possible to poke through a finger even in a dry glove.
Weight: 54g only, reduces the head-down tendency of stages

| Order# | Size | Color | SRP EUR |
|--------|-------|-----------------|---------|
| 65002 | 105mm | Stainless Steel | 15.00 |

XSSCUBA Coil Lanyard - 52" Stainless Steel Snap Clip/Split Ring



The coil lanyard is reinforced with stainless steel cable. The 132cm/52inch lanyard can be shortened by using the plastic clips.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| CL02 | | | 28.00 |

XSSCUBA Coil Lanyard - 52" with two Stainless Steel Snap Clips



The coil lanyard is reinforced with stainless steel cable. The 52" lanyard can be shortened by using the plastic clips.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| CL03 | | | 32.00 |

XSSCUBA XSSCUBA Coil Lanyard - Snap Clip/Split Ring



The coil lanyard is reinforced with stainless steel cable. The 132cm/52inch lanyard can be shortened by using the plastic clips.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| CL01 | | | 18.00 |

Double Ender SS



Stainless-steel double end snap, all-round use for fastening various equipment

| Order# | Size | Color | SRP EUR |
|--------|-------|-----------------|---------|
| 65011 | 100mm | Stainless Steel | 10.00 |
| 65010 | 120mm | Stainless Steel | 12.00 |

Double Ender SS 90 mm



Stainless-steel double end snap, all-round use for fastening various equipment

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65012 | 90mm | Stainless Steel | 9.00 |

Belt Stop



Stainless-steel stopper for 50 mm strap.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65110 | 50mm | Stainless Steel | 2.50 |

Belt Stop Heavy Duty SS for Harness



Heavy duty stainless steel stopper for 50 mm strap.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65116 | 50mm | Stainless Steel | 4.00 |

Belt Stop Serrated for Harness



2.0 inch (50mm) Webbing Serrated Belt Stop - Stainless Steel

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65109 | 50mm | Stainless Steel | 2.50 |

D- Ring SS 50 mm welded on Belt Stop SS



Fixed solid steel D-Ring for 50mm webbing, 90° degree

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-----------------|---------|
| 65114 | 50mm 90° degree | Stainless Steel | 9.00 |

D-Ring



Stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65112 | 50mm | Stainless Steel | 4.00 |

D-Ring bend



Bend stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65111 | 50mm | Stainless Steel | 4.00 |

D-Ring SS 25 mm (10 pcs minimum)



Stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65117 | 25mm | Stainless Steel | 3.00 |

D-Ring SS 50 mm LOW PROFILE (10 pcs minimum)



Stainless-steel D-ring for strap. Thickness 5 mm, width 50 mm, low profile

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65115 | 50mm | Stainless Steel | 3.00 |

HIGHLAND Billy Ring 45



Fixed positioned solid steel (316) D-Ring for 50mm harness, 45 degree

| Order# | Size | Color | SRP EUR |
|--------|----------------|-----------------|---------|
| HL908 | 50mm 45 degree | Stainless Steel | 14.00 |

HIGHLAND Billy Ring 90



Fixed solid steel (316) D-Ring for 50mm webbing, 90 degree

| Order# | Size | Color | SRP EUR |
|--------|----------------|-----------------|---------|
| HL909 | 50mm 90 degree | Stainless Steel | 13.00 |

XSSCUBA Weight Keeper with D-Ring



2.0 inch Webbing Weight Keeper with low profile D-Ring

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| AC305D | 50mm | Stainless Steel | 12.00 |

DIRZONE Adjustable SS Belt Buckle QUICK FIX (1 Set)



Single buckle from Quick Fix System.
Can be used to upgrade existing harnesses.



| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65122 | | Stainless Steel | 14.00 |



HIGHLAND D-Ring Holder (Taco)



Mount D-rings to tanks or light canisters using hose clamps.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| HL916 | | Stainless Steel | 4.00 |

Break Away Strap for HL911 - 5 pcs. per bag



Set up a break away connection with boltsnap HL911

| Order# | Size | Color | SRP EUR |
|----------|------|-------|---------|
| HL309-BA | | red | 10.00 |

XSSCUBA Hose Hook



Secure attachment of a clip without causing potential damage to the hose
For use with all low pressure scuba hoses with an approximate 0.5 inch diameter

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AC956 | | black | 29.00 |

Accessories/Hardware - Knives

DIRZONE Knife



Pocket from polyamide strap, stainless-steel knife with jagged blade.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65050 | | black | 16.00 |

XSSCUBA Fog Cutter droppoint



- Check out this unique knife
- Built-in scissors can cut most anything
- 420 stainless steel blade
- Chromate treatment on blade for rust prevention
- Easy release, positive locking sheath
- Rubber leg straps with quick-release buckles
- 4.75inch blade length
- 9.5inch overall length

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| KN100 | 24cm | black | 139.00 |

XSSCUBA Mini Fog Cutter - Modified Blunt



- New for 2012, a smaller version of the FogCutter
- Versatile options for mounting to BC and hose
- Built-in scissors can cut most anything
- Advanced serration and line cutter
- 420 stainless steel blade
- Chromate treatment on blade for rust prevention
- Easy release, positive locking sheath
- Includes multiple mounting accessories
- 3.25inch blade length, 6.5inch overall length

| Order# | Size | Color | SRP EUR |
|--------|--------|-------|---------|
| KN125 | 16,5cm | black | 119.00 |

BESTDIVERS Scissors with cover



- Grade stainless steel construction
- Cut your way out of most anything
- Black handles
- Comes with cover

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| A10670 | | black | 22.00 |

HIGHLAND EMT Shears



420 Grade stainless steel construction
 Rust resistant titanium coating
 Cut your way out of most anything
 304 Grade stainless steel hinge bolt
 Red handles

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| HL411 | | red | 32.00 |

HIGHLAND Optional Sheat for EMT Shears



Optional sheat for shears HL411.
 Can be fitted to harness or attached to d-rings

| Order# | Size | Color | SRP EUR |
|--------|------|-----------|-------------|
| HL421 | | black/red | 7.00 |

XSSCUBA Neoprene Knife Wrap



Convenient way to hold your knife sheath
 Neoprene construction with slip-resistant backing Adjustable Velcro straps for mounting to lower leg Versatile design for use with FogCutter, Recon, Beta Titanium, Saw and many other manufacturer's knives

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| kp04 | | black | 18.00 |

Accessories/Hardware - SMBs/Liftbags

DIRZONE Alert Marker 120cm PRO



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 37N / 8lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|--------------|
| 86106 | 120cm | orange | 75.00 |

DIRZONE Alert Marker 120cm PRO SMALL OPV



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 37N / 8lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|--------------|
| 86108 | 120cm | orange | 75.00 |

DIRZONE Alert Marker 120cm PRO SMALL OPV YELLOW



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 37N / 8lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|---------|
| 86109 | 120cm | yellow | 75.00 |

DIRZONE Alert Marker 180cm PRO



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 86N / 19lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|---------|
| 86110 | 180cm | orange | 98.00 |

DIRZONE Alert Marker 180cm PRO YELLOW



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!
 Stainless steel D-ring!
 Lift Capacity: 86N / 19lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|--------------|
| 86111 | 180cm | yellow | 98.00 |

DIRZONE Alert Marker 120cm PRO pink



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!
 Stainless steel D-ring!
 Lift Capacity: 37N / 8lb

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 86112 | 120cm | pink | 75.00 |

DIRZONE Alert Marker 120cm PRO SMALL OPV PINK



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 37N / 8lb

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 86113 | 120cm | pink | 75.00 |

DIRZONE Alert Marker 120cm PRO YELLOW



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
 Lift Capacity: 37N / 8lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|---------|
| 86107 | 120cm | yellow | 75.00 |

DIRZONE alert marker 122cm with duckbill, small OPV



can be inflated via BCD-Adapter or Regulator, equipped with over pressure valve.
 Inline inlet valve!
 Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 71N / 16lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|---------|
| 86115 | 122cm | orange | 94.00 |

DIRZONE alert marker 122cm with duckbill, small OPV, YELLOW



can be inflated via BCD-Adapter or Regulator, equipped with over pressure valve.
 Inline inlet valve!
 Stainless steel D-ring!
 Special OPV for smaller rolled-up size
 Lift Capacity: 71N / 16lb

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|---------|
| 86116 | 122cm | yellow | 94.00 |

DIRZONE Alert Marker 180cm PRO PINK



can be inflated via BCD-Adapter, equipped with over pressure valve. Inline inlet valve!

Stainless steel D-ring!
Lift Capacity: 86N / 19lb

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 86114 | 180cm | pink | 98.00 |

HIGHLAND Large SMB 300cm



BIG €" 10' long with 22 circumference
Large enough to greatly enhance diver visibility yet compact enough to carry easily
75# surface lift
Baffled bottom for anti-spill inflation
Combination oral and BC QD inflator
OPV €" overpressure relief valve
Three bands of 3M SOLAS reflective tape for improved surface visibility
Stainless steel D-ring at top for strobe attachment
20 long lift harness with stainless steel D-ring
Elastic chemical light stick holder at top
Includes 6.5 X 14 mesh carry pouch with grommets for backplate attachment
Mounting hardware is not included
Available in yellow and orange

| Order# | Size | Color | SRP EUR |
|----------|-------|--------|---------|
| HL202-YL | 300cm | yellow | 109.00 |

XSSCUBA Surface Marker Buoy (SMB) 210cm



HUGE, 7ft long (210cm) x 22ft (55cm) circumference (6ft (180cm) out of the water)
 Mil-Spec, urethane-backed, nylon material
 SOLAS reflective tape on both sides for maximum visibility
 Elastic loop at top for chem light attachment
 SS D-ring at top for slate attachment
 Overpressure relief valve with pull for manual release
 One way oral inflation valve w/ cap cover
 Anti-Spill bottom with baffle to allow easy fill from any device and remains inflated until you empty it
 Rolls up to compact size and stays closed with Velcro (reg) strap
 Lifting strap with stainless steel D-ring at bottom
 50 lbs. of lift capacity

| Order# | Size | Color | SRP EUR |
|----------|------------|--------|---------------|
| AC070-OR | 210cm 23kg | orange | 119.00 |

XSSCUBA DELUXE Lift Bag 50 LB.



• 50 pounds plus of positive lift
 • Anti-spill bottom with baffle to allow easy fill from any device and remains inflated until you empty it
 • Overpressure relief valve with pull for manual release
 • Rolls up to compact size and stays closed with Velcro (reg) strap
 • Elastic loop at top for chem light attachment
 • SS D-ring at top for slate attachment
 • Lifting strap with stainless steel D-ring at bottom

| Order# | Size | Color | SRP EUR |
|----------|------|--------|---------------|
| AC060-OR | 22kg | orange | 109.00 |

XSSCUBA Mesh Carry Pouch



• Made to Fit XS Scuba SMB (AC070) and Lift Bags (AC060 and AC050)
 • Heavy-Duty, PVC Coated Nylon Mesh
 • Velcro Closure
 • Six Stainless Steel Grommets for Attachment

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|--------------|
| AC080 | 16,5cm x 30,5cm | black | 22.00 |

Accessories/Hardware - Tools

HIGHLAND Inflator Tool



- Perfect field service tool
- Service for Highland Inflator
- Internal spanner for power inflator button
- Stainless steel construction

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| TL126 | | Stainless Steel | 19.00 |

v4tec Wetnote-Tool



The one and only v4tec tool for wetnotes.
 Combines the ability to change 2nd Stages and handle valves with broken handwheels under water.
 Laser-Cut out of one piece of solid steel.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 88505 | | Stainless Steel | 28.00 |

XSSCUBA Adjustable Spanner Wrench



Adjustable range is 0.75 to 2.0
 Three pins included: 0.185, 0.152 and 0.122
 Fits most manufacturer's first stages

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|---------|
| TL118 | 19mm - 51mm | black | 62.00 |

XSSCUBA Handwheel Tool

Ideal for assembly of rubber knobs



| Order# | Size | Color | SRP EUR |
|--------|------|------------|---------|
| TL113 | | blue/black | 19.00 |

XSSCUBA O-Ring Picks Set



Each set contains 3 different tips
 Ideal for o-ring removal without damage
 Perfect for any diver's save-a-dive kit

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| TL111 | | yellow/red/blue | 25.00 |

XSSCUBA Regulator Cover Removal Tool



• Easy removal of second stage front covers
 • Silicone material provides excellent grip
 • Fits most manufacturer's second stages

| Order# | Size | Color | SRP EUR |
|--------|------|--------|--------------|
| TL117 | | yellow | 11.00 |

XSSCUBA Regulator Support Handle



Heavy-duty chromed brass construction
 Stainless steel threaded ends
 One end with standard high pressure port threads 7/16-20 UNF male threads
 The other end with standard low pressure port threads 3/8-24 UNF male threads
 Ready for vise mounting with flat sides in the middle section

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|--------------|
| TL122 | 7/16 3/8 | black | 99.00 |

XSSCUBA Schrader valve tool



Special tool to replace the valve of a standard inflator hose

| Order# | Size | Color | SRP EUR |
|--------|------|------------|--------------|
| TL116 | | blue/black | 22.00 |

XSSCUBA Scuba Multi-Tool



Stainless steel construction
 Valve DIN insert 1/4 hex wrench
 Port plugs 3/16 hex wrench
 Valve dip tube 5/32 hex wrench
 Valve nut slotted screwdriver
 Phillips screwdriver
 Inflator schrader valve tool
 O-ring pick
 Orifice adjustment flat screwdriver

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| TL110 | | black | 65.00 |

XSSCUBA Star Tool - Stainless Steel



- â€¢ Remove and replace the most common scuba hoses 1/2, 9/16, 5/8 & 11/16 wrenches
- â€¢ Most common hex wrenches 5/32, 3/16 & 1/4
- â€¢ Valve handwheel driver
- â€¢ All imperial sizes for US products
- â€¢ Compact size - 3.85 x 0.5 thick (approximately)
- â€¢ Stainless steel construction with silicone over mold

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| TL127 | | black | 69.00 |



GA TENACIOUS PATCH Neoprene Repair Patch.
Color: Black
Size: 25.5cm x 15cm

| Order# | Size | Color | SRP EUR |
|--------|---------------|-------|---------|
| 99116 | 25.5cm x 15cm | black | 20.00 |

GEAR AID Talcum Powder



High quality talc helps preserve latex and rubber seals, eases entry into water sports suits, and helps prevent chafing. Also used for dusting Aquasure repairs etc.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99109 | 100g | white | 12.00 |

Inflator Tool for DZ Inflators



from 2019/2020 onwards - flat assembly
High-quality inflator tool for servicing common power inflators with the 3-slot screw connection
Perfect for small repairs at the dive site as well as regular service.
Material: Composite plastic

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65098 | | black | 22.00 |

Inflator Tool for DZ Inflators - complete



from 2019/2020 onwards - flat assembly, including hex wrench
High-quality inflator tool for servicing common power inflators with the 3-slot screw connection
Perfect for small repairs at the dive site as well as regular service.
Material: Composite plastic

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65099 | | black | 32.00 |

McNett Silicone Spray 250ml



Silicone spray for maintenance and care of scuba diving equipment. Do not use in combination with oxygen

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 99128 | 250ml | | 12.00 |

Repair tape 50cm



Transparent repair tape (PVC), 50cm x 7.5cm

| Order# | Size | Color | SRP EUR |
|--------|--------------|-------------|--------------|
| 99124 | 50cm x 7.5cm | transparent | 12.00 |

Sea Buff precleaner



Special dive mask precleaner or slate cleaner. Removes silicone residue which exists due to the manufacturing process

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 99126 | 37ml | | 12.00 |

Sea Gold highly concentrated anti-fog gel for dive masks



Anti-fog gel for diving masks, even for optical lenses
 Without blister packaging

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 99125 | 37ml | | 14.00 |

Silicone grease in can



GEAR AID silicone grease.
 Content: 7 gram

| Order# | Size | Color | SRP EUR |
|--------|--------|-------|--------------|
| 99127 | 7 gram | | 10.00 |

XSSCUBA Combo Filler



Add this one to your save-a-dive kit
 Easy attachment to standard BC quick-disconnect hose
 One end is a standard tire filler
 The other end is a convenient nozzle for squirting air
 Low pressure only - below 200 psi

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AC975 | | black | 54.00 |

XSSCUBA Wash-Out Hose



Ideal BC cleaning by connecting water-hose directly to the BC inflator

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| TL112 | | black | 46.00 |

Regulator Adjuster



For adjustment of regulators, supports most of the manufacturers.
 - Intermediate pressure of 1st stage
 - Breathing resistance of 2nd stage

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| 51026 | 9/16 inch | chrome | 89.00 |

XSSCUBA No bumb cable tie



Perfect for fitting mouthpieces to 2nd stages
 Extra flat profile for increased level of comfort
 package contains 100pcs

| Order# | Size | Color | SRP EUR |
|--------|---------|-------|---------|
| TL114 | 17,5 cm | black | 32.00 |

GEAR AID Aquasure + FD 250 g Tube



The worldwide industry standard for permanent, maximum strength repairs to wet or dry suits and many other types of water sports products including inflatable's etc. Flexible urethane formula waterproofs, seals and also protects against abrasion.
 Comes in 250g tube

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| | | | |

99104

250g

clear

55.00

GEAR AID Aquasure + FD 28g



The worldwide industry standard for permanent, maximum strength repairs to wet or dry suits and many other types of water sports products including inflatable's etc. Flexible urethane formula waterproofs, seals and also protects against abrasion.

Comes in 28g tube in multilingual clam shell

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99101 | 28g | clear | 16.00 |

GEAR AID B.C.D CLEANER



The more you dive, the more your buoyancy compensator device— or BCD—is exposed to salt, chlorine and organic compounds that can damage it, inside and out.

B.C.D Cleaner makes it quick and easy to clean and condition all types of BCDs. This complete and balanced maintenance system effectively removes salt and chlorine crystals from the inside of the bladder and breaks down salt and chlorine on the outside, too. With its silicone conditioning formula, BC Life extends the life of all BCD parts, from rubber fittings and valves to the shell. It's safe to use on all dive equipment and scuba gear.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 99118 | 250ml | | 13.00 |

GEAR AID Cure Accelerator 30ml



For use with Aquasure(reg), Seamgrip(reg) and Freesole(tm) urethane adhesives. Speeds tack time to 15 minutes and full cure time to less than 2 hours.

Comes in multilingual clam shell
(Before: CotoI)

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99105 | 30ml | clear | 16.00 |

GEAR AID Wet- & Dry Suit Shampoo



You know the smell: wetsuit funk. It's not pretty, but it is preventable—and so is the chlorine and salt damage that shortens the life of your expensive neoprene equipment.

Just use Wetsuit and Drysuit Shampoo on booties, gloves, fishing waders, LYCRA(reg) body wear, and of course, wetsuits and drysuits. Our Wetsuit and Drysuit Shampoo works fast to remove organic residues like algae and bacteria, plus chlorine and salt deposits—so your neoprene equipment smells fresher, stays supple and lasts much longer.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 99122 | 250ml | | 15.00 |

GEAR AID Zipper Stick 2x 4.5 grams



High performance lubricant for water tight and air tight zips. Long lasting protection against rust, corrosion, chlorine and salt in all temperatures. Contains no paraffin or silicone
Comes in multilingual clamshell

| Order# | Size | Color | SRP EUR |
|--------|--------------|-------|---------|
| 99108 | 2x 4.5 grams | | 14.00 |

GEAR AID ZIPPER WAX



Maximum protection for all types of zips.
When zips stick, you can really get in a jam—and forcing the issue usually ends in a zip repair. Lubricating zips is a better way to go, especially when it's as easy as using Zipper Wax from GEAR AID.

Zipper Wax stick zip lubricant is ideal for protecting all kinds of zips from getting stuck. Just glide it along metal zips, plastic zips, wetsuit zips, boat zips and luggage zips. In fact, there aren't many zips that won't benefit from the silicone-free lubricant in Zipper Wax. It works in all water temperatures and the most extreme weather conditions.

A stiff, stuck zip is a useless zip. Keep them sliding like they should with GEAR AID Zipper Wax.

Silicone-free zip lubricant in solid stick form
Prevents zip jamming and costly zip repairs
Works in all water temperatures and conditions

Non-toxic, non-staining formula
Ideal for metal zips, plastic zips, wetsuit zips, boat zips, luggage zips and more
Contains no beeswax or paraffin
Prolongs zip life

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 99117 | 20g | yellow | 12.00 |

McNet Sea Drops



Safe for all glass and plastic lenses—will not harm surrounding silicone or rubber support frames. Designed for maximum dive mask defogging and quick, easy, in-field application. Also excellent for ski goggles, eye glasses, face masks, binoculars and telescopes. Not recommended for swim goggles.
Comes in multilingual clam shell

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99114 | 37ml | clear | 12.00 |

McNett MiraZyme



MiraZymeâ„¢ Odour Eliminator is a powerful blend of natural enzymes and microbes used to remove odours caused by mold, mildew and bacteria. McNett has identified, separated and reproduced a unique blend of 10 naturally occurring and highly adapted enzymes, microbes and other organic ingredients designed to identify and destroy odour. MiraZyme is extremely versatile, quickly and effectively removing odour and organic debris from a wide variety of clothing, footwear, watersports and sports equipment, and more. Residues from MiraZyme are water and carbon dioxide-safe for the environment.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 99119 | 250ml | | 20.00 |

McNett SEAL SAVER 37ml



Protects and conditions dry suit seals, gaskets, O-rings and rubber products. Preserves and maintains latex and neoprene seals while inhibiting oxidation and deterioration. Comes in multilingual Clamshell

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99107 | 37ml | clear | 12.00 |

McNett Zip Care



Zip Care is the ultimate zipper care for plastic, nylon or metal zippers. Unique brush top enables the cleaner to be delivered between the teeth and physically removes harmful dirt, sand, and salt deposits that can jam the zipper. Silicone and Paraffin free formula. Comes in multilingual clam shell

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99115 | 60ml | clear | 12.00 |

Christo Lube MCG111, Jar 1/2 oz., 14,18 g



High quality oxygen lube
Comes in blank 14g jar

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99113 | 14g | white | 38.00 |


Christo Lube MCG111, Syringe 1 oz., 28,35 g



High quality oxygen lube
Comes in 28g syringe

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99112 | 28g | white | 79.00 |

Christo Lube MCG111, Tube 2 oz., 57 g



High quality oxygen lube
Comes in blank 57g tube

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99111 | 57g | white | 119.00 |

GEAR AID Aquasure + FD 2x 7g Tube



The worldwide industry standard for permanent, maximum strength repairs to wet or dry suits and many other types of water sports products including inflatable's etc. Flexible urethane formula waterproofs, seals and also protects against abrasion.

Comes in 2x7g tube in multilingual clam shell

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 99100 | 2x 7g | clear | 16.00 |

GEAR AID BLACK WITCH 28ml - Black Formula



The new Black Witch toluene free formula is suitable for quick, (up to one hour) repairs, of Neoprene rips and tears and especially suitable for Neoprene butt end jointing of seams or edges, where rubber is directly bonded together. Black Witch is also suitable for use on latex wrist and neck seals etc. Note: When quick repairs are not required, or to re-coat high wear abrasion areas such as knee or elbow sections etc, use McNett Aquasure high strength, permanent adhesive.

Comes in multilingual Clamshell

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 99106 | 28ml | black | 13.00 |

Accessories/Hardware - Travel Bags

DIRZONE Computer Bag



Two different logo types available

| Order# | Size | Color | SRP EUR |
|--------|------------|-------|--------------|
| 86120 | big logo | black | 55.00 |
| 86121 | small logo | black | 55.00 |

XSCUBA Weight Bag



A bag designed specifically for diving weights
 Designed to carry up to 60 lbs. of lead
 Fits the largest weight-integrated BC pockets
 Tough, PVC-reinforced bottom
 Easy-access, U-shaped #10 YKK zipper opening
 D-rings to attach BG910 Shoulder Strap

| Order# | Size | Color | SRP EUR |
|--------|--------------------|-------|--------------|
| BG550 | 15cm x 30cm x 15cm | black | 69.00 |

Adapters - Filling

Personal Filter



Additional filter to keep tanks O2-clean

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|---------|
| 99200 | G5/8 200bar | black | 129.00 |

Adapter DIN G5/8 - Argon



G5/8 to W21.8
Can be used to fill a dry suit inflation bottle with argon valve.

| Order# | Size | Color | SRP EUR |
|--------|---------------|--------|---------|
| 99020 | G5/8 to W21.8 | chrome | 28.00 |

Adapter DIN G5/8 - DIN G5/8



G5/8 on both sides, can be used to connect two decanting hoses.

| Order# | Size | Color | SRP EUR |
|--------|--------------|--------|---------|
| 99022 | G5/8 to G5/8 | chrome | 28.00 |

Adapter DIN G5/8 - O2 230bar



G5/8 to 3/4 Oxygen
Enables you to connect regulators or decanting hoses to tanks with 3/4 oxygen valve

| Order# | Size | Color | SRP EUR |
|--------|-------------|--------|---------|
| 99021 | G5/8 to 3/4 | chrome | 28.00 |

Adapter DIN G5/8 - W30x2



G5/8 to W30x2
Can be used to connect decanting hoses to storage tanks.

| Order# | Size | Color | SRP EUR |
|--------|---------------|-------|---------|
| 99000 | G5/8 to W30x2 | Brass | 36.00 |

Adapter G 5/8 232 bar female to G5/8 300 bar male



Enables you to connect a 200bar filling or decanting hose to 300bar valves.

| Order# | Size | Color | SRP EUR |
|--------|-----------------------|--------|---------|
| 99023 | G5/8 232bar to 300bar | chrome | 28.00 |

Adapter M 26 female to G 5/8 male 230 bar



Enables you to connect a Nitrox (M26) regulator or hose to 230bar G5/8 valves.

| Order# | Size | Color | SRP EUR |
|--------|--------------------|--------|---------|
| 99025 | G5/8 to M26 230bar | chrome | 28.00 |

Adapter M26 male to G 5/8 female 232 bar



Enables you to connect a DIN G5/8 regulator or hose to 232bar Nitrox (M26x2) valves.

| Order# | Size | Color | SRP EUR |
|--------|--------------------|--------|---------|
| 99024 | G5/8 to M26 232bar | chrome | 28.00 |

Reduction Valve till 300bar



Reduction valve piece for taking gas samples for analysis.
With adjustable gas flow.

| Order# | Size | Color | SRP EUR |
|--------|-------------|--------|---------|
| 99006 | G5/8 300bar | chrome | 78.00 |

T- Adapter Male G5/8 - 2x Female G5/8



Enables you to connect two second stages to a mono valve.
Ideal when travelling!
Available in 232 and 300bar versions.

| Order# | Size | Color | SRP EUR |
|--------|-------------|-----------------|---------|
| 51027 | G5/8 232bar | Stainless Steel | 55.00 |
| 51028 | G5/8 300bar | Stainless Steel | 59.00 |

The Silencer



The silencer is intended for discharging air from diving tanks. Anyone who has had to discharge old, leftover breathing mix knows what a problem it is to keep the hiss of the released air to a reasonable level even during relatively slow discharge.

The silencer is attached to the tank valve and the old air can then be discharged within a few minutes, even in a closed room or onboard a boat, for example. Thanks to this effective silencing, noise does not exceed a level that would make conversation difficult in close proximity to the tank.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 8016 | G5/8 | chrome | 89.00 |

Adapters - High pressure

XSSCUBA 90 angel adapter HP with swivel



This brass adapter with an 90 degree angel fits between HP hose and 1st stage. The whole adapter is rotating, so it's good for strait hose configuration, eg with rebreathers

No, CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AE0112 | 7/16 inch | chrome | 26.00 |

XSSCUBA High Pressure Port Adapter - 1 to 2 HP Ports



- Add an additional high pressure port to your regulator's first stage
- Additional port allows for 360 degree swivel
- One 7/16-20 male to two 7/16-20 female outlets (common HP port)
- Chromed brass construction
- High pressure use - Maximum 5000 psi / 340 bar
- Factory cleaned - Viton o-rings

No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC906 | 7/16 inch | chrome | 95.00 |

XSSCUBA HP Port Swivel Adapter



HP Port Swivel Adapter for use at the first stage for better hose routing. Cleaned for Nitrox up to EAN40, using Vton O-rings

No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AC907 | | | 48.00 |

HIGHLAND 90 Degree Adapter Mini Gauge



Not included with Mini Tech Gauge
Use to mount a Mini Tech Gauge to HP hose
Right angle (90 degree) with the HP hose
Airspool with Viton o-rings
No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|----------|-----------|--------|---------|
| HL403-90 | 7/16 inch | chrome | 22.00 |

HIGHLAND Adapter for Mini Tech Gauge



Adapter to fit the Mini tech gauge (HL501) to a high pressure hose instead of attaching it directly to a first stage.
No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| hl403 | 7/16 inch | chrome | 22.00 |

XSSCUBA HP Hose QD Adapter



- Add to any pressure gauge, console or air integrated console which uses a standard high pressure hose
- Remove your gauges for safe storage
- Bayonet mount style quick-connect (push and turn)
- Gauge attachment end has 7/16-20 female threads
- Hose attachment end has 7/16-20 male threads
- Airspool with Viton o-rings included
- Brass construction with black chrome finish
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| AC383 | 7/16 inch | black | 99.00 |

Adapters - Low pressure

110° Angle Adapter



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AE0114 | 9/16 inch | chrome | 26.00 |

3/8" connector for 1st stage LP port, rotatable



Connector that directly fits the 1st stage outlet ports.
 This enables you to connect a LP hose in an ideal way that would not be possible without this rotatable adapter!
 Chrome plated brass
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AE0118 | | | 28.00 |

Adapter 90 degree for LP port of 1. stage, with swivel, UNF 3/8, chromed brass

No CE! Export use only!



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AE0117 | | | 28.00 |

High Flow Adapter 110 degree



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Extra high flow!
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| 99030 | 9/16 inch | chrome | 26.00 |

High Flow Adapter 90 degree



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Extra high flow!
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| 99031 | 9/16 inch | chrome | 26.00 |

HIGHLAND Shut off 1st stage



Install between standard 3/8" male regulator hose fitting and first stage low pressure port
 Slide machined Delrin collar to shut off gas flow
 Prevent critical gas loss
 Most commonly used with rebreather systems
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|----------|----------|-------|---------|
| HL404-38 | 3/8 Zoll | black | 46.00 |

Right Angle



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AE0115 | 9/16 inch | chrome | 26.00 |

XSSCUBA 1/2" to 3/8" Adapter



This adapter allows connection of a 3/8" low pressure regulator hose into a 1/2" regulator first stage low pressure port
 Black-chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-ring
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| AC940 | 1/2 to 3/8 inch | black | 18.00 |

XSSCUBA 3/8 Extender



Extend the placement of low pressure port away from first stage
 3/8" Female x 3/8" Male
 16mm height
 Black chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-ring
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| AC970 | 3/8 inch | black | 18.00 |

XSSCUBA Adapter Swivel LP for 1st stage 1 to 3 Ports



-Increase the number of low pressure port on a first stage
 -Takes one low pressure to three low pressure ports
 -The bright chromed part swivels around the black chromed part
 -(1) 3/8-24 male inlet to (3) 3/8-24 female outlets
 -Chromed brass construction
 -Low pressure only - below 200 psi/ 14 bar
 -Factory cleaned - Viton o-rings
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|----------|--------|---------|
| AC913 | 3/8 inch | chrome | 48.00 |

XSSCUBA Male 1/4 NPT Adapter



Attach one end to a first stage low pressure port
 The other end allows the attachment of a industrial style hose with 1/4 NPT female threads
 3/8-24 male to 1/4 male NPT
 Brass construction with black chrome finish
 Low pressure only - below 200 psi
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------------|--------|---------|
| AC916 | 3/8 to 1/4 inch | chrome | 18.00 |

0-360 Angle Adapter



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction.
 Usable up to 40% oxygen.
 No CE! Export use only!
 Choose the perfect angle between 0 degree and 350 degree by simply twisting the adapter!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AE0280 | 9/16 inch | chrome | 54.00 |

HIGHLAND Deluxe Inline Shut-Off



Red colored visual indicator of closed position
 Green colored visual indicator of open position
 Install between standard regulator hose and second stage
 9/16-18 UNF male inlet to 9/16-18 UNF female outlet threads
 Slide machined Delrin collar to shut off gas flow
 Prevent critical gas loss
 Commonly used with deco rigs, stage bottles & drysuit inflation
 Low pressure use only - below 200 psi
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|-----------|-----------|-------|---------|
| HL404-DLX | 9/16 inch | black | 59.00 |

HIGHLAND Shut off 2nd stage



Can be installed on any 2nd stage and allows instant stoppage of airflow through hose
 Provides complete protection from an octopus free flow while diving
 Ideal for decompression bottles or stage bottles where preventing gas loss is critical
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| HL404 | 9/16 inch | black | 46.00 |

XSSCUBA 110 Adapter



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-rings
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC911 | 9/16 inch | chrome | 47.00 |

XSSCUBA 2nd Stage Hose QD - Male Only



- Male quick-disconnect only of AC990
- Allows attachment of multiple second stages to a single hose
- Chromed brass construction
- Low pressure only - below 200 psi
- Factory cleaned - Viton o-ring

No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| AC991 | 9/16 inch | black | 29.00 |

XSSCUBA 2nd Stage Quick Disconnect



Add a quick-disconnect to almost any regulator
 Installs between low pressure regulator hose and second stage
 Lock-down screw to prevent accidental disconnection
 Maximum 200 psi
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC990 | 9/16 inch | chrome | 69.00 |

XSSCUBA 90 Right Angle



Make any primary regulator more comfortable while diving
 Routes the hose under the right arm instead of over the shoulder
 Often used on octopus to improve hose routing
 Installs between the second stage and the regulator hose
 Chromed brass construction
 Low pressure use only - below 200 psi
 Factory cleaned - Viton o-rings
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC910 | 9/16 inch | chrome | 47.00 |

XSSCUBA Poseidon Hose Adapter



Convert any standard regulator hose to fit a Poseidon second stage
 Installs between low pressure regulator hose and second stage
 Maximum 200 psi
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC980 | 9/16 inch | chrome | 59.00 |

XSSCUBA Stainless 2nd Stage Quick Disconnect



-Add a quick-disconnect to most any regulator or full face mask
 -Installs between low pressure regulator hose and second stage
 -Click & Lock to prevent accidental disconnection
 -Stainless Steel construction
 No CE! Export use only!
 -Low pressure use only - below 200 psi
 -Factory cleaned - Viton o-ring

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|---------|
| AC992 | 9/16 inch | Stainless Steel | 149.00 |

XSSCUBA Stainless 2nd Stage Quick Disconnect with Swivel - Male part only



- This is the male quick-disconnect of the AC993
 - Add the rotating swivel feature to AC990 or AC992
 - All stainless steel construction
 - Low pressure use only - below 200 psi
 - Factory cleaned - Viton o-ring
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|-----------------|---------|
| AC994 | 9/16 inch | Stainless Steel | 49.00 |

XSSCUBA Swivel Adapter



- Increase comfort and reduce jaw fatigue
 - Rotating swivel action
 - Installs to the second stage end of a regulator hose
 - Chromed brass construction
 - Low pressure use only - below 200 psi
 - Factory cleaned - Viton o-rings
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC912 | 9/16 inch | chrome | 69.00 |

XSSCUBA "Oceanic Style" QD Adapter



- Convert any standard regulator hose to a "Oceanic Style" QD hose
 - Installs to the second stage end of a regulator hose
 - Chromed brass construction
 - Low pressure use only - below 200 psi
 - Factory cleaned - Viton o-rings
- Compatible with:
 Oceanic Air XS, Aeris Air Link, Zeagle Octo Plus, Beuchat Venturi
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC920 | 9/16 inch | chrome | 39.00 |

XSSCUBA "ScubaPro Style" QD Adapter



- Convert any standard regulator hose
 - Installs to the second stage end of a regulator hose
 - Chromed brass construction
 - Factory cleaned - Viton o-rings
- Compatible with:
- Tusa Duo Air
 - ScubaPro Air 2
 - Atomic SS1
 - Sherwood Gemini
 - Zeagle Octo-Z
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC930 | 9/16 inch | chrome | 39.00 |

XSSCUBA "SeaQuest Style" QD Adapter



-Convert any standard regulator hose to a "SeaQuest Style" QD hose
 -Installs to the second stage end of a regulator hose
 -Chromed brass construction
 -Low pressure use only - below 200 psi
 -Factory cleaned - Viton o-rings
 Compatible with:
 SeaQuest Air Source, US Divers Air Mic
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|---------|
| AC925 | 9/16 inch | chrome | 39.00 |

XSSCUBA 3/8 to QD Nipple



Adapter so connect a standard Regulator-Hose to a QD/Inflator-Hose
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| AC382 | 3/8 inch | black | 14.00 |

XSSCUBA MP to inflation hose adapter



Simple attachment without pulling back the collar. Just push!
 Easy disconnect with or without gloves using the easy-grip wide collar
 Oxygen cleaned with Viton o-rings and individually packaged
 Upgrade your rental BC's. Your students will love you for it!
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| AC900 | 9/16 inch | black | 38.00 |

XSSCUBA Female 1/4" NPT Adapter



Attach one end to the first stage end of a low pressure hose
 The other end allows the attachment of a "industrial style" hose
 with 1/4" NPT female threads
 3/8-24 female to 1/4" male NPT
 Brass construction with black chrome finish
 Low pressure only - below 200 psi
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------------|--------|---------|
| AC917 | 3/8 to 1/4 inch | chrome | 14.00 |

XSSCUBA Adapter 3/8-24 to 1/4"



Change the first stage end of a regulator hose to 1/4" NPT Male threads
 3/8-24 female to 1/4" Male NPT
 Stainless steel construction
 Low pressure only - below 200 psi
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-----------------|---------|
| AC915 | 3/8 to 1/4 inch | Stainless Steel | 36.00 |

XSSCUBA Adapter LP Male 3/8 to Male 9/16



- Convert standard low pressure regulator hose so that both ends are male threads
- Adapter changes second stage end of regulator hose to be the same as male end
- Change 9/16 - 18 female to 3/8 - 24 male
- Low pressure use only - below 200 psi
- Factory cleaned - Viton o-ring
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| AC919 | 3/8 to 9/16 inch | black | 20.00 |

XSSCUBA LP Hose Splitter



- Attach to the second stage end of one low pressure regulator hose
- Allows the attachment of two low pressure regulator hoses (first stage ends)
- One 9/16-18 male inlet to two 3/8-24 female outlets
- Chromed brass construction
- Low pressure only - below 200 psi
- NO CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|-------------------|--------|---------|
| AC918 | 9/16 auf 3/8 Zoll | chrome | 26.00 |

XSSCUBA Reg to Reg Adapter



- Connect two regulators together to make one longer hose
- 3/8" Female x 9/16" Male
- Low profile 11.5 mm Height
- Black chromed brass construction
- Low pressure use only - below 200 psi
- Factory cleaned - Viton o-ring
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------------------|-------|---------|
| AC960 | 3/8 to 9/16 inch | black | 19.00 |

XSSCUBA SS Adapter 9/16-18 Male to 1/4 Male NPT



- Change the second stage end of a regulator hose to 1/4 NPT male threads
- 9/16-18 male to 1/4 male NPT
- Stainless steel construction
- Low pressure only - below 200 psi
- Factory cleaned - Viton o-ring
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------------------|-----------------|---------|
| AC905 | 9/16 to 1/4 inch | Stainless Steel | 39.00 |

CutHero - CutHero

CutHero Ceramic Blade Cutter

DIR
ZONE



Most likely the sharpest and most durable safety cutter on the market. Featuring a ceramic blade it cuts almost anything that gets in its way:

Designed for Scuba Diving, Climbing, Sailing and Sky Diving but useful way beyond. Its ceramic blade is so sharp, it even cuts Kevlar and strong webbing. Out of 6 colors: choose yours - and fit it to your harness!

iframe width=300 height=225 src=https://www.youtube.com/embed/iuoeNxCy314 frameborder=0 allowfullscreen/iframe

| Order# | Size | Color | SRP EUR |
|--------|-----------------------------|--------------|--------------|
| CH01 | BLACK w. Harness Pouch | black | 36.00 |
| CH02 | PHOSPORECENT w. Harness Poi | phluorescent | 36.00 |
| CH03 | YELLOW w. Harness Pouch | yellow | 36.00 |
| CH04 | ORANGE w. Harness Pouch | orange | 36.00 |
| CH05 | BLUE w. Harness Pouch | blue | 36.00 |
| CH06 | PINK w. Harness Pouch | pink | 36.00 |
| CH50 | CutHero Ceramic Spare Blade | white | 11.90 |

Instruments - Compasses

Compass with Bungeemount



Compass comes ready to dive in bungeemount. Great readability and flat design.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 50015 | | black | 69.00 |

Compass 30 TEC Casing



new high quality liquid-filled Diving Compass.

The main features:

- Exceptional tilt allows the compass to be held at an angle of up to 30 degree and still respond quickly and accurately
- High strength magnets for fast, positive action
- Filled with liquid silicone
- Firm-grip ratcheting bezel
- Easy to read lubber line
- Top or side reading
- Bold numbers for ease of reading
- Luminescent floating card
- Manufactured in Europe

| Order# | Size | Color | SRP EUR |
|--------|------|-------------|---------|
| 50017 | | black/clear | 69.00 |

Compass TEC 30 with Bungeemount - Assembled



new high quality liquid-filled Diving Compass.

The main features:

- Exceptional tilt allows the compass to be held at an angle of up to 30 degree and still respond quickly and accurately
- High strength magnets for fast, positive action
- Filled with liquid silicone
- Firm-grip ratcheting bezel
- Easy to read lubber line
- Top or side reading
- Bold numbers for ease of reading
- Luminescent floating card
- Manufactured in Europe

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 50016 | | black | 82.00 |

Compass TEC GREY Ring with Bungeemount - Assembled



new high quality liquid-filled Diving Compass.

The main features:

- Exceptional tilt allows the compass to be held at an angle of up to 30° and still respond quickly and accurately
- High strength magnets for fast, positive action
- Filled with liquid silicone
- Firm-grip ratcheting bezel
- Easy to read lubber line
- Top or side reading
- Bold numbers for ease of reading
- Luminescent floating card
- Manufactured in Europe

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 50019 | | grey | 82.00 |

Instruments - Others

SCUBAPRO Bottom Timer 300 m NEW MODEL



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 51005 | | black | 259.00 |

SCUBAPRO Bottom Timer 300 m NEW MODEL Casing Only



| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 51004 | | black | 249.00 |

DIRZONE Wetnotes



Indispensable for every diver, waterman or tourist. Waterproof notebook made from plastic foil designed for writing under the water. Cover is sewn from Cordura. It has pockets for pencils and compass and also an eye for hooking a double end snap.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 57000 | | black | 30.00 |

DIRZONE Wetnotes with Plastic



Indispensable for every diver, waterman or tourist. Waterproof notebook made from plastic foil designed for writing under the water. Cover is sewn from Cordura. It has pockets for pencils and compass and also an eye for hooking a double end snap. This version includes a transparent plastic cover on the inner frontpage to hold maps, diving-tables etc.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 57003 | | black | 28.00 |

Elastic Ready Mount for Suunto SK7 Compass



Elastic Ready Mount for Suunto SK7 Compass
 w. Bungee 4 mm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 51007 | | black | 29.00 |

Elastic Ready Mount for Suunto Vyper



Elastic Ready Mount for Suunto Vyper
 w. Bungee 4 mm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 51008 | | black | 29.00 |

Elastic Ready Mount for UWATEC Digital Bottom Timer



Elastic Ready Mount for UWATEC Digital Bottom Timer
 w. Bungee 4 mm

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 51006 | | black | 29.00 |

DIRZONE Wetnotes - Inner Notes



Inner Notes for DIRZONE Wetnotes
 45 sheets white synthetic paper

| Order# | Size | Color | SRP EUR |
|--------|---------------|-------|---------|
| 57002 | 17,5cm x 10cm | white | 18.00 |

XSSCUBA Folding Wrist Slate



- â€¢ Designed to fit the curve of a forearm
- â€¢ Three separate writing surfaces with two fold up leafs
- â€¢ Carbon stick pencil
- â€¢ Dimensions 4.25 wide x 4.0 tall
- â€¢ Two methods for attachment included:
 Velcro strap and bungee cords

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|--------------|
| AC456 | 10cm x 11cm | white | 32.00 |

Instruments - SPGs

DIRZONE SPG 52mm 240bar chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
Synoptic dial scale upto 300 bar.
Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 50000 | 52mm | chrome | 79.00 |

DIRZONE SPG 52mm 320bar chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
Synoptic dial scale upto 400 bar.
Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 50001 | 52mm | chrome | 79.00 |

DIRZONE SPG 63mm 240bar chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
Synoptic dial scale upto 300 bar.
Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 50002 | 63mm | chrome | 79.00 |

DIR ZONE SPG 52mm 240bar black-chromed



High-quality brass pressure gauge, suitable especially for main tanks and stages.
Body: black chromed
Stainless steel ring: PVD treatment
PVD is 300 times harder than chrome
The chromed body is much more durable than nickel treatment
Synoptic dial scale up to 300 bar, white dial.
Comes with swivel and with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|---------|
| 50028 | 52mm | black-chromed | 109.00 |

DIR ZONE SPG 52mm 240bar black-chromed



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Body: black chromed
 Stainless steel ring: PVD treatment
 PVD is 300 times harder than chrome
 The chromed body is much more durable than nickel treatment
 Synoptic dial scale up to 300 bar, black dial.
 Comes with swivel and with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------|---------------|
| 50029 | 52mm | schwarz | 109.00 |

DIR ZONE SPG 52mm 288bar black-chromed



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Body: black chromed
 Stainless steel ring: PVD treatment
 PVD is 300 times harder than chrome
 The chromed body is much more durable than nickel treatment
 Synoptic dial scale up to 360 bar, black dial.
 Comes with swivel and with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 50030 | 52mm | black | 109.00 |

SPG 52mm 240bar



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 300 bar.
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50007 | 52mm | nickel-plated | 69.00 |

SPG 52mm 240bar BLACK



High-quality brass pressure gauge, suitable especially for main tanks.
 BLACK synoptic dial scale up to 360 bar.
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------------|--------------|
| 50013 | 52mm | nickel-plated/black | 63.00 |

SPG 52mm 288bar



High-quality brass pressure gauge, suitable especially for main tanks.
 Synoptic dial scale up to 360 bar.
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50006 | 52mm | nickel-plated | 69.00 |

SPG 52mm 288bar BLACK CHROME



High-quality brass pressure gauge, suitable especially for main tanks.
 BLACK synoptic dial scale up to 360 bar.
 Comes with swivel with viton o-rings.
 Chrome plated housing.

| Order# | Size | Color | SRP EUR |
|--------|------|--------------|--------------|
| 50014 | 52mm | chrome/black | 89.00 |

SPG 63mm 240bar



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 300 bar.
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50009 | 63mm | nickel-plated | 72.00 |

Swivel oxygene for slim gauge



Highend swivel with viton O-rings to connect SPGs to HP hoses.
 Fits for DIR ZONE 50012 slim gauge

| Order# | Size | Color | SRP EUR |
|--------|-----------|--------|-------------|
| 50100S | for 50012 | chrome | 7.00 |

Thin-Line SPG 240bar



Compact and thin, high-quality pressure gauge
 Nickel-plated brass housing
 Durable, Lexan lens
 Ready to mount directly to high pressure hose
 Airspool included with Viton o-rings
 Luminescent gauge face
 Synoptic dial scale up to 300 bar
 Bright, white face - easy to read
 HP hose is not included
 Manufactured in Italy

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50012 | 45mm | nickel-plated | 58.00 |

Finimeter 52mm 288bar Oxygen



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 360 bar.
 Suitable and marked for oxygen use.
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50005 | 52mm | nickel-plated | 69.00 |

Finimeter 52mm 288bar Oxygen chrome



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale upto 360 bar.
 Suitable and marked for oxygen use.
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|--------------|
| 50004 | 52mm | chrome | 79.00 |

SPG 52mm 288bar SNAP



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 360 bar.
 With attachment point for different moutings, ideal combination with #HL911
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50020 | 52mm | nickel-plated | 76.00 |

SPG 52mm 288bar SNAP complete



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 360 bar.
 With attachment point for different mountings, comes with Shackle Bolt Snap
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50021 | 52mm | nickel-plated | 95.00 |

SPG 63mm 360bar Oxygen



High-quality brass pressure gauge, suitable especially for main tanks and stages.
 Synoptic dial scale up to 450 bar.
 Suitable and marked for oxygen use.
 Comes with swivel with viton o-rings.

| Order# | Size | Color | SRP EUR |
|--------|------|---------------|--------------|
| 50010 | 63mm | nickel-plated | 72.00 |

HIGHLAND Mini Tech SPG



Bright, white face - easy to read
 Ready to mount directly to a HP port of first stage
 Ready to mount directly to a HP hose
 Inline adapter and airspool included
 Airspool with Viton o-rings
 Viton gauge o-ring
 Luminescent gauge face
 Wide 210° degree sweep
 Attractive clamshell packaging

| Order# | Size | Color | SRP EUR |
|----------|-------------|---------------|--------------|
| Z-HL501M | w/o Adapter | nickel-plated | 69.00 |
| HL501M | 25mm | nickel-plated | 89.00 |

SPG Cover 45mm black



Protective cover that fits any small (45mm) SPG.
 Commonly used among rebreather divers, black is used for the SPG connected to diluent.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|-------------|
| 50112 | 45mm | black | 9.00 |

SPG Cover 45mm green



Protective cover that fits any small (45mm) SPG. Commonly used among rebreather divers, green is used for the SPG connected to oxygen.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 50113 | 45mm | green | 9.00 |

SPG Cover 52 mm Black



Protective cover that fits any regular (52mm) SPG. Commonly used among rebreather divers, black is used for the SPG connected to diluent.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 50110 | 52mm | black | 9.00 |

SPG Cover 52 mm Green



Protective cover that fits any regular (52mm) SPG. Commonly used among rebreather divers, green is used for the SPG connected to oxygen.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 50119 | 52mm | green | 9.00 |

SPG Cover 63 mm Black



Protective cover that fits any large (63mm) SPG.
Avoids scratches and dents on SPGs.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 50111 | 63mm | black | 9.00 |

HP Gauge 300 bar G5/8



Check your tanks before assembly!
Scale up to 400 bar, G5/8 threads fit 230bar und 300bar valves. Pressure relief valve.
Gauge can be used for Nitrox, Oxygen use up to 60%.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 51024 | G 5/8 | black | 78.00 |

Oxygen Swivel



Highend swivel with viton O-rings to connect SPGs to HP hoses.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 50100 | | chrome | 5.00 |

Lightning - Accessories/Parts

Agro Sealing Gland M16x1,5



Nickle Plated Brass
 Seals: NBR
 O-Ring: NBR (change to fit your needs)
 Anti-Wrink Nozzle: EPDM
 Temp Range: -20 Degrees Celsius to 100 Degrees Celsius
 Thread: M16x1.5 mm
 Clamping Range: 6 to 8.8 mm
 Wrench Size: 20 mm
 Thread Length: 6mm

| Order# | Size | Color | SRP EUR |
|--------|---------|-------------|---------|
| 23020 | M16x1,5 | black/metal | 22.00 |

Nielsen Hook for Cannisters SS



Spare part, fits many canisters.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65125 | | Stainless Steel | 1.00 |

Nielsen Secure Latch for Cannisters SS



Spare part, fits many canisters.
 Secure latch, prevents accidental opening.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65121 | | Stainless Steel | 11.00 |

Switch Boot for Explorer Light



Spare switch boot, fits explorer lights and many others.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| | | | |

Switch for Explorer Light



Spare switch for use with explorer and other lights.

| Order# | Size | Color | SRP EUR |
|--------|------|-------------|---------|
| 23011 | | black/metal | 29.00 |

Switch Protector for Cannister



Switch protector for explorer lights. Also great for DIY tanks.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|-------------|
| 23013 | | black | 6.00 |

Test Tubes and Spares



Testtube for HID lights.
 Diameter: 25mm
 Length: 65mm

| Order# | Size | Color | SRP EUR |
|--------|-------------------------------|-------|--------------|
| 23010 | Testtube 25x65mm | clear | 14.00 |
| 24500 | O-Ring Testtube | black | 0.80 |
| 24501 | Bumper O-Ring Testtube | black | 0.80 |
| 24502 | O-Ring 4,5Ah Tank | black | 1.00 |
| 24504 | O-Ring 13Ah Tank | black | 2.00 |
| 96120 | O-Ring 247.02 x 5.33 f Gavins | black | 28.00 |

Lightning - E/O Cords

WAM E/O Blind Plug

Blind Plug for E/O cords



| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| 23035 | one size | black | 39.00 |
| 23036 | one size | red | 39.00 |

WAM E/O Cord Adapter from M16x1.5 to M12x1.5



Reduction brass
 Outer thread metric
 Inner thread metric
 including O-ring
 Thread outside M16x1.5
 Thread inside M12x1.5
 Wrench width 18mm
 H 3mm
 L 5mm

| Order# | Size | Color | SRP EUR |
|--------|--------------------|--------------|---------|
| 23027 | M16x1.5 to M12x1.5 | nickelplated | 4.00 |

WAM E/O Cord Extension

Extension for use with E/O-cords, available in various length



| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 23038 | 70cm | black | 129.00 |
| 23039 | 100cm | black | 139.00 |

WAM Sealing Gland w. protection spring



One-piece sealing insert
 Continuous insulation
 Thread M12x1.5
 Minimum clamping area 5.0 mm
 Maximum clamping area 6.5 mm
 Wrench width 15 mm
 H 57mm
 L 5mm

| Order# | Size | Color | SRP EUR |
|--------|---------|--------------|---------|
| 23030 | M12x1.5 | nickelplated | 28.00 |

WAM-cord



The new WAM-cords are available with black (standard) and red (e.g. for heating) plus with the following specs:

- 100% compatible to e/o, THOR and SANTI...
- 1,5mm² wire cross-section (permanent 18A @ 30 degreeC)
- 6mm outer diameter
- Coax-cable
- cable unbreakable (with guarantee)
- perfect kink protection
- extreme cut resistant material (PUR)
- double shell (outer black, inner orange)
- seawater-resistant contacts
- single hole dimple
- cable glands and adapters available

Length: 120cm

[Click for manual \(German\)](#)

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 23025 | 120cm | black | 69.00 |
| 23026 | 120cm | red | 69.00 |

Merchandising - DIR ZONE

DIR ZONE Shirt



Be part of the DIR ZONE family - wear the DIR ZONE shirt
 100% Cotton

| Order# | Size | Color | SRP EUR |
|--------|---------|-------|--------------|
| | | | 0.00 |
| | | | 0.00 |
| 98020 | Lady-SM | black | 24.00 |
| 98021 | Lady-MD | black | 24.00 |
| 98022 | Lady-LG | black | 24.00 |
| 98025 | Men-S | black | 24.00 |
| 98026 | Men-MD | black | 24.00 |
| 98027 | Men-LG | black | 24.00 |

MIFLEX Hoses - High Pressure

MIFLEX Carbon HD braided



Reference standard: EN 250

Upon request from divers that still prefer a stiffer and a more robust hose than our Xtreme-hi but more flexible than the traditional rubber ones, Miflex developed a new high performance HP hose.

Aimed for the Dive Centres, who use hoses every day with different divers and different configurations, and for divers who perform expeditions where the contact with rocks and wrecks is more frequent, Miflex offers the new Carbon HD high pressure gauge hose, with a larger diameter, electroless nickel plated fittings and viton o-ring.

Miflex Carbon HD high pressure hoses are approved according to EN250 standard.

Standard fittings: M 7/16" € Ä UNF, F 7/16" € Ä

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|--------------|
| 62016 | 15cm | carbon | 46.00 |
| 62017 | 20cm | carbon | 47.00 |
| 62018 | 56cm | carbon | 50.00 |
| 62019 | 60cm | carbon | 52.00 |
| 62020 | 65cm | carbon | 52.00 |
| 62021 | 75cm | carbon | 56.00 |
| 62022 | 80cm | carbon | 56.00 |
| 62023 | 90cm | carbon | 57.00 |
| 62024 | 100cm | carbon | 58.00 |
| 62025 | 110cm | carbon | 62.00 |
| 62026 | 120cm | carbon | 65.00 |

Rubber HP Hose



Classic rubber high pressure hose, available in different lengths.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 62300 | 15cm | black | 35.00 |
| 62306 | 20cm | black | 37.00 |
| 62301 | 56cm | black | 46.00 |
| 62302 | 62cm | black | 48.00 |
| 62303 | 80cm | black | 54.00 |

MIFLEX Hoses - Inflator**MIFLEX XT-Tech Inflation Hose 3/8"**

The new XT series Miflex hoses impress with new characteristics and are produced especially for technical diving.

- lightweight
- smooth outer layer
- Kevlar reinforcement
- Not positively bouyant
- well-known Miflex quality

| Order# | Size | Color | SRP EUR |
|--------|------|------------------------|---------|
| 62155 | 56cm | black with yellow line | 46.00 |
| 62157 | 65cm | black with yellow line | 51.00 |
| 62159 | 75cm | black with yellow line | 58.00 |
| 62160 | 90cm | black with yellow line | 66.00 |

MIFLEX O-Ring for Inflator

10 pcs 7,65x1,78

For use with MIFLEX and many other jacket hoses.

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 400154 | 7,65mm x 1,78mm | black | 2.50 |

MIFLEX Xtreme braided BLACK Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 61021 | 15cm | black | 31.00 |
| 61006 | 20cm | black | 32.00 |
| 61007 | 25cm | black | 33.00 |
| 61031 | 30cm | black | 35.00 |
| 61005 | 35cm | black | 35.00 |
| 61004 | 40cm | black | 36.00 |
| 61020 | 45cm | black | 37.00 |
| 61008 | 51cm | black | 38.00 |
| 61010 | 55cm | black | 39.00 |
| 61018 | 61cm | black | 42.00 |
| 61012 | 65cm | black | 44.00 |
| 61013 | 75cm | black | 45.00 |
| 61015 | 90cm | black | 48.00 |
| 61022 | 100cm | black | 50.00 |

MIFLEX Xtreme braided BLUE Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 61009 | 51cm | blue | 38.00 |
| 61011 | 55cm | blue | 39.00 |
| 61019 | 61cm | blue | 42.00 |
| 61016 | 65cm | blue | 44.00 |
| 61014 | 75cm | blue | 45.00 |
| 61017 | 90cm | blue | 48.00 |

MIFLEX Xtreme braided CARBON Jacket hose



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|--------------|
| 61035 | 51cm | carbon | 38.00 |
| 61036 | 55cm | carbon | 39.00 |
| 61037 | 61cm | carbon | 42.00 |
| 61038 | 65cm | carbon | 44.00 |
| 61039 | 75cm | carbon | 45.00 |
| 61040 | 90cm | carbon | 48.00 |

MIFLEX Xtreme braided GREEN Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 61071 | 51cm | green | 38.00 |
| 61072 | 55cm | green | 39.00 |
| 61073 | 61cm | green | 42.00 |
| 61074 | 65cm | green | 44.00 |
| 61075 | 75cm | green | 45.00 |
| 61076 | 90cm | green | 48.00 |

MIFLEX Xtreme braided ORANGE Fluo Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|--------------|
| 61090 | 51cm | orange | 38.00 |
| 61091 | 55cm | orange | 39.00 |
| 61092 | 61cm | orange | 42.00 |
| 61093 | 65cm | orange | 44.00 |
| 61094 | 75cm | orange | 45.00 |
| 61095 | 90cm | orange | 48.00 |

MIFLEX Xtreme braided PINK Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 61061 | 51cm | pink | 38.00 |
| 61062 | 55cm | pink | 39.00 |
| 61063 | 61cm | pink | 42.00 |
| 61064 | 65cm | pink | 44.00 |
| 61065 | 75cm | pink | 45.00 |
| 61066 | 90cm | pink | 48.00 |

MIFLEX Xtreme braided RED Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 61025 | 51cm | red | 38.00 |
| 61026 | 55cm | red | 39.00 |
| 61030 | 61cm | red | 42.00 |
| 61027 | 65cm | red | 44.00 |
| 61028 | 75cm | red | 45.00 |
| 61029 | 90cm | red | 48.00 |

MIFLEX Xtreme braided WHITE Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 61055 | 51cm | white | 38.00 |
| 61056 | 55cm | white | 39.00 |
| 61057 | 61cm | white | 42.00 |
| 61058 | 65cm | white | 44.00 |
| 61059 | 75cm | white | 45.00 |
| 61060 | 90cm | white | 48.00 |

MIFLEX Xtreme braided YELLOW Jacket hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|------|-------------|--------------|
| 61045 | 51cm | yellow fluo | 38.00 |
| 61046 | 55cm | yellow fluo | 39.00 |
| 61047 | 61cm | yellow fluo | 42.00 |
| 61048 | 65cm | yellow fluo | 44.00 |
| 61049 | 75cm | yellow fluo | 45.00 |
| 61050 | 90cm | yellow fluo | 48.00 |

Rubber Inflator Hose



Classic rubber inflator hose 1/2 inch.
 Available in different lengths.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 61000 | 56cm | black | 29.00 |
| 61001 | 65cm | black | 29.00 |
| 61002 | 74cm | black | 30.00 |
| 61003 | 90cm | black | 33.00 |

Schrader Valve for MFX Inflator Hose



Spare valve for MIFLEX and other inflator hoses.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|-------------|
| 990001 | | chrome | 3.00 |

MIFLEX Hoses - Medium Pressure

MIFLEX XT-Tech LP regulator hoses 3/8"



The new XT series Miflex hoses impress with new characteristics and are produced especially for technical diving.

- lightweight
- smooth outer layer
- Kevlar reinforcement
- Not positively bouyant
- well-known Miflex quality

| Order# | Size | Color | SRP EUR |
|--------|-------|------------------------|------------------|
| 62110 | 56cm | black with yellow line | 37.00 |
| 62111 | 62cm | black with yellow line | 39.00 |
| 62113 | 75cm | black with yellow line | 41.00 |
| 62114 | 80cm | black with yellow line | 43.00 |
| 62115 | 90cm | black with yellow line | 44.00 |
| 62116 | 100cm | black with yellow line | 45.00 |
| 62118 | 120cm | black with yellow line | 49.00 |
| 62119 | 150cm | black with yellow line | 57.00 |
| 62121 | 210cm | black with yellow line | 66.00 |

MIFLEX LP green



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Available lengths:

M 3/8" UNF - F 9/16"

55cm, 62cm, 75cm, 80cm, 100cm, 120cm, 150cm, 210cm

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 62030 | 55cm | green | 32.00 |
| 62031 | 62cm | green | 33.00 |
| 62032 | 75cm | green | 35.00 |
| 62033 | 80cm | green | 36.00 |
| 62034 | 100cm | green | 37.00 |
| 62035 | 120cm | green | 42.00 |
| 62036 | 150cm | green | 49.00 |
| 62037 | 210cm | green | 57.00 |

MIFLEX Xtreme braided BLACK Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| 60190 | 10cm | black | 28.00 |
| 60191 | 15cm | black | 29.00 |
| 60196 | 20cm | black | 29.00 |
| 60197 | 25cm | black | 30.00 |
| 60192 | 30cm | black | 30.00 |
| 60199 | 35cm | black | 30.00 |
| 60193 | 40cm | black | 30.00 |
| 60194 | 45cm | black | 31.00 |
| 60195 | 50cm | black | 32.00 |
| 60107 | 55cm | black | 32.00 |
| 60104 | 60cm 1/2 | black | 35.00 |
| 60108 | 62cm | black | 33.00 |
| 60101 | 70cm | black | 35.00 |
| 60114 | 75cm | black | 35.00 |
| 60112 | 80cm | black | 36.00 |
| 60150 | 80cm 1/2 | black | 39.00 |
| 60116 | 90cm | black | 36.00 |
| 60105 | 100cm 1/2 | black | 42.00 |
| 60109 | 100cm | black | 37.00 |
| 60198 | 110cm | black | 41.00 |
| 60113 | 120cm | black | 42.00 |
| 60110 | 150cm | black | 49.00 |
| 60151 | 150cm 1/2 | black | 52.00 |
| 60115 | 180cm | black | 54.00 |
| 60106 | 210cm 1/2 | black | 62.00 |
| 60111 | 210cm | black | 57.00 |

MIFLEX Xtreme braided BLUE Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

You can download the instruction manual [here](#).

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 60126 | 30cm | blue | 30.00 |
| 60117 | 55cm | blue | 32.00 |
| 60118 | 62cm | blue | 33.00 |
| 60124 | 75cm | blue | 35.00 |
| 60122 | 80cm | blue | 36.00 |
| 60119 | 100cm | blue | 37.00 |
| 60123 | 120cm | blue | 42.00 |
| 60120 | 150cm | blue | 49.00 |
| 60121 | 210cm | blue | 57.00 |

MIFLEX Xtreme braided CARBON Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|--------------|
| 60138 | 55cm | carbon | 32.00 |
| 60139 | 62cm | carbon | 33.00 |
| 60145 | 75cm | carbon | 35.00 |
| 60140 | 80cm | carbon | 36.00 |
| 60141 | 100cm | carbon | 37.00 |
| 60142 | 120cm | carbon | 42.00 |
| 60143 | 150cm | carbon | 49.00 |
| 60144 | 210cm | carbon | 57.00 |

MIFLEX Xtreme braided ORANGE Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

You can download the instruction manual [here](#).

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|--------------|
| 61100 | 55cm | orange | 32.00 |
| 61101 | 62cm | orange | 33.00 |
| 61102 | 75cm | orange | 35.00 |
| 61103 | 80cm | orange | 36.00 |
| 61104 | 100cm | orange | 37.00 |
| 61105 | 120cm | orange | 42.00 |
| 61106 | 150cm | orange | 49.00 |
| 61107 | 210cm | orange | 57.00 |

MIFLEX Xtreme braided PINK Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 60188 | 55cm | pink | 32.00 |
| 60189 | 62cm | pink | 33.00 |
| 60290 | 75cm | pink | 35.00 |
| 60291 | 80cm | pink | 36.00 |
| 60292 | 100cm | pink | 37.00 |
| 60293 | 120cm | pink | 42.00 |
| 60294 | 150cm | pink | 49.00 |
| 60295 | 210cm | pink | 57.00 |

MIFLEX Xtreme braided RED Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 60178 | 55cm | red | 32.00 |
| 60179 | 62cm | red | 33.00 |
| 60180 | 75cm | red | 35.00 |
| 60181 | 80cm | red | 36.00 |
| 60182 | 100cm | red | 37.00 |
| 60183 | 120cm | red | 42.00 |
| 60184 | 150cm | red | 49.00 |
| 60185 | 210cm | red | 57.00 |

MIFLEX Xtreme braided WHITE Regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure "more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|--------------|
| 60158 | 55cm | white | 32.00 |
| 60159 | 62cm | white | 33.00 |
| 60156 | 75cm | white | 35.00 |
| 60160 | 80cm | white | 36.00 |
| 60161 | 100cm | white | 37.00 |
| 60162 | 120cm | white | 42.00 |
| 60163 | 150cm | white | 49.00 |
| 60164 | 210cm | white | 57.00 |

MIFLEX Xtreme braided YELLOW regulator hoses



The Xtreme high performance range of diving hoses has been developed in cooperation with expert divers for a superior in depth performance.

A team of Miflex 2 engineers analysed the low point of traditional low pressure diving hoses.

The fruit of their research is the Xtreme high performance range.

Xtreme hoses feature an external nylon safety braiding designed to resist the snags and abrasions that divers often encounter. The patent-pending Xtreme double braiding also resists UV rays out of the water, thus extending the life span of the hoses.

Unlike the traditional hoses, the Xtreme nylon safety braiding is not simply pushed over the hose fittings. Instead the braiding is tightly bound and fixed to the hose core by stainless steel or brass sleeves. The result? Performance and durability in extreme situations. Tie the Xtreme hose in a tight knot and the flow of air remains continuous through the hose. Now that's versatility!

The Xtreme also achieves a higher burst pressure - more than double when compared to most traditional hoses. And in the event of a physical breach, Xtreme hoses actually work to reduce the amount of air lost. How? The advance Xtreme nylon safety braiding actively shrinks under pressure, reducing the rate of air loss and buying valuable time. Xtreme hose production is carried out on automatic assembly and testing lines designed and manufactured exclusively by Miflex. Each and every Xtreme hose is subjected to more than 30 individual safety and specification checks. Any hose found not to meet the exact Miflex standard is immediately scrapped.

Available lengths:

M 3/8"UNF - F 9/16":

55cm, 62cm, 75cm, 80cm, 100cm, 120cm, 150cm, 210cm

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------------|--------------|
| 60128 | 55cm | yellow fluo | 32.00 |
| 60129 | 62cm | yellow fluo | 33.00 |
| 60127 | 75cm | yellow fluo | 35.00 |
| 60130 | 80cm | yellow fluo | 36.00 |
| 60136 | 90cm | yellow fluo | 36.00 |
| 60131 | 100cm | yellow fluo | 37.00 |
| 60135 | 100cm 1/2 | yellow fluo | 42.00 |
| 60132 | 120cm | yellow fluo | 42.00 |
| 60133 | 150cm | yellow fluo | 49.00 |
| 60134 | 210cm | yellow fluo | 57.00 |

Rubber MP Hose



Classic rubber regulator hose.

Available in different lengths.

| Order# | Size | Color | SRP EUR |
|--------|-------|--------|--------------|
| 60000 | 56cm | black | 26.00 |
| 60001 | 62cm | black | 26.00 |
| 60002 | 100cm | black | 29.00 |
| 60003 | 100cm | yellow | 30.00 |
| 60004 | 150cm | black | 36.00 |
| 60005 | 210cm | black | 42.00 |

Rubber MP Hose 1/2



Classic rubber regulator hose 1/2 inch.
Available in different lengths.

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|--------------|
| | | | 0.00 |
| 60100 | 60cm 1/2 | black | 12.00 |
| 60102 | 100cm 1/2 | black | 13.50 |
| 60103 | 210cm 1/2 | black | 17.00 |

MIFLEX Hoses - Others & Accessories

Decanting Hose



usable up to 300bar
 1m long

| Order# | Size | Color | SRP EUR |
|--------|---------|-------|---------|
| 63002 | 1m G5/8 | black | 119.00 |

Decanting hose INOX w/ Manometer



Incl. pressure gauge up to 400bar
 usable up to 300bar
 thread dimension of inox gauge: 1/8 BSPT"
 thread dimension of hose: 1/4 BSP
 class 2.5

| Order# | Size | Color | SRP EUR |
|--------|---------|-------|---------|
| 63004 | 1m G5/8 | black | 149.00 |
| 63006 | 2m G5/8 | black | 159.00 |

Hose Holder 2x



Holds up to two MIFLEX regulator or classic hoses.
 Set of 5 pieces

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 66011 | | black | 20.00 |

Hose Holder 3x



Holds up to three MIFLEX regulator or classic hoses.
 Set of 5 pieces

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 66013 | 5 pcs | black | 22.50 |

Hose Holder yellow 3x



Holds up to three MIFLEX regulator or classic hoses.
 Set of 5 pieces

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 66014 | | yellow | 22.50 |

MIFLEX Hose Holder yellow



Holds up to two MIFLEX regulator or classic hoses.
 Set of 5 pieces

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 66012 | | yellow | 20.00 |

XSSCUBA Easy Gripper



Make your QD coupler easier to operate
 Helps when wearing thick gloves
 Wide, easy to grip collar
 Flat side to prevent clearance issues
 Fits over most quick-disconnect hose ends

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| AC155 | | black | 4.50 |

XSSCUBA Plug Set - Delrin 9/16



The AC914 is a "second stage" plug set which kind of works like "caps". One of them screw into the 2nd stage to protect it and the other screw on to the end of the hose that was connected to the 2nd stage to protect it.

- Male plug - cap off and keep clean the second stage end of a low pressure regulator hose
 - Female plug - cap off and keep clean the inlet to a second stage
- No CE! Export use only!
- 9/16-18 threads
 - Includes both male and female plugs
 - Machined Delrin construction
 - Not to be used under pressure

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| AC914 | 9/16 inch | black | 18.00 |

XSSCUBA Regulator Hose Plug Set



The TL129 are "hose plugs" used for keeping the inside of the hose dry when rinsing off, it has an oring seal on both sides of it and the set goes on each side of the hose when the hose is removed.

- Machined from Delrin
- Male Plug: 9/16 - 18 threads
- Female Plug: 3/8 - 24 threads
- Never pressurize hose with plugs in place
- No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|---------------|-------|---------|
| TL129 | 3/8 9/16 Zoll | black | 18.00 |

Neoprene - Boots

XSCUBA 8mm Thug Boots



- YKK's best marine bronze zipper slider
- Velcro tab zipper retainer
- Large #10 YKK zipper chain
- Coldwater zipper dam
- Protective heel cap
- Nylon zipper stop
- Full 8mm neoprene insole with arch support
- Heavy-duty molded rubber sole
- Nylon edge binding
- 8mm neoprene all panels including sole
- High abrasion resistant RynoHyde exterior lamination
- Glued and double blind stitched exterior and interior
- Extended toe protector

| Order# | Size | Color | SRP EUR |
|----------|--------|-------|---------|
| BT800-05 | 5 / 37 | black | 69.00 |
| BT800-06 | 6 / 38 | black | 69.00 |

XSSCUBA Lycra Sock One Size Fits Most



- 6 ounce, four-way stretch Lycra
- Manufactured with overlock stitching
- Take the effort out of putting on your wetsuit & boots
- Reduce foot discomfort with full foot fins
- One size fits most
- Color: Black

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| BT100 | universal | black | 11.00 |

XSSCUBA Neoprene Socks



- Foot protection seal design zipper easy
- 2mm SS-1Ti, Titanium coated neoprene
- Glued and blindstitch construction inside and out Soft nylon lining
- Rubberized textured sole
- Extended heel for fin strap protection
- Available sizes: 5 - 12

| Order# | Size | Color | SRP EUR |
|----------|---------|-------|---------|
| BT200-09 | 9 / 42 | black | 18.00 |
| BT200-10 | 10 / 43 | black | 18.00 |
| BT200-11 | 11 / 45 | black | 18.00 |
| BT200-12 | 12 / 46 | black | 18.00 |

Neoprene - Gloves

XSSCUBA Dry Five



The ultimate cold water gloves
Reinforced and sealed seams
5mm neoprene
Made from our finest PyroStretch 5mm neoprene
Twin cuff design for minimal water transfer
Includes cool mesh bag packaging

| Order# | Size | Color | SRP EUR |
|-----------|------|-------|---------|
| GV400-2XL | XXL | black | 99.00 |
| GV400-LG | L | black | 99.00 |
| GV400-MD | M | black | 99.00 |
| GV400-SM | S | black | 99.00 |
| GV400-XL | XL | black | 99.00 |
| GV400-XS | XS | black | 99.00 |

XSSCUBA RynoHyde3



The ultimate cold water glove gloves
Abrasion-resistant RynoHyde palm
RynoHyde-wrapped thumb and fingertips
Exclusive TruFit women's sizes
Wide, wrap-around wrist closure with gusset
Two styles available: 3mm or 5mm neoprene

| Order# | Size | Color | SRP EUR |
|----------|------|-------|---------|
| GV350-SM | S | black | 13.00 |
| GV350-XS | XS | black | 13.00 |

Neoprene - Hoods

XSSCUBA 5/3 PyroStretch



Finally, a hood you won't hate putting on
Made from our finest PyroStretch neoprene
Soft, comfortable fit
Vented top panel to prevent trapped air
5mm hood with 3mm bib

| Order# | Size | Color | SRP EUR |
|-----------|------|-------|---------|
| HD530-2XL | XXL | black | 42.00 |
| HD530-SM | S | black | 42.00 |

XSSCUBA 6mm Standard



6mm neoprene hood
3mm skin-in neoprene face seal
Glued and blindstitch construction
SuperStretch neck for comfort
Face seal allows for easy trimming
Broad 3mm bib
Cut-away bib for use with drysuit

| Order# | Size | Color | SRP EUR |
|-----------|------|-------|---------|
| HD600-2XL | XXL | black | 30.00 |

XSSCUBA 7/5mm PyroStretch



Finally, a hood you won't hate putting on
Made from our finest PyroStretch neoprene
Soft, comfortable fit
Vented top panel to prevent trapped air
7mm hood with 5mm bib

| Order# | Size | Color | SRP EUR |
|-----------|------|-------|---------|
| HD750-2XL | XXL | black | 46.00 |
| HD750-MD | M | black | 46.00 |
| HD750-SM | S | black | 46.00 |

XSSCUBA 7/5mm PyroStretch Drysuit



The ultimate hood for the drysuit diver
PyroStretch neoprene has incredible stretch for an excellent fit
Vented to prevent trapped air
Glideskin neck for excellent neck seal

| Order# | Size | Color | SRP EUR |
|-----------|------|-------|---------|
| HD800-2XL | XXL | black | 42.00 |
| HD800-SM | S | black | 42.00 |

Neoprene - Others

HIGHLAND Neoprene Pocket Shorts



- Nylon cord draw string waist to prevent slipping
- Hide-away nylon cord loop for hanging
- Three 1inch 316 stainless steel D-rings per pocket
- Large Velcro flap closure
- Interior mesh pocket
- 1680d ballistic nylon material
- Real Velcro brand hook & loop
- Pockets with double needle sewn construction
- Two 4inch webbing straps for gear attachment per pocket
- Durable flat-lock seams
- Advanced bike shorts pattern
- Fits over wetsuit or drysuit
- Five nickel plated brass grommets per pocket
- Pocket held flat with Velcro tabs when empty
- Pocket dimensions: 9 x 6 x 3inch
- 2mm super-stretch neoprene
- color black

| Order# | Size | Color | SRP EUR |
|----------|------|-------|---------------|
| HL101-LG | L | black | 129.00 |
| HL101-MD | M | black | 129.00 |
| HL101-SM | S | black | 129.00 |
| HL101-XL | XL | black | 129.00 |

Reels etc. - Reels

DIRZONE Reel 45 meter



Small, convenient Reel made out of delrin with 45 meters of 2mm line which will not float.
 100mm A4/W316 d-ender included

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 55025 | 45m | | 109.00 |

DIRZONE Reel 120m



We have 120 m of 2 mm non floating line. The frame is made from hard-coated aluminium.
 Beside the very nice finish and large SS screw, the advantage to competitors is the centre. The reel is not running around a simple screw, but a bush.
 This new, modified version prevents the line sliding down.
 It contains a 120 mm ss d- ender A4 / W316.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------|---------------|
| 55009 | 120m | black/alu | 239.00 |

DIRZONE Reel 200m



We have 200 m of 2 mm line.
 Beside the very nice finish and large SS screw, the advantage to competitors is the centre. The reel is not running around a simple screw, but a bush.
 It contains a 120 mm ss d- ender.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------|---------------|
| 55019 | 200m | black/alu | 289.00 |

DIRZONE Cold Water Lock Down Screw for DZ Reels



Spare lock down screw for DIRZONE Reels.
 Only suitable for Reel120 and Reel200.
 Extra grip for cold water use.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|-------------|
| 85060 | | Stainless Steel | 9.00 |

Lock Down Screw for Reels

Lock Down Screw for Reels 45 m number 55025



| Order# | Size | Color | SRP EUR |
|--------|------|-------|-------------|
| 85059 | | white | 6.00 |

Reels etc. - Spools

DIRZONE Coldwater Spool 30m



Perfect spool for coldwater diving.
Machined from solid delrin, 30m 1,5mm line.
comes with 10cm doubleender

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 85003 | 30m | black | 59.00 |

DIRZONE Coldwater Spool 40m



Perfect spool for coldwater diving.
Machined from solid delrin, 40m 1,5mm line.
comes with 10cm doubleender

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 85004 | 40m | black | 62.00 |

DIRZONE Spool30



The spool is made from one piece of very durable Delrin.
Can be used as a decompression or safety spool.
Consists of the spool cca 17 m of 2 mm PA line and short double-ender.
Spool dimension is 76 mm and width 30 mm.

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| 85000 | 17m 30mm | black | 39.00 |

DIRZONE Spool40



The spool is made from one piece of very durable Delrin.
Can be used as a decompression or safety spool.
Consists of the spool cca 26 m of 2 mm PA line and short double-ender.
Spool dimension is 76 mm and width 40 mm.

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| 85001 | 26m 40mm | black | 42.00 |

DIRZONE Spool50



The spool is made from one piece of very durable Delrin.
Can be used as a decompression or safety spool.
Consists of the spool cca 33 m of 2 mm PA line and short double-ender.
Spool dimension is 76 mm and width 50 mm.

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| 85002 | 33m 50mm | black | 46.00 |


HIGHLAND Finger Spool orangene Leine ca 30m



with SS double ender

| Order# | Size | Color | SRP EUR |
|---------|------|--------|---------|
| HL465SS | 30m | orange | 89.00 |

XSSCUBA Finger Spool



• Spools are injection-molded with glass-filled nylon
• #24 hi-viz yellow nylon 16 strand line Breaking strength 56 - 59 kg.
• stainless steel doublender bolt snap with 18-8 SS internal springs
3 diameter:
AC475: 1 diameter, 60 (tm) line
AC465: 1,44 width, 100' line
3,25 diameter:
AC470: 1,75 width, 160' line

| Order# | Size | Color | SRP EUR |
|--------|---------------|--------|---------|
| AC475 | 18m 25mm 75mm | yellow | 36.00 |
| AC465 | 30m 37mm 75mm | yellow | 39.00 |
| AC470 | 48m 45mm 83mm | yellow | 44.00 |

Reels etc. - Caveline

Bungee Cord 3mm



Bungee cord for several purposes.
Diameter: 3mm

| Order# | Size | Color | SRP EUR |
|--------|--------|-------|---------|
| 66000 | 3mm/1m | black | 1.50 |

Bungee Cord 4mm



Bungee cord for several purposes.
Diameter: 4mm

| Order# | Size | Color | SRP EUR |
|--------|--------|-------|---------|
| 66002 | 4mm/1m | black | 2.00 |

Bungee Cord 5mm



Bungee cord for several purposes.
Diameter: 5mm

| Order# | Size | Color | SRP EUR |
|--------|--------|-------|---------|
| 66001 | 5mm/1m | black | 2.40 |

Bungee Cord 6mm



Bungee cord for several purposes.
Diameter: 6mm

| Order# | Size | Color | SRP EUR |
|--------|--------|-------|---------|
| 66003 | 6mm/1m | black | 2.90 |

Bungee Cord 8mm



Bungee cord for several purposes.
Diameter: 8mm

| Order# | Size | Color | SRP EUR |
|--------|------------------------|-------|---------|
| 66005 | Bungee Cord, 8 mm, 1 m | black | 4.00 |

Caveline PES, ca. 200 m Spool, 1,5 mm , braided



High quality caveline, PES
 Diameter: 1,5mm
 Comes on 200m Spool
 Color: white

| Order# | Size | Color | SRP EUR |
|--------|------------|-------|--------------|
| 85006 | 1,5mm 200m | white | 36.00 |

Caveline PES, ca. 200 m Spool, 2 mm , braided



High quality caveline, PES
 Diameter: 2mm
 Comes on 200m Spool
 Color: white

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|--------------|
| 85005 | 2mm 200m | white | 44.00 |

Caveline PES, ca. 200 m Spool, 2 mm , braided, YELLOW



High quality caveline, PES
 Diameter: 2mm
 Comes on 200m Spool
 Color: yellow

| Order# | Size | Color | SRP EUR |
|--------|----------|--------|--------------|
| 85008 | 2mm 200m | yellow | 50.00 |

Caveline PES, ca. 500 m Spool, 2 mm , braided




High quality caveline, PES
 Diameter: 2mm
 Comes on 500m Spool
 Color: white

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|--------------|
| 85007 | 2mm 500m | white | 90.00 |

Reels etc. - Line Marker

DIRZONE Cave Arrow red 90 mm 10 Pcs.



Directional marker for cave diving.
length: 90mm
color: red

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65306 | 90mm | red | 11.00 |

DIRZONE Cave Arrow white 65mm 10 Pcs.



Directional marker for cave diving.
length: 65mm
color: white

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65300 | 65mm | white | 10.00 |

DIRZONE Cave Arrow white 90 mm 10 Pcs.



Directional marker for cave diving.
length: 90mm
color: white

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65304 | 90mm | white | 11.00 |

DIRZONE Cave Arrow yellow 90 mm 10 Pcs.



Directional marker for cave diving.
length: 90mm
color: yellow

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 65305 | 90mm | yellow | 11.00 |

DIRZONE Cave Marker red 55mm 10 Pcs.



Nondirectional marker for cave diving.
diameter: 55mm
color: red

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65309 | 55mm | red | 11.00 |

DIRZONE Cave Marker white 55 mm 10 Pcs.



Nondirectional marker for cave diving.
diameter: 55mm
color: white

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 65307 | 55mm | white | 11.00 |

DIRZONE Cave Marker yellow 55mm 10 Pcs.



Nondirectional marker for cave diving.
 diameter: 55mm
 color: yellow

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 65308 | 55mm | yellow | 11.00 |

XSSCUBA Cave Arrow



Directional marker for cave diving.
 length: 85mm
 color: white

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| HL608 | 85mm | white | 1.50 |

XSSCUBA Cave Arrow Glow in the Dark



Directional marker (Arrow) for cave diving.
 Glows in the dark!
 length: 85mm
 color: white with green glow

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| HL612 | 85mm | glow | 4.00 |


XSSCUBA Cave Marker



Nondirectional marker for cave diving.
 diameter: 55mm
 color: white

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| HL609 | 55mm | white | 1.50 |

XSSCUBA Cave Marker Glow in the Dark



Nondirectional marker (Cookie) for cave diving.
 Glows in the dark!
 diameter: 55mm
 color: white with green glow

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| HL613 | 55mm | glow | 4.00 |

Regulators - 1st Stages

Argon 1st stage



Compact first stage, ideal for use with drysuit inflation bottles.
 2 medium pressure ports, please complete with over pressure valve.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|--------------|
| 12004 | | chrome | 89.00 |

HIGHLAND Compact DIN 1st stage



Compact, low profile design
 Flow-by piston design
 One high pressure, two low pressure ports
 Direct attachment to 200 or 300 bar DIN connection
 Add Spin-On Yoke (p/n AC375) for yoke attachment
 Includes Delrin DIN Cap w/ lanyard to protect threads
 No CE - export only!

| Order# | Size | Color | SRP EUR |
|--------|-------------|--------|---------------|
| HL406 | | chrome | 129.00 |
| RK8 | Service Kit | | 22.00 |

Regulators - 2nd stages Regulators - Accessories



Spare Part Kit for Argon 1st Stage 12004
 O-rings are Viton/FPM

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 72016 | | | 12.00 |



Service Kit 2nd Stage for Oxygen Regulator from set 85079

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 85083 | | | 27.00 |



Service Kit 1st Stage for Oxygen Regulator from set 85079

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 85082 | | | 49.00 |

Blanking Plug 1/2



Blanking plus for 1/2 inch low pressure ports.

| Order# | Size | Color | SRP EUR |
|--------|----------|--------|---------|
| 72030 | 1/2 inch | chrome | 7.00 |

Blanking Plug 3/8" UNF



NBR 70 O-ring included

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 72031 | 3/8 | chrome | 6.00 |

Blanking Plug HP 7/16"

NBR 70 O-Ring included



| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 72032 | 7/16 | chrome | 6.00 |

Comfort Silicone Mouthpiece



High quality mouthpiece made from black silicone.
 5pcs in a set

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 13030 | | black | 35.00 |

Delrin DIN Cap



Precision machined from delrin
 Protects threads on DIN first stage
 Seals water out of first stage
 Attached nylon cord lanyard

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| HL401 | G5/8 | black | 11.90 |

DIN-INT Adapter



Connect your DIN regulator to a tank with INT outlet.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| 51025 | | chrome | 33.00 |

HIGHLAND Over Pressure Valve OPV



Small relief valve to allow regulator to release pressure from 1st stage
 Pressure will release when intermediate pressure is above 200 psi
 Fits into standard 3/8" low pressure regulator port
 Compact size and low profile
 Stainless steel internal spring
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|------|--------|---------|
| AC395 | | chrome | 18.00 |

HIGHLAND Regulator Necklace Black



- Available in two sizes: 7.5" and 10" diameters
- Attaches easily to any regulator second stage mouthpiece
- Allows regulator to hang close under the chin
- Keep your second stage where you need it
- Durable, no memory silicone

| Order# | Size | Color | SRP EUR |
|------------|------|-------|--------------|
| HL601BK | 19cm | black | 20.00 |
| HL601BK-LG | 25cm | black | 25.00 |

OPV 3/8



Compact over pressure valve for use the first stages on drysuit inflation tanks.

| Order# | Size | Color | SRP EUR |
|--------|------|--------|--------------|
| 12010 | | chrome | 16.00 |



XSSCUBA Deluxe OPV



All stainless steel construction
 Easy to adjust from 150 to 250 psi (10-17 bar)
 Factory preset at 175 to 185 psi (12-13 bar)
 Machined Delrin cap protects the adjustment point
 Compact relief valve releases pressure in the event of an over pressurization of the first stage
 Fits standard 3/8-24 UNF low pressure regulator port
 Factory cleaned - Viton o-rings
 No CE! Export use only!

| Order# | Size | Color | SRP EUR |
|--------|----------|--------|--------------|
| AC396 | 3/8 inch | chrome | 49.00 |

XSSCUBA Two Color - Mouthpieces



Good looks and good comfort
 Two material, liquid silicone injection
 Includes traditional mouthpiece tie
 FDA approved material
 Individual clamshell packaging
 3 color combinations

| Order# | Size | Color | SRP EUR |
|--------|------|--------------|--------------|
| AC331 | | black/blue | 10.00 |
| AC332 | | black/yellow | 10.00 |
| AC333 | | black/red | 10.00 |

Regulators - Kits

APEKS Regulators and Spares



We have a large selection of Apeks regulators and spares on stock.

| Order# | Size | Color | SRP EUR |
|--------|-----------------------|-------|--------------|
| 13000 | ServiceKit 1st | white | 55.00 |
| 13001 | ServiceKit 2nd | white | 29.00 |
| 13004 | Mouthpiece Comforbite | black | 19.00 |

HIGHLAND Argon-Regulator w/Gauge



Compact first stage designed specifically for drysuit inflation
 DIN 1st stage for low profile attachment
 Factory I.P. set at 120 psi
 Includes 22â€Â• EZ QD inflation hose
 Includes Over Pressure Relief Valve (OPV)
 Includes Delrin DIN cap w/ lanyard to protect threads
 Includes Mini Tech Gauge (p/n HL501)
 No CE - export only!

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| HL405M | | black | 289.00 |

ROLOCK - Complete Kits

RoLock 90 kit alone without silicone wrist seals and gloves



RoLock 90 kit alone without silicone wrist seals and gloves
 Delivery contains blue rings for glove mounting. The black rings (item 46263) are optional and can be ordered extra.

br
 Video-Tutorials at a href='http://www.rolock.ch/?page_id=228' target=_blankhttp://www.rolock.ch/?page_id=228/abr br

Accessories:

a href='https://dirzone.com/cms/de/products/101/870'silicone seals/abr

a href='https://dirzone.com/cms/de/products/101/869'PU-rings/abr

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46185 | | | 199.00 |

RoLock 90 on glove with attached inner glove, without seals



RoLock 90 on glove with attached inner glove, without seals and without PU ring
 Video-Tutorials at http://www.rolock.ch/?page_id=228

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46301 | M | blue | 239.00 |
| 46302 | L | blue | 239.00 |
| 46303 | XL | blue | 239.00 |

RoLock 90 on glove with loose inner glove, without seals



RoLock 90 on black glove with loose inner glove, without seals and without PU ring

Video-Tutorials at http://www.rolock.ch/?page_id=228

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| | | | 0.00 |
| | | | 0.00 |
| 46311 | L | black | 249.00 |

RoLock 90 on glove with loose inner glove, without seals



RoLock 90 on blue glove with loose inner glove, without seals and without PU ring
 Video-Tutorials at http://www.rolock.ch/?page_id=228

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46305 | S | blue | 243.00 |
| 46306 | M | blue | 243.00 |
| 46307 | L | blue | 243.00 |
| 46308 | XL | blue | 243.00 |

RoLock Kit 1



Complete Rolock kit for:
46202 M gloves with attached inner gloves

| Order# | Size | Color | SRP EUR |
|--------|----------|------------|---------------|
| 46180 | f. 46202 | black/blue | 169.00 |

ROLOCK Kit 1 & 2 complete



Pre-mounted complete Rolock system on blue gloves with attached inner gloves
9490 M-L-XL, all O-rings and silicone care dose.
Supplied in carton box.
;

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 46100 | MD | blue | 229.00 |
| 46101 | XL | blue | 229.00 |
| 46102 | LG | blue | 229.00 |

RoLock Kit 2



Complete Rolock kit for:
46200 XL, 46201 L gloves with attached inner gloves

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------------|
| 46181 | f. 46200, 46201 | black | 169.00 |

RoLock Kit 3



Complete Rolock kit without gloves for:
46205-46208 (all sizes)
46212-46214 (all sizes)

| Order# | Size | Color | SRP EUR |
|--------|-----------------------------|-----------|---------------|
| 46182 | f. 46205-46208, 46212-46214 | black/red | 169.00 |

ROLOCK Kit 3 black complete



Pre-mounted complete Rolock system on black gloves with separated inner gloves, all O-rings and silicone care dose. Supplied in carton box

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| | | | 0.00 |
| 46107 | XL | black | 239.00 |
| 46109 | MD | black | 239.00 |

ROLOCK Kit 3 complete



Pre-mounted complete Rolock system on blue gloves with separated inner gloves, all O-rings and silicone care dose. Supplied in carton box

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------------|
| 46103 | XL | blue | 234.00 |
| 46104 | LG | blue | 234.00 |
| 46105 | MD | blue | 234.00 |
| 46106 | SM | blue | 234.00 |

ROLOCK Wrist seals protection



Rubber wrist seals protections to be mounted around the ring to protect the latex from mechanical injuries and UV

| Order# | Size | Color | SRP EUR |
|--------|------|-------|--------------|
| 46190 | | black | 49.00 |

ROLOCK - Inner Gloves

Thermoacryl inside gloves



Black thermoacryl inside glove

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46225 | XL | black | 12.00 |
| 46226 | LG | black | 12.00 |
| 46227 | MD | black | 12.00 |

ROLOCK - Care and Maintain

ROLOCK Carekit Rolock 2



Set with all O-rings and silicone dose for Rolock systems for all kind of attached inner gloves except M size

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46257 | | black | 38.00 |

ROLOCK O-Ring f. Latex seals



O-Ring to mount the Rolock rings on latex wrist seals (1 pcs.)

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46282 | | black | 4.00 |

ROLOCK O-Rings Bajonett from 2006



O-ring for the sealing between gloves and drysuit rings on the bayonet system, for old Rolock gloves from 2006

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46280 | | black | 4.00 |

ROLOCK O-Rings Bajonett to 2006



O-ring for the sealing between gloves and drysuit rings on the bayonet system, for old Rolock gloves up to 2006

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46281 | | black | 5.00 |

ROLOCK O-Rings f. Neoprene seals



O-Rings to mount the Rolock rings on neoprene wrist seals

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46284 | | black | 9.00 |

ROLOCK O-Rings f. red Ring



O-rings to mount on the red ring used to fit gloves with separate inner gloves on Rolock rings.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46283 | | black | 4.00 |

ROLOCK Pflegeset Carekit 1 & 3



Set with all O-rings and silicone dose for Rolock systems for all kind of separated inner gloves as well as for M size attached inner gloves

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46258 | | black | 40.00 |

ROLOCK Silicone grease



For use with O-Ring seals

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46285 | 12ml | white | 15.00 |

ROLOCK - Gloves

Diving dryglove PVC drygloves black without under gloves

DIR ZONE



Inner gloves have to be ordered extra.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46215 | SM | black | 45.00 |
| 46216 | MD | black | 45.00 |
| 46217 | LG | black | 45.00 |
| 46218 | XL | black | 45.00 |

Dryglove black



Black dry gloves with seperate inner gloves

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| | | | 0.00 |
| 46212 | XL | black | 59.00 |
| 46214 | MD | black | 59.00 |

Dryglove blue



Blue dry gloves with seperate inner gloves

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46205 | XL | blue | 47.00 |
| 46206 | LG | blue | 47.00 |
| 46207 | MD | blue | 47.00 |
| 46208 | SM | blue | 47.00 |

Dryglove blue - attached



Blue dry gloves with attached inner gloves

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46200 | XL | blue | 39.00 |
| 46201 | LG | blue | 39.00 |
| 46202 | MD | blue | 39.00 |

ROLOCK - Parts

ROLOCK Drysuit side Ring left



Rolock ring to be mounted on the wrist seal, for left side

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46252 | | black | 32.00 |

ROLOCK Drysuit side Ring right



Rolock ring to be mounted on the wrist seal, for right side

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46253 | | black | 32.00 |

ROLOCK Glove side Ring left



Rolock ring for the gloves side, version for left side

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46250 | | black | 32.00 |

ROLOCK Glove side Ring right



Rolock ring for the gloves side, version for right side

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46251 | | black | 32.00 |

RoLock PU ring



RoLock PU ring to be glued on the sleeve or for the system mounting on existing wrist seals

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46187 | | | 22.00 |

ROLOCK Ring 1 blue



Set of two Blue rings with O-rings
For assembling latex-/PVC-gloves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46254 | | blue | 18.00 |

ROLOCK Ring 2 black



Set of two black rings
For assembling gloves with attached inner gloves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46255 | | black | 14.00 |

ROLOCK Ring 3 red



Set of two red rings with O-rings
For assembling gloves with separate inner gloves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46256 | | red | 18.00 |

RoLock SI Tech TPE Wrist Seals wrist seals grey L - Pair



The seals are coated both inside and outside to reduce friction when donning and doffing. The coat will tear off over time and when it happens, we recommend the usage of talcum, in the same way as for regular seals. The Elastoseal are made of TPE plastic and has better aging resistance in comparison with latex and is non-allergic.

| Order# | Size | Color | SRP EUR |
|--------|-----------|-------|---------|
| 46186 | universal | grey | 35.00 |

RoLock silicone wrist seals



to use in combination with the RoLock 90 kit, available in two sizes

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46188 | M | black | 35.00 |
| 46189 | L | black | 35.00 |

RoLock90 BLACK ring



RoLock90 BLACK ring (1 pair) for glove mounting for Drygloves 46200 - 46202 (all sizes). For assembling gloves with attached inner gloves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46263 | | black | 15.00 |

RoLock90 BLUE ring



RoLock90 BLUE ring (1 pair with o-rings) for glove mounting for lose inner glove 46205-46208 (all sizes), 46212-46214 (all sizes). For assembling gloves with separate inner gloves.

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46264 | | blue | 17.00 |

RoLock90 Care and O-rings set



RoLock90 Care and O-rings set

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46265 | | black | 34.00 |

RoLock90 Drysuit side ring left



RoLock90 Drysuit side ring left. black

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46261 | left | black | 28.00 |



RoLock90 Drysuit side ring right black



RoLock90 Drysuit side ring right black

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| 46262 | right | black | 28.00 |



RoLock90 Glove side Ring left



Rolock90 ring for the gloves side, version for left side

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46259 | | | 28.00 |



RoLock90 Glove side Ring right



Rolock90 ring for the gloves side, version for right side

| Order# | Size | Color | SRP EUR |
|--------|------|-------|---------|
| 46260 | | | 28.00 |



RoLock90 O-Rings for bayonet lock



RoLock90 O-Rings for bayonet lock - PAIR

| Order# | Size | Color | SRP EUR |
|--------|------|---------|---------|
| 46266 | | schwarz | 4.00 |



Sale - Fins
Sale - Sidemount
Sale - Wings and Accessories
Weights & Weightbelts - Weight Systems

Belt Buckle DIRZONE



High-quality stainless-steel buckle.

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65105 | 50mm | Stainless Steel | 16.00 |

DIR ZONE Belt Buckle SS



High quality belt buckle, without Logo

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| 65106 | 50mm | Stainless Steel | 15.00 |

Dripstone Diving weight system



An easier way to secure and adjust your weights:
EXACTLY WHERE YOU NEED IT

Mount weight anywhere you please. Works with any 2" webbing including standard harnesses for sidemount, backmount, and rebreathers.

REDUNDANT

Eliminate the risk of uncontrolled ascents. Weights are held securely by two independent pieces of bungee.

NON-SLIP

Built in anti-sliding mechanism prevents mounted weights from moving around

BUILT TO LAST

Made from fiberglass reinforced polymer that is tougher than delrin. Replaceable bungee

FLEXIBLE USE

Can be used to mount any 1lb to 5lb hard lead weights

Further information:

<https://www.dripstonediving.com/>

| Order# | Size | Color | SRP EUR |
|--------|----------|-------|---------|
| 56400 | one size | black | 22.00 |

XSSCUBA Quick-Attach Weight Pocket



Same design as Single Weight Pocket above, except:

- Allows pocket to be quickly added without having to slide over the end of webbing

- Quick attachment with double Velcro® closure at bottom of pocket

Designed to add up to 5 pounds of shot or hard weight

Easy addition to XS Scuba ponypac or other harness systems

Perfect for adjusting your trim

| Order# | Size | Color | SRP EUR |
|---------|-------|-------|---------|
| WB101QA | 2,2kg | black | 22.00 |

XSSCUBA Quick-Release Weight Pocket



Here is the one that everyone has been asking for
 VelcroÂ(reg) release weight dump
 Designed to add up to 5 pounds of shot or hard weight
 Attaches by sliding over the end of any 2inch webbing or 2inch cummerbund
 Easy addition to XS Scuba ponypac or other harness systems
 Perfect for adjusting your trim

| Order# | Size | Color | SRP EUR |
|---------|-------|-------|---------|
| WB101QR | 2,5kg | black | 25.00 |

XSSCUBA Single Weight Pocket



Designed to add up to 5 pounds of shot or hard weight
 Attaches by sliding over the end of 2inch webbing or 2inch cummerbund
 Easy addition to XS Scuba PonyPac or other harness systems
 Perfect for adjusting your trim

| Order# | Size | Color | SRP EUR |
|---------|-------|-------|---------|
| WB101BK | 2,5kg | black | 18.00 |
| WB101BU | 2,5kg | blue | 18.00 |

XSSCUBA Weight Pocket w. Velcro Front



Same design as Single Weight Pocket above, except:
 - Allows excess webbing from cam buckle to attach to Velcro on front of weight pocket
 - Keeps cam buckle webbing secure against cylinder
 Designed to add up to 5 lbs of shot or hard weight
 Perfect for adjusting your trim

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| WB101V | 2,2kg | black | 17.00 |

XSSCUBA Spring-Loaded Buckle



- Adds depth compensation to any weight belt
 - Rust-free 304 stainless steel

| Order# | Size | Color | SRP EUR |
|--------|------|-----------------|---------|
| AC310 | | Stainless Steel | 8.00 |

XSSCUBA U-Fill Soft Weight Pouches



Fill your own pouches
Opening at top for filling
Double Velcro safety closure
Shot weight not included
Different color mesh for quick identification

| Order# | Size | Color | SRP EUR |
|--------|-------|-------|---------|
| WT02 | 1kg | grey | 6.00 |
| WT03 | 1,5kg | red | 6.00 |
| WT04 | 2kg | blue | 7.00 |
| WT05 | 2,5kg | black | 7.00 |

Weights & Weightbelts - Weights

P-Weight 2,7kg +/-5% for Backplate



P-Weights are directly screwed in the groove of the backplate and provide a perfectly centers weighting very close to the body.

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|---------|
| 99140 | 2,7kg +/-5% | Lead | 45.00 |

P-Weight 4,9kg +/-5% for Backplate



P-Weights are directly screwed in the groove of the backplate and provide a perfectly centers weighting very close to the body.

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|---------|
| 99143 | 4,9kg +/-5% | Lead | 75.00 |

V-Weight 2,7kg +/-5% for Double Sets



Used between doubles and wing/backplate. Fits D10, D12, D15, D18 and D20 with tankbands

| Order# | Size | Color | SRP EUR |
|--------|-------------|-------|---------|
| 99152 | 2,7kg +/-5% | Lead | 39.00 |

V-Weight 4,0 kg for +/-5% Double Sets TAIL Weight



Used between doubles and wing/backplate. Moves the mass centre further down and therefor enhances trimm of many divers. Fits D10, D12, D15, D18 and D20 with tankbands

| Order# | Size | Color | SRP EUR |
|--------|--------------|-------|---------|
| 99154 | 4,0 kg +/-5% | Lead | 59.00 |

V-Weight 4,0kg +/-5% for Double Sets wide Distance (D7, D8.5)



Used between doubles and wing/backplate. Fits D7, D8 and D8,5 wide distance (185mm) with tankbands.

| Order# | Size | Color | SRP EUR |
|--------|-----------------|-------|---------|
| 99153 | 4,0 kg +/-5% D7 | Lead | 59.00 |

Table of contents

| | |
|--------------------------------|-----|
| 110 Adapter..... | 103 |
| Female 1/4..... | 106 |
| 0,85l 200bar..... | 8 |
| 0-360 Angle Adapter..... | 102 |
| 1/2..... | 101 |
| 10l 232bar..... | 2 |
| 10l 300bar..... | 2 |
| 11,1l 207bar natural..... | 9 |
| 110 Angle Adapter..... | 100 |
| 12l 232bar..... | 2 |
| 12l 232bar CONCAVE..... | 2 |
| 12l 232bar SHORT..... | 3 |
| 12l 300bar..... | 3 |
| 15l 232bar..... | 3 |
| 18l 232bar..... | 3 |
| 1l 200bar..... | 4 |
| 1l 300 bar..... | 4 |
| 20l 232bar..... | 4 |
| 2l 200bar..... | 9 |
| 2l 232bar..... | 4 |
| 2nd Outlet..... | 27 |
| 2nd Outlet 300 bar..... | 27 |
| 2nd Stage Hose QD - Male | 103 |
| 2nd Stage Quick Disconnec..... | 104 |
| 3/8 Extender..... | 102 |
| 3/8 to QD Nipple..... | 106 |
| 3l 206bar natural..... | 9 |
| 3l 232bar..... | 5 |
| 3l 232bar BLACK..... | 5 |
| 3l 232bar SHORT..... | 5 |
| 3l 300bar..... | 5 |
| 3mm RynoHyde..... | 152 |
| 5,7l 207bar natural..... | 9 |
| 5/3mm PyroStretch..... | 153 |
| 5l 232bar..... | 6 |
| 5mm Dry Five..... | 152 |
| 6mm Standard..... | 153 |
| 7/5mm PyroStretch..... | 153 |
| 7/5mm PyroStretch Drysuit..... | 153 |
| 7l 200bar..... | 8 |
| 7l 200bar natural..... | 10 |
| 7l 232bar..... | 6 |
| 7l 300bar..... | 6 |
| 8,5l 232bar..... | 7 |
| 8,5l 232bar CONCAVE..... | 7 |
| 8l 300bar..... | 7 |
| 8mm Thug Boots..... | 151 |
| 90 Degree Adapter Mini Ga..... | 98 |
| 90 Right Angle | 104 |
| Aadapter for Mini-Gauge..... | 98 |
| ACB Innentasche für 56320..... | 49 |
| ACB Innentasche für 56330..... | 49 |
| Accessory Hanger..... | 69 |
| Adapter 110 degree 1st st..... | 100 |
| Adapter 3/8-24 Female to | 106 |
| Adapter 90 degree 1st Sta..... | 100 |
| Adapter Oceanic QD..... | 105 |
| Adapter ScubaPro QD..... | 105 |
| Adapter SeaQuest QD..... | 106 |
| Adapter Swivel LP for 2nd..... | 102 |
| Additional Pocket..... | 49 |
| Adjustable Spanner Wrench..... | 85 |
| Adjustable SS Belt Buckle..... | 56 |
| Adjustable SS Belt Buckle..... | 75 |
| Agro Sealing Gland M16x1,..... | 121 |
| Alloy Tanks complete w/ T..... | 12 |
| APEKS Regulators..... | 166 |
| Aquasure + FD 2x 7g | 94 |
| Aquasure + FD 250 g Tube..... | 89 |
| Aquasure + FD 28g..... | 91 |
| Argon 1st stage..... | 162 |
| Argon Strap 85mm..... | 53 |
| Argon Straps 110mm..... | 53 |
| Argon Straps 14cft..... | 53 |
| Argon-Regulator w/Gauge..... | 166 |
| B.C.D CLEANER | 91 |
| Backpack Standard..... | 48 |
| Backplate 3mm..... | 46 |
| Backplate 3mm ALU..... | 46 |
| Backplate 6mm..... | 46 |
| Backplate complete SHORT..... | 48 |
| Backplate QUICK FIX - com..... | 48 |
| Ballast System 6 kg singl..... | 53 |
| Ballast System 9kg..... | 54 |
| Ballast System vertical..... | 54 |
| BC Hanger..... | 69 |
| BC Travel Hanger..... | 69 |
| BC Wash-Out Hose..... | 89 |
| Bellow Pocket..... | 67 |
| Bellowpocket flat..... | 67 |
| Belt Buckle DIRZONE..... | 179 |
| Belt Pocket..... | 49 |
| Belt Stop..... | 73 |
| Belt Stop Heavy Duty..... | 73 |
| Belt Stop Serrated..... | 73 |
| Billy Ring 45..... | 74 |
| Billy Ring 90..... | 74 |
| Black Witch..... | 94 |
| Blanking Plug 1/2..... | 163 |
| Blanking Plug 3/8" UNF | 163 |
| Blanking Plug HP 7/16"..... | 164 |
| Blanking plug left..... | 37 |
| Blanking plug right..... | 37 |
| Boltsnap 120mm..... | 71 |
| Boltsnap 62mm..... | 71 |
| Boltsnap 76mm..... | 72 |
| Boltsnap 90mm..... | 72 |
| Boltsnap Stage 105mm..... | 72 |
| Book Screw Set..... | 55 |
| Book Screw Set round..... | 56 |
| Bottom Timer 300 m..... | 111 |
| Bottom Timer Casing..... | 111 |
| BP complete 3mm..... | 47 |
| BP complete 6mm..... | 47 |
| BP complete adjustable..... | 46 |
| BP complete ALU..... | 47 |
| Break Away Strap..... | 75 |
| BRUTE..... | 62 |

Table of contents

| | |
|-----------------------------------|-----------------------------------|
| Buckles and Pins Kit.....59 | D-Ring Low Profile.....74 |
| Bungee Cord 3mm.....158 | D-Ring on Belt Stop.....73 |
| Bungee Cord 4mm.....158 | D-Ring SS 25 mm.....74 |
| Bungee Cord 5mm.....158 | Decanting Hose.....148 |
| Bungee Cord 6mm.....158 | Decanting hose INOX.....148 |
| Bungee Cord 8mm.....158 | Delrin DIN Cap.....164 |
| Bungee for Cylinder31 | Delrin Thumbwheel M8.....55 |
| Butterfly Strap.....50 | Deluxe Inline Shut-Off.....103 |
| Carekit Rolock 1 & 3.....172 | Deluxe OPV.....165 |
| Carekit Rolock 2.....171 | DIN G5/8 - 3/4 O2.....96 |
| Cargo foldable.....66 | DIN G5/8 - DIN G5/8.....96 |
| Cave Arrow.....161 | DIN G5/8 - W21.8.....96 |
| Cave Arrow Glow in the Da.....161 | DIN G5/8 - W30x2.....96 |
| Cave Arrow red 90 mm.....160 | DIN-INT Adapter.....164 |
| Cave Arrow white 65mm.....160 | DIR ZONE 23 I Stream RING.....42 |
| Cave Arrow white 90 mm.....160 | DIR ZONE Active Control Ba.....49 |
| Cave Arrow yellow 90 mm.....160 | DIR ZONE Belt Buckle SS.....179 |
| Cave Marker.....161 | DIR ZONE Reel 45 meter.....155 |
| Cave Marker Glow in the D.....161 | DIR ZONE RING 12 I125 |
| Cave Marker red 55mm.....160 | DIR ZONE Shirt.....125 |
| Cave Marker white 55 mm.....160 | DIRZONE Alert Marker 120c.....78 |
| Cave Marker yellow 55mm.....161 | DIRZONE Alert Marker 120c.....80 |
| Caveline 1,5mm.....159 | DIRZONE Alert Marker 120c.....78 |
| Caveline 200m 2mm yellow.....159 | DIRZONE Alert Marker 120c.....81 |
| Caveline 2mm.....159 | DIRZONE Alert Marker 120c.....79 |
| Caveline 500m 2mm.....159 | DIRZONE Alert Marker 120c.....81 |
| Check Valve.....68 | DIRZONE alert marker 122c.....82 |
| Christo Lube 1/2oz.....93 | DIRZONE alert marker 122c.....82 |
| Christo Lube 1oz.....93 | DIRZONE Alert Marker 180c.....79 |
| Christo Lube 2oz.....94 | DIRZONE Alert Marker 180c.....83 |
| Coil lanyard with clip.....72 | DIRZONE Alert Marker 180c.....80 |
| Coil lanyard with clip.....72 | Divemaster Pointer.....71 |
| Coil lanyard with clips.....72 | Double 12 232 bar.....73 |
| Cold Water Lock Down Scre.....155 | Double Ender SS.....73 |
| Coldwater Spool 30m.....156 | Double Ender SS 90 mm73 |
| Coldwater Spool 40m.....156 | Double tanks, complete, w.....13 |
| Combo Filler.....89 | Doublevalve 232 bar SOS.....22 |
| Comfort Mouthpiece.....164 | Dripstone Diving weight s.....179 |
| Comfort Shoulder Pads.....50 | Dryglove black.....173 |
| Compact DIN 1st stage.....162 | Dryglove blue.....173 |
| Compass 30 TEC Casing.....109 | Dryglove blue - attached.....173 |
| Compass TEC 30 Bungeemoun.....109 | Drysiut Hanger foldable.....67 |
| Compass TEC 30 Bungeemoun.....110 | Drysuit side Ring left.....174 |
| Compass with Bungeemount.....109 | Drysuit side Ring right.....174 |
| Computer Bag.....95 | EagleEye Rayblocker.....63 |
| Corr. Hose 34 cm Rapid Ex.....56 | Easy Gripper.....149 |
| Corrograted Hose.....56 | ECS 1,8l black.....7 |
| Cover Tube for Hoseclamps.....31 | ECS 3l 300bar BLACK.....6 |
| Crew.....63 | ECS Dust Cap.....32 |
| Crotch Strap.....50 | ECS Steel Tanks.....11 |
| Cure Accelerator.....91 | EMT Shears.....77 |
| CutHero.....108 | EUQD to inflation.....106 |
| Cylinder Boot 80cf.....36 | Extendable Valve left 300.....19 |
| Cylinder Protection Net B.....31 | Extendable Valve right 30.....19 |
| Cylinder Protection Net B.....32 | Fin Goby.....60 |
| Cylinder Protection Net Y.....32 | Finger Spool.....157 |
| D-Ring.....73 | FLO.....66 |
| D-Ring bend.....74 | Fog Cutter droppoint.....76 |
| D-Ring Holder.....75 | Folding Wrist Slate.....113 |

Table of contents

| | |
|-----------------------------------|-----------------------------------|
| Fusion2 GaugeReader.....64 | Mask Strap.....61 |
| G5/8 232bar to 300bar.....96 | MC Storage Pack.....51 |
| G5/8 to M26 232bar.....97 | McNett Silicone Spray 250.....88 |
| GA TENACIOUS PATCH.....87 | Merge3.....65 |
| Gator Wraps.....67 | MES Alu Tanks.....12 |
| Gauge Reader.....64 | Mesh Carry Pouch.....84 |
| GEAR AID SEA BUFF88 | MIFLEX Carbon HD braided126 |
| GEAR AID SEA GOLD 37ml88 | MIFLEX XT-Tech Inflation127 |
| GEAR AID Silicone Grease.....88 | MIFLEX XT-Tech Regulator137 |
| Glove side Ring left.....174 | MIFLEX Xtreme braided BLA.....128 |
| Glove side Ring right.....174 | MIFLEX Xtreme braided BLA.....139 |
| Goby.....64 | MIFLEX Xtreme braided BLU.....129 |
| Handwheel Tool.....85 | MIFLEX Xtreme braided BLU.....140 |
| Harness.....50 | MIFLEX Xtreme braided CAR.....130 |
| Harness complete.....50 | MIFLEX Xtreme braided CAR.....141 |
| Harness complete adjustab.....51 | MIFLEX Xtreme braided GRE.....131 |
| Harness complete Quick Fi.....51 | MIFLEX Xtreme braided LP138 |
| Harness w/ rivet.....51 | MIFLEX Xtreme braided ORA.....132 |
| High Flow Adapter 110 deg.....100 | MIFLEX Xtreme braided ORA.....142 |
| High Flow Adapter 90 degr.....101 | MIFLEX Xtreme braided PIN.....133 |
| High Pressure Port Adapte.....98 | MIFLEX Xtreme braided PIN.....143 |
| Hollister Condom.....68 | MIFLEX Xtreme braided RED.....134 |
| Hose Clamp.....33 | MIFLEX Xtreme braided RED.....144 |
| Hose Holder.....148 | MIFLEX Xtreme braided WHI.....135 |
| Hose Holder.....148 | MIFLEX Xtreme braided WHI.....145 |
| Hose Holder yellow.....149 | MIFLEX Xtreme braided YEL.....136 |
| Hose Holder yellow.....149 | MIFLEX Xtreme braided YEL.....146 |
| Hose Hook.....75 | Mini Fog Cutter.....76 |
| HP 90 with swivel.....98 | Mini Tech SPG.....118 |
| HP Gauge 300 bar G5/8.....120 | MiraZyme.....93 |
| HP Hose QD Adapter.....99 | MOD Decal 21.....29 |
| HP Port Swivel Adapter.....98 | MOD Decal 36.....29 |
| Inflator Service Kit.....56 | MOD Decal 45.....29 |
| Inflator Tool.....85 | MOD Decal 57.....29 |
| Inflator Tool for DZ Infl.....87 | MOD Decal 70.....29 |
| Inflator Tool for DZ Infl.....87 | MOD Decal 80.....29 |
| INT Inlet.....33 | Mono Valve 230 Bar.....16 |
| Knife w/ sheet.....76 | Mono Valve 300 Bar16 |
| large SMB 300cm.....83 | Mono Valve 300 Bar16 |
| Lavo Valve 230bar extenda.....18 | Mono Valve 300 Bar left.....16 |
| Lavo Valve mit Swivel 2.22 | Mono Valve M18x1,5 230 Ba.....18 |
| Lavo Valve Swivel 2. Outl.....27 | Mono valve M18X1,5 300 ba.....16 |
| Liftbag 22kg.....84 | Mono Valve NPSM 3/4.....17 |
| Lock Down Screw for Reels.....155 | Mount for Bottom Timer.....112 |
| LP Hose Splitter.....107 | Mount for Suunto SK7.....112 |
| LP Male 3/8 to Male 9/16.....107 | Mount for Suunto Vyper.....112 |
| LUXFER Alu Tanks.....11 | Neoprene Knife Wrap.....77 |
| Lycra Sock.....151 | Neoprene Pocket Shorts.....154 |
| M26 to G5/8.....97 | Neoprene Socks.....151 |
| Male 1/4.....102 | Nielsen Hook.....121 |
| Manifold 140mm.....27 | Nielsen Secure Latch.....121 |
| Manifold 171mm.....27 | Nitrox Mono Valve DIN144.....17 |
| Manifold 204mm.....28 | Nitrox Mono Valve DIN144.....17 |
| Manifold complete 140mm.....23 | No bumb cable tie.....89 |
| Manifold complete 140mm 3.....23 | Norprene Hose.....68 |
| Manifold complete 171mm.....23 | O-Ring f. Latex seals.....171 |
| Manifold complete 171mm.....23 | O-Ring for Inflator.....127 |
| Manifold complete 171mm.....23 | O-Ring M25x2.....38 |
| Manifold complete 204mm.....23 | O-Ring Picks Set.....85 |
| Manifold complete 204mm 3.....24 | |

Table of contents

| | |
|--------------------------------|-----|
| O-Rings Bajonett from 200..... | 171 |
| O-Rings Bajonett to 2006..... | 171 |
| O-Rings f. Neoprene seals..... | 172 |
| O-Rings f. red Ring..... | 172 |
| OPV..... | 164 |
| OPV 3/8..... | 165 |
| Oxygen Swivel..... | 120 |
| P-Weight 2,7kg +/-5% for | 182 |
| P-Weight 4,9kg +/-5% for | 182 |
| Pee Valve balanced..... | 67 |
| Personal Filter..... | 96 |
| Plug Set - Delrin 9/16..... | 149 |
| Pony Mount..... | 33 |
| Poseidon Hose Adapter..... | 104 |
| Propel..... | 60 |
| PVC drygloves..... | 173 |
| Quick Disconnect - Male P..... | 105 |
| Quick Link SS..... | 71 |
| Quick-Attach Weight Pocke..... | 179 |
| Quick-Release Weight Pock..... | 180 |
| Rapid Exhaust Valve knee..... | 52 |
| Rebreather Nitrox Valve..... | 18 |
| Rebreather Valve..... | 18 |
| Reduction Valve..... | 97 |
| Reel120..... | 155 |
| Reel200..... | 155 |
| Reg to Reg..... | 107 |
| Regulator Adjuster..... | 89 |
| Regulator Cover Removal T..... | 86 |
| Regulator Hose Plug Set..... | 150 |
| Regulator Necklace Black..... | 165 |
| Regulator Support Handle..... | 86 |
| Rigging Kit..... | 32 |
| Rigging Kit 120 mm..... | 32 |
| Right Angle | 101 |
| Ring 1 blue..... | 175 |
| RING 14..... | 42 |
| RING 14 travel wing..... | 43 |
| RING 17..... | 43 |
| RING 17 travel wing..... | |
| Ring 2 black..... | 175 |
| RING 20..... | 44 |
| Ring 3 red..... | 175 |
| RoLock 1..... | 168 |
| RoLock 1 & 2 complete..... | 168 |
| RoLock 2..... | 168 |
| RoLock 3..... | 168 |
| RoLock 3 black complete..... | 169 |
| RoLock 3 complete..... | 169 |
| RoLock 90 kit..... | 167 |
| RoLock 90 on glove - atta..... | 167 |
| RoLock 90 on gloves, blac..... | 167 |
| RoLock 90 on gloves, blue..... | 167 |
| RoLock PU ring | 175 |
| RoLock SI Tech TPE Wrist | 176 |
| RoLock silicone wrist sea..... | 176 |
| RoLock90 BLACK ring..... | 176 |
| RoLock90 BLUE ring | 176 |
| RoLock90 Care set..... | 176 |
| RoLock90 Drysuit side rin..... | 177 |
| RoLock90 Drysuit side rin..... | 177 |
| RoLock90 Glove side Ring | 177 |
| RoLock90 Glove side Ring | 177 |
| RoLock90 O-Rings/ bayonet..... | 178 |
| Rubber Fin Strap..... | 59 |
| Rubber HP Hose..... | 126 |
| Rubber Inflator Hose..... | 136 |
| Rubber Knob Black..... | 38 |
| Rubber Knob Green..... | 38 |
| Rubber MP Hose..... | 146 |
| Rubber MP Hose 1/2..... | 147 |
| Rubberknob soft..... | 39 |
| Safety valve for Wings | 57 |
| Schrader Valve..... | 136 |
| Schrader valve tool..... | 86 |
| Scissors with cover..... | 76 |
| Screw Nut for DZ Hand Whe..... | 37 |
| Screw Set for Wings..... | 57 |
| Screw Set for Wings 6mm..... | 57 |
| Screw Set Storage Pack..... | 57 |
| Screw Set Weighting Syste..... | 57 |
| Scuba Multi-Tool..... | 86 |
| Scubapro Jetfins..... | 60 |
| Sea Drops..... | 92 |
| SEADIVE SeaFire RayBlocke..... | |
| Seal Saver..... | 93 |
| Service Kit 1st Stage..... | 163 |
| Service Kit 2nd Stage..... | 163 |
| Shackle Bolt Snap 4inch..... | 71 |
| Sheat for EMT Shears..... | 77 |
| Shut off 1st stage..... | 101 |
| Shut off 2nd stage..... | 103 |
| Sidemount Backpad..... | 52 |
| Silicone grease..... | 172 |
| Single Weight Pocket..... | 180 |
| SingleTank Adapter..... | 49 |
| SiTech Dump Valve..... | 68 |
| SiTech Inlet Valve..... | 68 |
| SOS Oxygen Kit..... | 15 |
| Spare Axis..... | 39 |
| Spare Axis..... | 37 |
| Spare Axis..... | 39 |
| Spare Inflator..... | 57 |
| Spare Inflator Lite..... | 58 |
| Spare Part Kit for Argon | 163 |
| SPG 52mm 240bar..... | 115 |
| SPG 52mm 240bar BLACK..... | 115 |
| SPG 52mm 240bar black-chr..... | 114 |
| SPG 52mm 240bar black-chr..... | 115 |
| SPG 52mm 240bar chrome..... | 114 |
| SPG 52mm 288bar..... | 116 |
| SPG 52mm 288bar BLACK CHR..... | 116 |
| SPG 52mm 288bar black-chr..... | 115 |
| SPG 52mm 288bar Oxygen..... | 117 |
| SPG 52mm 288bar Oxygen ch..... | 117 |
| SPG 52mm 288bar SNAP..... | 117 |
| SPG 52mm 288bar SNAP comp..... | 118 |
| SPG 52mm 320bar chrome..... | 114 |

Table of contents

| | |
|--------------------------------|-----|
| SPG 63mm 240bar | 116 |
| SPG 63mm 240bar chrome..... | 114 |
| SPG 63mm 360bar Oxygen..... | 118 |
| SPG Cover 45mm black..... | 118 |
| SPG Cover 45mm green..... | 119 |
| SPG Cover 52 mm Black..... | 119 |
| SPG Cover 52 mm Green..... | 119 |
| SPG Cover 63 mm Black..... | 120 |
| Spool30..... | 156 |
| Spool40..... | 156 |
| Spool50..... | 157 |
| Spring for DZ Hand Wheels..... | 37 |
| Spring Strap Replacement | 59 |
| Spring-Loaded Buckle..... | 180 |
| SS Edelstahl Adapter 9/16..... | 107 |
| SS DIN Plug..... | 41 |
| SS Spool Orange Line ca 3..... | 157 |
| Stage Rigging Kit..... | 33 |
| Stainless 2nd Stage Quick..... | 104 |
| Star Tool - Stainless Ste..... | 87 |
| Steel Mono Tanks w/ TÜV..... | 14 |
| Sticker ARGON..... | 30 |
| Sticker DILUENT..... | 30 |
| Sticker OXYGEN..... | 30 |
| StreamRing 17..... | 44 |
| StreamRing 20..... | 45 |
| StreamRing 20 travel wing..... | 45 |
| StreamRing23..... | 45 |
| Surface Marker Buoy 210cm..... | 84 |
| SWITCH..... | 62 |
| SWITCH Bag..... | 63 |
| Switch Boot..... | 121 |
| SWITCH Caddy..... | 62 |
| SWITCH Filters..... | 62 |
| Switch for Explorer Light..... | 121 |
| Switch Protector..... | 122 |
| Swivel Adapter..... | 105 |
| Swivel oxygene for slim g..... | 116 |
| T-Adapter..... | 97 |
| Tail Weight Pouch..... | 53 |
| Talcum Powder..... | 87 |
| Tank Bands..... | 54 |
| Tank Bands..... | 55 |
| Tank Bands with Plastic..... | 54 |
| Tank Banger..... | 31 |
| Tank Boot..... | 35 |
| Tank Boot 80cf..... | 36 |
| Tank Handle..... | 34 |
| Tank Handle Deluxe..... | 34 |
| Tank Holder Rail..... | 34 |
| Tankboot Double 140 mm..... | 35 |
| Tankboot Double 171 mm..... | 35 |
| Tankboot 140mm..... | 35 |
| Tankboot 171 mm..... | 35 |
| Tankboot 204 mm..... | 36 |
| TECLINE 1,5l CE..... | 20 |
| TECLINE 3l CE..... | 20 |
| TECLINE 7l CE..... | 20 |
| TECLINE S080cft..... | 21 |
| TECLINE 2l CE..... | 20 |
| TENACIOUS Tape..... | 88 |
| Test Tubes and Spares..... | 122 |
| The Silencer..... | 97 |
| Thermo Rubber Knob Black..... | 39 |
| Thermo Rubber Knob Green..... | 40 |
| Thermoacryl inside gloves..... | 170 |
| Thin-Line SPG 240bar..... | 117 |
| Tightening Tool for DZ El..... | 52 |
| Trim Weight Pocket..... | 52 |
| Trim Weight Pocket Backpl..... | 52 |
| Turtle Fins..... | 60 |
| Twin Valve..... | 22 |
| Two Color - Mouthpieces..... | 165 |
| U-Fill Soft Weight Pouche..... | 181 |
| Under Spindle..... | 39 |
| Universal Spring Fin Stra..... | 59 |
| Universal Valve Caps..... | 34 |
| V Weight Pouch..... | 55 |
| V-Weight 2,7kg +/-5% for | 182 |
| V-Weight 4,0 kg +/-5% for..... | 182 |
| V-Weight 4,0kg +/-5% for | 182 |
| v4tec Bolt Kit 140 mm | 26 |
| v4tec Bolt Kit 171 mm | 26 |
| v4tec Bolt Kit 204 mm | 26 |
| v4tec Tankbands 140/154mm..... | 25 |
| v4tec Tankbands 140/185mm..... | 25 |
| v4tec Tankbands 140mm SMA..... | 25 |
| v4tec Tankbands 171/185mm..... | 25 |
| v4tec Tankbands 171mm SMA..... | 25 |
| v4tec Tankbands 184mm..... | 25 |
| v4tec Tankbands 204/215mm..... | 26 |
| v4tec Wetnote-Tool..... | 85 |
| Valve 232 bar left..... | 17 |
| Valve 232 bar right exten..... | 18 |
| Valve 232bar left extenab..... | 19 |
| Valve 232bar right..... | 17 |
| Valve remover stainless s..... | 40 |
| Valve Spare Part 71040..... | 40 |
| Valve Spare Part Kit..... | 38 |
| Valve Spare Part Kit for | 37 |
| Valve Spare Part Kit V-/T..... | 40 |
| Valve Spare Part Kit w/ 2..... | 38 |
| WAM E/O Blind Plug..... | 123 |
| WAM E/O Cord Adapter from..... | 123 |
| WAM E/O Cord Extension..... | 123 |
| WAM Sealing Gland w. prot..... | 123 |
| WAM-cord..... | 124 |
| Weight Bag..... | 95 |
| Weight Keeper with D-Ring..... | 74 |
| Weight Pocket w. Velcro F..... | 180 |
| Wet- & Dry Suit Champ..... | 91 |
| Wetnotes..... | 111 |
| Wetnotes - Inner Notes..... | 112 |
| Wetnotes w/ plastic..... | 111 |
| Wetsuit Hanger..... | 69 |
| Wetsuit Travel Hanger..... | 70 |
| Wrist seals protection..... | 169 |
| X-Strap Mask Strap..... | 61 |